
DUAL INDUCTION FOCUSED LOG
DIFL
GR
SP
ILD
ILM
DEPTH
MD
TVD
RT
RXO
RM
RMF
RMC
CALI
BS
DRHO
NPHI
PEF
LITHOLOGY
SANDSTONE
LIMESTONE
DOLOMITE
ANHYDRITE
SALT
COAL
SHALE
GAMMA RAY
SPONTANEOUS POTENTIAL
RESISTIVITY
POROSITY
CALIPER
BOREHOLE SIZE
DENSITY CORRECTION
NEUTRON POROSITY
PHOTOELECTRIC FACTOR
DEPTH IN FEET
DEPTH IN METERS
TRUE VERTICAL DEPTH
RUN 1
RUN 2
RUN 3
CASING
HOLE SIZE
MUD TYPE
MUD WEIGHT
VISCOSITY
FLUID LOSS
PH
MUD RESISTIVITY
MUD FILTRATE RESISTIVITY
MUD CAKE RESISTIVITY
BOTTOM HOLE TEMPERATURE
RECORDED
CALCULATED
TIME SINCE CIRCULATION
MAXIMUM RECORDED TEMPERATURE
EQUIPMENT NUMBER
LOCATION
RECORDED BY
WITNESSED BY
SERVICE COMPANY
SCHLUMBERGER
DUAL INDUCTION FOCUSED LOG
DIFL
GR
SP
ILD
ILM
DEPTH
MD
TVD
RT
RXO
RM
RMF
RMC
CALI
BS
DRHO
NPHI
PEF
LITHOLOGY
SANDSTONE
LIMESTONE
DOLOMITE
ANHYDRITE
SALT
COAL
SHALE
GAMMA RAY
SPONTANEOUS POTENTIAL
RESISTIVITY
POROSITY
CALIPER
BOREHOLE SIZE
DENSITY CORRECTION
NEUTRON POROSITY
PHOTOELECTRIC FACTOR
DEPTH IN FEET
DEPTH IN METERS
TRUE VERTICAL DEPTH
RUN 1
RUN 2
RUN 3
CASING
HOLE SIZE
MUD TYPE
MUD WEIGHT
VISCOSITY
FLUID LOSS
PH
MUD RESISTIVITY
MUD FILTRATE RESISTIVITY
MUD CAKE RESISTIVITY
BOTTOM HOLE TEMPERATURE
RECORDED
CALCULATED
TIME SINCE CIRCULATION
MAXIMUM RECORDED TEMPERATURE
EQUIPMENT NUMBER
LOCATION
RECORDED BY
WITNESSED BY
SERVICE COMPANY
SCHLUMBERGER






15810
15820
15830
15840
15850
15860
15870
15880
15890
15900
15910
15920
15930
15940
15950
15960
15970
15980
15990
16000
16010
16020
16030
16040
16050
16060
16070
16080
16090
16100
16110
16120
16130
16140
16150
16160
16170
16180
16190
16200
16210