

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401061774

Date Received:

06/20/2016

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-41347-00

7. Well Name: JESTER

8. Location: QtrQtr: SWNW Section: 15 Township: 3N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 40N-14HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/15/2016 End Date: 05/23/2016 Date of First Production this formation: 05/28/2016
Perforations Top: 7470 Bottom: 16451 No. Holes: 1044 Hole size: 0.42

Provide a brief summary of the formation treatment:

Open Hole: ☐

"PERF AND FRAC FROM 7470-16,451.
400 BBL 7.5% HCL ACID, 9,009 BBL PUMP DOWN, 184,592 BBL SLICKWATER, - 194,000 BBL TOTAL FLUID
780,400# 100 MESH GENOA/SAND HILLS, 4,396,600# 40/70 OTTAWA/ST. PETERS, - 5,177,000# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 194000

Max pressure during treatment (psi): 7376

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: _____

Min frac gradient (psi/ft): 0.93

Total acid used in treatment (bbl): 400

Number of staged intervals: 45

Recycled water used in treatment (bbl): 2710

Flowback volume recovered (bbl): 2817

Fresh water used in treatment (bbl): 190890

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 5177000

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/08/2016 Hours: 24 Bbl oil: 377 Mcf Gas: 518 Bbl H2O: 460
Calculated 24 hour rate: Bbl oil: 377 Mcf Gas: 518 Bbl H2O: 460 GOR: 1374
Test Method: FLOWING Casing PSI: 1850 Tubing PSI: _____ Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1382 API Gravity Oil: 54
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

7.5% HCL acid was used in a plug and perf operation for this well.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: 6/20/2016 Email: ila.beale@anadarko.com

:

Attachment Check List

Att Doc Num **Name**

401061774 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Incorporated operator's comment into the Formation Information tab Form 7 missing Mar-April 2016, Nov-Dec 2017 Form 5A, Doc #401061774 has been approved for NBRR	12/15/2017

Total: 1 comment(s)