



Company

Well

Interval

Created

Bayswater E&P LLC

Ward W-20-19HC

Date From: 2017-11-14 06:04:06

Date To: 2017-11-19 13:17:31

2017-11-19 13:30:02

Top: 1555.00

Bottom: 17799.00

Gamma Ray - Apparent 0.5 ft Average GRAX
0 300

API

True Vertical Depth TVD

7500 1500
ft

MID 1:600 feet

Depth Averaged ROP 3 ft Average ROPA
1000 0

ft/h

Gamma Time Since Drilled GRTX

0 600
min

Weight On Bit, Average 1 ft Average WOBA
0 50

klb

Downhole Temperature TCDX

0 250
degF

1500

1550

1600

1650

1700



1750



1800


1850

>R1


Handwritten notes in purple ink, likely indicating temperature or weight on bit data, with a vertical dashed line at approximately 1750 ft.










3450 3500 3550 3600 3650 3700 3750 3800 3850 3900 3950












4500 4550 4600 4650 4700 4750 4800 4850 4900 4950



4500 4550 4600 4650 4700 4750 4800 4850 4900 4950






4500 4550 4600 4650 4700 4750 4800 4850 4900 4950





















8100 8050 8000 7950 7900 7850 7800 7750 7700 7650 800





































850 13900 13950 14000 14050 14100 14150 14200 14250 14300 14350

