



Well Name		API Number		County	
RAZOR 250-2444		051234264600		Weld	
Section	Township	Township N/S Dir	Range	Range E/W Dir	Meridian
25	10	N	58	W	
Quarter 1					
NW					
Quarter 2					
NE					

Lateral/Horizontal - Original Hole, 1/12/2018 7:10:50 AM

Vertical schematic (actual)

Conductor Cement; 21.0-101.0 ftKB; Depth Plug Drilled Out To: Fluid: General, Class: Standard, Amount: , Yield: , Dens: Conductor Pipe; 0.00 in; 16 in; 65.00 lb/ft; 21.0 ftKB; 21.0-101.0 ftKB

Surface Casing Cement; 21.0-2,078.8 ftKB; Depth Plug Drilled Out To: Fluid: Lead Cement, Class: Control Set C, Amount: 340sacks, Yield: 2.47ft³/sack, Dens: 12.00lb/gal Fluid: Tail Cement, Class: Type III, Amount: 330sacks, Yield: 1.48ft³/sack, Dens: 14.20lb/gal Float Collar; 36.00 lb/ft; 2,031.3 ftKB; 2,031.3-2,032.8 ftKB Float Shoe; 36.00 lb/ft; 2,077.3 ftKB; 2,077.3-2,078.8 ftKB Surface Csg; 0.00 in; 9 5/8 in; 36.00 lb/ft; 21.1 ftKB; 21.1-2,078.8 ftKB Marker Casing Joint; 20.00 lb/ft; 4,857.7 ftKB; 4,857.7-4,877.8 ftKB Production - Gas Lift/Plunger Lift; 3 1/16 in; 1.50 in; 21.0-5,202.5 ftKB Marker Casing Joint; 20.00 lb/ft; 5,883.5 ftKB; 5,883.5-5,904.0 ftKB

Production Casing Cement; 21.0-15,909.5 ftKB; Depth Plug Drilled Out To: Fluid: Lead Cement, Class: 1:1:0 Poz G, Amount: 305sacks, Yield: 1.97ft³/sack, Dens: 12.00lb/gal Fluid: Lead Cement, Class: 1:1:0 Poz G, Amount: 375sacks, Yield: 1.97ft³/sack, Dens: 12.00lb/gal Fluid: Tail Cement, Class: 35/65 Poz Class C, Amount: 1,970sacks, Yield: 1.49ft³/sack, Dens: 13.50lb/gal

Float Collar; 20.00 lb/ft; 15,863.4 ftKB; 15,863.4-15,864.9 ftKB Float Shoe; 20.00 lb/ft; 15,908.0 ftKB; 15,908.0-15,909.5 ftKB Production Csg; 0.00 in; 7 7/8 in; 20.00 lb/ft; 21.0 ftKB; 21.0-15,909.5 ftKB