

FORM
5A

Rev
06/12

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401359298

Date Received:

08/03/2017

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: TEP ROCKY MOUNTAIN LLC
3. Address: PO BOX 370
City: PARACHUTE State: CO Zip: 81635
4. Contact Name: Kellye Garcia
Phone: (832) 726-1159
Fax:
Email: kgarcia@terraep.com

5. API Number 05-045-23351-00
6. County: GARFIELD
7. Well Name: Chevron
Well Number: TR 324-21-597
8. Location: QtrQtr: SESW Section: 21 Township: 5S Range: 97W Meridian: 6
9. Field Name: TRAIL RIDGE Field Code: 83825

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/08/2017 End Date: 06/20/2017 Date of First Production this formation: 07/11/2017

Perforations Top: 9309 Bottom: 9432 No. Holes: 18 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

3792 bbls of slickwater; 74953 100/Mesh; 165 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3796

Max pressure during treatment (psi): 6646

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.56

Total acid used in treatment (bbl):

Number of staged intervals: 1

Recycled water used in treatment (bbl): 3792

Flowback volume recovered (bbl): 2166

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 74953

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/08/2017 End Date: 06/20/2017 Date of First Production this formation: 07/11/2017

Perforations Top: 9476 Bottom: 9636 No. Holes: 21 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

4463 bbls of slickwater; 88009 100/Mesh; 180 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 4467

Max pressure during treatment (psi): 6646

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.56

Total acid used in treatment (bbl):

Number of staged intervals: 2

Recycled water used in treatment (bbl): 4463

Flowback volume recovered (bbl): 2527

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 88009

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: SEGO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/08/2017 End Date: 06/20/2017 Date of First Production this formation: 07/11/2017

Perforations Top: 9653 Bottom: 9726 No. Holes: 9 Hole size: 35/100

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

1919 bbls of slickwater; 37875 100/Mesh; 75 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 1920

Max pressure during treatment (psi): 6646

Total gas used in treatment (mcf): _____

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: _____

Min frac gradient (psi/ft): 0.56

Total acid used in treatment (bbl): _____

Number of staged intervals: 1

Recycled water used in treatment (bbl): 1919

Flowback volume recovered (bbl): 1083

Fresh water used in treatment (bbl): _____

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 37875

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-CAMEO-COZZETTE-CORCORAN-SEGO Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____
Perforations Top: 7164 Bottom: 9726 No. Holes: 264 Hole size: 35/100

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 07/17/2017 Hours: 24 Bbl oil: 0 Mcf Gas: 3000 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 3000 Bbl H2O: 0 GOR: 0
Test Method: FLOWING Casing PSI: 1622 Tubing PSI: 1508 Choke Size: 20/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1072 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8160 Tbg setting date: 06/27/2017 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/08/2017 End Date: 06/20/2017 Date of First Production this formation: 07/11/2017

Perforations Top: 7164 Bottom: 8961 No. Holes: 216 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

41888 bbls of slickwater; 796010 100/Mesh; 2280 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 41942

Max pressure during treatment (psi): 6646

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.56

Total acid used in treatment (bbl):

Number of staged intervals: 9

Recycled water used in treatment (bbl): 41888

Flowback volume recovered (bbl): 25992

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 796010

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

All flowback volumes are estimates based on commingled volume.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kellye Garcia

Title: Land Tech Date: 8/3/2017 Email: kgarcia@terraep.com

Attachment Check List

Att Doc Num Name

401359298 FORM 5A SUBMITTED

401363873 WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group Comment

Comment Date

Stamp Upon Approval

Total: 0 comment(s)