RELIANCE
OILFIELD SERVICES

Radial Cement Bond Gamma Ray Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 542-26
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Tri State Trucking PA 542-26
Field Parachute
County Garfield State Colorado
Location: API # : 05-045-23647
SEC 25 TWP 6S RGE 95W

Other Services: --

			Elevation
Permanent Datum	Ground Level	Elevation 5224'	K.B. 5248'
Log Measured From	Kelly Bushing	24 FT	D.F. 5247'
Drilling Measured From	Kelly Bushing		G.L. 5224'

Date	12-DEC-2017
Run Number	One
Depth Driller	8275 FT
Depth Logger	8202 FT
Bottom Logged Interval	8197 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Fresh Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	241°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	1:00
Equipment Number	HD-359
Location	Grand Junction, CO
Recorded By	J. Donnelly
Witnessed By	C. Applegate

Borehole Record				Tubing Record		
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1137 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8233 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint logged at 4164-4186 FT
Log ran from 8202 FT to Surface
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep_tri state trucking pa 542-26_rbl_12-12-17\processed_tep_tri state trucking pa 542-26_rbl_12-12-17.db
Dataset Pathname	main.1
Presentation Format	ros_rbt004_tep
Dataset Creation	Wed Dec 13 11:39:39 2017
Charted by	Depth in Feet scaled 1:240


134.9
3800
137.0
3900


139.0
4000
140.6
4100


Marker Joint
142.5
4200
144.9
4300


147.2
4400
149.8
4500


151.8
4600
154.0
4700


155.8
4800
157.8
4900


159.3
5000
161.3
5100


163.5
5200
165.2
5300


167.5
5400
170.0
5500


172.3
5600
174.4
5700


176.0
5800
178.2
5900


180.2
6000
182.4
6100


184.3
6200
185.9
6300


187.2
6400
189.5
6500


191.8
6600
193.9
6700


196.0
6800
198.3
6900


200.3
7000
202.4
7100


204.4
7200
207.6
7300


209.8
7400
212.0
7500


215.2
7600
219.5
7700



Repeat Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep_tri state trucking pa 542-26_rbl_12-12-17\processed_tep_tri state trucking pa 542-26_rbl_12-12-17.db
Dataset Pathname	repeat.1
Presentation Format	ros_rbt004_tep
Dataset Creation	Wed Dec 13 12:04:24 2017
Charted by	Depth in Feet scaled 1:240



Sensor	Offset (ft)
Temp	16.05
WVFS8	13.88
WVFS7	13.88
WVFS6	13.88
WVFS5	13.88
WVFS4	13.88
WVFS3	13.88
WVFS2	13.88
WVFS1	13.88
WVFCAL	13.88
WVF3FT	13.88
WVF5FT	12.88
HeadVolt	9.63
DCCL	6.18
CCL	6.18
GR	4.96

Schematic



Description	Length (ft)	O.D. (in)	Weight (lb)
Titan_Electric_Cable_Heads-Titan_1-11/11.03 Electric Cable Head with 1" Fishing Neck		1.69	5.40
DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00
Probe_RADII-C-P_RBT_2750 (101013) Probe 2-3/4" Sector Cement Bond Tool with Temperature Probe	9.19	2.75	105.00
DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00
Probe_GR_CCL-P_CGR_2750_S (FW1304.548) Probe 2-3/4" Digital CCL / Gamma Ray Combined		2.75	55.00
DSS_RAC-RAC_5-Arm 5 Arm 2-3/4" Roller Centralizer	2.55	2.75	32.00

Dataset:	processed_tep_tri state trucking pa 542-26_rbl_12-12-17.db: field/well/run1/main.1
Total length:	22.40 ft
Total weight:	261.40 lb
O.D.:	2.75 in

Calibration Report

Database File	c:\programdata\warrior\data\tep_tri state trucking pa 542-26_rbl_12-12-17\processed_tep_tri state trucking pa
Dataset Pathname	main.1
Dataset Creation	Wed Dec 13 11:39:39 2017

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	P_CGR_2750_S	
Performed:	Sat Feb 06 11:43:09 2016	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.6	cps
Sensitivity:	0.6061	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	101013	
Tool Model:	P_RBT_2750	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	32.658	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.035	0.576	0.000	81.196	132.847	4.706
CAL	-0.006	0.767				
5'	-0.007	0.570	0.000	81.196	140.619	1.054
SUM						
S1	-0.029	0.597	0.000	100.000	159.873	4.572
S2	-0.030	0.592	0.000	100.000	160.769	4.875
S3	-0.040	0.565	0.000	100.000	165.318	6.658
S4	-0.039	0.567	0.000	100.000	164.978	6.479
S5	-0.034	0.566	0.000	100.000	166.801	5.674
S6	-0.035	0.577	0.000	100.000	163.400	5.751
S7	-0.038	0.619	0.000	100.000	152.101	5.793
S8	-0.035	0.643	0.000	100.000	147.436	5.185

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.006	0.767	1.000	0.000

Air Zero Calibration, performed Mon Dec 11 22:37:01 2017:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	-0.005	0.000	0.001
5'	-0.001	0.000	0.000
SUM			
S1	-0.003	0.000	-0.000
S2	-0.004	0.000	0.000
S3	-0.005	0.000	0.000
S4	-0.003	0.000	-0.000
S5	-0.003	0.000	0.000
S6	-0.004	0.000	0.000
S7	-0.005	0.000	-0.000
S8	-0.003	0.000	0.000

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 542-26
Field	Parachute
County	Garfield
State	Colorado