



# Bison Oil Well Cementing Single Cement Surface Pipe

Date: 10/22/2017  
 Invoice #: 666219  
 API#: 05-123-45231  
 Foreman: Nick Vigil

Customer: Anadarko Petroleum Corporation  
 Well Name: Burough 26C-17HZ

County: Weld  
 State: Colorado  
 Sec: 17  
 Twp: 1N  
 Range: 66W

Consultant: Brian  
 Rig Name & Number: Cartel 88  
 Distance To Location: 32 Miles  
 Units On Location: 4023/4040/4039  
 Time Requested: 20:30  
 Time Arrived On Location: 19:30  
 Time Left Location:

WELL DATA	Cement Data
Casing Size OD (in) : 9.625	Cement Name: BFN III
Casing Weight (lb) : 36.00	Cement Density (lb/gal) : 14.2
Casing Depth (ft.) : 1,856	Cement Yield (cuft) : 1.49
Total Depth (ft) : 1866	Gallons Per Sack: 7.48
Open Hole Diameter (in.) : 13.50	% Excess: 10%
Conductor Length (ft) : 80	Displacement Fluid lb/gal: 8.3
Conductor ID : 15.25	BBL to Pit:
Shoe Joint Length (ft) : 43	Fluid Ahead (bbls): 30.0
Landing Joint (ft) : 10	H2O Wash Up (bbls): 20.0
Max Rate: 8	Spacer Ahead Makeup
Max Pressure: 2000	Dye in second 10 bbl

Calculated Results	Pressure and Displacement
<b>Displacement:</b> 140.93 bbls (Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)	<b>Pressure of cement in annulus</b>
<b>cuft of Shoe</b> 18.66 cuft (Casing ID Squared) X (.005454) X (Shoe Joint ft)	<b>Hydrostatic Pressure:</b> 1369.17 PSI
<b>cuft of Conductor</b> 61.05 cuft (Conductor Width Squared) -(Casing Size OD Squared) X (.005454) X (Conductor Length ft)	<b>Pressure of the fluids inside casing</b>
<b>cuft of Casing</b> 954.78 cuft (Open Hole Squared)-(Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length )	<b>Displacement:</b> 781.73 psi
<b>Total Slurry Volume</b> 1034.50 cuft (cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)	<b>Shoe Joint:</b> 31.72 psi
<b>bbls of Slurry</b> 184.24 bbls (Total Slurry Volume) X (.1781)	<b>Total</b> 813.45 psi
<b>Sacks Needed</b> 694 sk (Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)	<b>Differential Pressure:</b> 555.72 psi
<b>Mix Water</b> 123.65 bbls (Sacks Needed) X (Gallons Per Sack) ÷ 42	<b>Collapse PSI:</b> 2020.00 psi
	<b>Burst PSI:</b> 3520.00 psi
	<b>Total Water Needed:</b> 314.58 bbls

X Authorization To Proceed

Customers hereby acknowledges and specifically agrees to the terms and condition on this work order, including, without limitation, the provisions on this work order.



# Borough 26C-17HZ

