




Project: Garfield County, CO (UTM 12N)  
 Site: S23-T6S-R97W (MESA N23)  
 Well: PUCKETT 13C-23  
 Wellbore: OH  
 Design: FINAL



WELL DETAILS: PUCKETT 13C-23

| +N/-S | +E/-W | Northing    | Ground Level: | 8432.00    | Latitude  | Longitude   |
|-------|-------|-------------|---------------|------------|-----------|-------------|
| 0.00  | 0.00  | 14357547.00 | Easting       | 2433835.00 | 39.503209 | -108.187447 |



# Cathedral Energy Services

## Survey Report

|                  |                               |                                     |                             |
|------------------|-------------------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>  | Caerus Oil & Gas              | <b>Local Co-ordinate Reference:</b> | Well PUCKETT 13C-23         |
| <b>Project:</b>  | Garfield County, CO (UTM 12N) | <b>TVD Reference:</b>               | 30' KB @ 8462.00usft        |
| <b>Site:</b>     | S23-T6S-R97W (MESA N23)       | <b>MD Reference:</b>                | 30' KB @ 8462.00usft        |
| <b>Well:</b>     | PUCKETT 13C-23                | <b>North Reference:</b>             | True                        |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Design:</b>   | FINAL                         | <b>Database:</b>                    | USA EDM 5000 Multi Users DB |

|                    |  |                      |                |
|--------------------|--|----------------------|----------------|
| <b>Project</b>     | Garfield County, CO (UTM 12N)                  |                      |                |
| <b>Map System:</b> | Universal Transverse Mercator (US Survey Feet) | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | NAD 1927 - Western US                          |                      |                |
| <b>Map Zone:</b>   | Zone 12N (114 W to 108 W)                      |                      |                |

|                              |                         |                          |                    |
|------------------------------|-------------------------|--------------------------|--------------------|
| <b>Site</b>                  | S23-T6S-R97W (MESA N23) |                          |                    |
| <b>Site Position:</b>        |                         | <b>Northing:</b>         | 14,357,518.00 usft |
| <b>From:</b>                 | Map                     | <b>Easting:</b>          | 2,433,869.00 usft  |
| <b>Position Uncertainty:</b> | 0.00 usft               | <b>Slot Radius:</b>      | 13-3/16"           |
|                              |                         | <b>Latitude:</b>         | 39.503127          |
|                              |                         | <b>Longitude:</b>        | -108.187330        |
|                              |                         | <b>Grid Convergence:</b> | 1.79 °             |

|                      |                |           |                     |                    |               |               |
|----------------------|----------------|-----------|---------------------|--------------------|---------------|---------------|
| Well                 | PUCKETT 13C-23 |           |                     |                    |               |               |
| Well Position        | +N/-S          | 0.00 usft | Northing:           | 14,357,547.00 usft | Latitude:     | 39.503209     |
|                      | +E/-W          | 0.00 usft | Easting:            | 2,433,835.00 usft  | Longitude:    | -108.187447   |
| Position Uncertainty |                | 0.00 usft | Wellhead Elevation: | 0.00 usft          | Ground Level: | 8,432.00 usft |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | OH                |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | HDGM              | 9/23/2017          | 9.70                   | 65.80                | 51,686.00000000            |

|                          |                                |                     |                     |                      |      |
|--------------------------|--------------------------------|---------------------|---------------------|----------------------|------|
| <b>Design</b>            | FINAL                          |                     |                     |                      |      |
| <b>Audit Notes:</b>      |                                |                     |                     |                      |      |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> | 0.00 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b> |      |
|                          | 0.00                           | 0.00                | 0.00                | 311.24               |      |

|                       |                  |                          |                  |                    |  |
|-----------------------|------------------|--------------------------|------------------|--------------------|--|
| <b>Survey Program</b> | <b>Date</b>      | 9/24/2017                |                  |                    |  |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b> |  |
| 143.00                | 9,504.00         | Survey #1 (OH)           | MWD+HDGM         | OWSG MWD + HDGM    |  |

|                              |                        |                    |                              |                     |                     |                                |                               |                            |                              |  |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|-------------------------------|----------------------------|------------------------------|--|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                               |                            |                              |  |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usf)</b> | <b>Build Rate (°/100u)</b> | <b>Formations / Comments</b> |  |
| 0.00                         | 0.00                   | 0.00               | 0.00                         | 0.00                | 0.00                | 0.00                           | 0.00                          | 0.00                       |                              |  |
| 143.00                       | 0.44                   | 12.32              | 143.00                       | 0.54                | 0.12                | 0.27                           | 0.31                          | 0.31                       |                              |  |
| 174.00                       | 0.70                   | 340.94             | 174.00                       | 0.83                | 0.08                | 0.49                           | 1.28                          | 0.84                       |                              |  |
| 204.00                       | 1.10                   | 328.20             | 203.99                       | 1.25                | -0.13               | 0.92                           | 1.48                          | 1.33                       |                              |  |
| 295.00                       | 3.43                   | 311.58             | 294.92                       | 3.80                | -2.63               | 4.48                           | 2.63                          | 2.56                       |                              |  |
| 386.00                       | 6.33                   | 316.33             | 385.58                       | 9.24                | -8.13               | 12.20                          | 3.21                          | 3.19                       |                              |  |
| 478.00                       | 9.45                   | 313.61             | 476.70                       | 18.12               | -17.10              | 24.80                          | 3.41                          | 3.39                       |                              |  |
| 571.00                       | 13.45                  | 304.73             | 567.83                       | 29.55               | -31.53              | 43.19                          | 4.69                          | 4.30                       |                              |  |
| 665.00                       | 16.79                  | 301.57             | 658.57                       | 42.89               | -52.08              | 67.44                          | 3.66                          | 3.55                       |                              |  |
| 760.00                       | 19.34                  | 302.62             | 748.88                       | 58.56               | -77.03              | 96.52                          | 2.71                          | 2.68                       |                              |  |
| 854.00                       | 20.65                  | 306.40             | 837.21                       | 76.78               | -103.48             | 128.43                         | 1.96                          | 1.39                       |                              |  |
| 948.00                       | 22.37                  | 310.97             | 924.67                       | 98.35               | -130.33             | 162.84                         | 2.55                          | 1.83                       |                              |  |
| 1,043.00                     | 24.13                  | 315.01             | 1,011.96                     | 123.94              | -157.71             | 200.30                         | 2.50                          | 1.85                       |                              |  |

# Cathedral Energy Services

## Survey Report

|                  |                               |                                     |                             |
|------------------|-------------------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>  | Caerus Oil & Gas              | <b>Local Co-ordinate Reference:</b> | Well PUCKETT 13C-23         |
| <b>Project:</b>  | Garfield County, CO (UTM 12N) | <b>TVD Reference:</b>               | 30' KB @ 8462.00usft        |
| <b>Site:</b>     | S23-T6S-R97W (MESA N23)       | <b>MD Reference:</b>                | 30' KB @ 8462.00usft        |
| <b>Well:</b>     | PUCKETT 13C-23                | <b>North Reference:</b>             | True                        |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Design:</b>   | FINAL                         | <b>Database:</b>                    | USA EDM 5000 Multi Users DB |

### Survey

| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usf) | Build Rate (°/100u) | Formations / Comments |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|------------------------|---------------------|-----------------------|
| 1,137.00              | 25.62           | 315.80      | 1,097.23              | 152.10       | -185.47      | 239.73                  | 1.62                   | 1.59                |                       |
| 1,231.00              | 24.39           | 312.73      | 1,182.43              | 179.84       | -213.90      | 279.39                  | 1.90                   | -1.31               |                       |
| 1,326.00              | 23.29           | 312.20      | 1,269.32              | 205.77       | -242.22      | 317.78                  | 1.18                   | -1.16               |                       |
| 1,420.00              | 23.25           | 314.57      | 1,355.67              | 231.27       | -269.20      | 354.88                  | 1.00                   | -0.04               |                       |
| 1,515.00              | 26.32           | 318.00      | 1,441.92              | 260.09       | -296.66      | 394.53                  | 3.57                   | 3.23                |                       |
| 1,609.00              | 26.50           | 313.78      | 1,526.11              | 290.09       | -325.75      | 436.18                  | 2.01                   | 0.19                |                       |
| 1,704.00              | 26.06           | 314.49      | 1,611.30              | 319.38       | -355.94      | 478.19                  | 0.57                   | -0.46               |                       |
| 1,799.00              | 25.18           | 316.77      | 1,696.96              | 348.73       | -384.67      | 519.14                  | 1.39                   | -0.93               |                       |
| 1,893.00              | 24.43           | 315.80      | 1,782.28              | 377.23       | -411.91      | 558.42                  | 0.91                   | -0.80               |                       |
| 1,987.00              | 24.13           | 317.03      | 1,867.97              | 405.23       | -438.56      | 596.91                  | 0.63                   | -0.32               |                       |
| 2,082.00              | 24.35           | 317.12      | 1,954.59              | 433.79       | -465.13      | 635.71                  | 0.23                   | 0.23                |                       |
| 2,176.00              | 22.24           | 313.43      | 2,040.93              | 460.22       | -491.24      | 672.77                  | 2.73                   | -2.24               |                       |
| 2,271.00              | 23.16           | 312.38      | 2,128.57              | 485.17       | -518.09      | 709.42                  | 1.06                   | 0.97                |                       |
| 2,365.00              | 21.93           | 314.92      | 2,215.39              | 510.03       | -544.18      | 745.42                  | 1.67                   | -1.31               |                       |
| 2,440.00              | 20.00           | 315.89      | 2,285.42              | 529.13       | -563.02      | 772.18                  | 2.61                   | -2.57               |                       |
| 2,634.00              | 21.05           | 321.43      | 2,467.12              | 580.20       | -607.84      | 839.55                  | 1.14                   | 0.54                |                       |
| 2,729.00              | 21.31           | 322.31      | 2,555.70              | 607.20       | -629.03      | 873.28                  | 0.43                   | 0.27                |                       |
| 2,823.00              | 21.14           | 322.13      | 2,643.33              | 634.09       | -649.88      | 906.69                  | 0.19                   | -0.18               |                       |
| 2,918.00              | 22.76           | 316.68      | 2,731.45              | 660.99       | -673.01      | 941.81                  | 2.74                   | 1.71                |                       |
| 3,012.00              | 23.51           | 310.62      | 2,817.90              | 686.43       | -699.72      | 978.66                  | 2.65                   | 0.80                |                       |
| 3,107.00              | 23.25           | 307.63      | 2,905.10              | 710.21       | -728.95      | 1,016.33                | 1.28                   | -0.27               |                       |
| 3,201.00              | 24.74           | 304.82      | 2,990.98              | 732.77       | -759.80      | 1,054.39                | 2.00                   | 1.59                |                       |
| 3,296.00              | 25.01           | 302.71      | 3,077.17              | 754.98       | -793.01      | 1,094.01                | 0.98                   | 0.28                |                       |
| 3,390.00              | 26.41           | 299.54      | 3,161.86              | 776.02       | -827.93      | 1,134.13                | 2.09                   | 1.49                |                       |
| 3,484.00              | 27.47           | 300.25      | 3,245.66              | 797.25       | -864.84      | 1,175.89                | 1.18                   | 1.13                |                       |
| 3,579.00              | 26.41           | 300.69      | 3,330.35              | 819.08       | -901.94      | 1,218.17                | 1.14                   | -1.12               |                       |
| 3,673.00              | 26.32           | 300.69      | 3,414.57              | 840.38       | -937.84      | 1,259.20                | 0.10                   | -0.10               |                       |
| 3,768.00              | 26.59           | 301.83      | 3,499.63              | 862.34       | -974.01      | 1,300.88                | 0.61                   | 0.28                |                       |
| 3,862.00              | 26.32           | 304.11      | 3,583.78              | 885.13       | -1,009.14    | 1,342.32                | 1.12                   | -0.29               |                       |
| 3,956.00              | 26.37           | 307.54      | 3,668.03              | 909.53       | -1,042.95    | 1,383.83                | 1.62                   | 0.05                |                       |
| 4,051.00              | 26.59           | 309.39      | 3,753.06              | 935.88       | -1,076.11    | 1,426.13                | 0.90                   | 0.23                |                       |
| 4,146.00              | 26.24           | 310.71      | 3,838.14              | 963.07       | -1,108.46    | 1,468.39                | 0.72                   | -0.37               |                       |
| 4,240.00              | 26.24           | 310.88      | 3,922.46              | 990.23       | -1,139.93    | 1,509.94                | 0.08                   | 0.00                |                       |
| 4,334.00              | 26.72           | 310.00      | 4,006.60              | 1,017.41     | -1,171.83    | 1,551.85                | 0.66                   | 0.51                |                       |
| 4,429.00              | 26.41           | 314.31      | 4,091.57              | 1,045.90     | -1,203.31    | 1,594.31                | 2.05                   | -0.33               |                       |
| 4,523.00              | 26.54           | 317.12      | 4,175.72              | 1,075.89     | -1,232.56    | 1,636.07                | 1.34                   | 0.14                |                       |
| 4,618.00              | 26.37           | 316.42      | 4,260.77              | 1,106.73     | -1,261.55    | 1,678.20                | 0.37                   | -0.18               |                       |
| 4,712.00              | 26.19           | 316.16      | 4,345.06              | 1,136.81     | -1,290.30    | 1,719.66                | 0.23                   | -0.19               |                       |
| 4,807.00              | 26.02           | 315.98      | 4,430.36              | 1,166.92     | -1,319.31    | 1,761.31                | 0.20                   | -0.18               |                       |
| 4,901.00              | 25.66           | 315.28      | 4,514.97              | 1,196.21     | -1,347.95    | 1,802.16                | 0.50                   | -0.38               |                       |
| 4,996.00              | 26.41           | 313.61      | 4,600.33              | 1,225.40     | -1,377.73    | 1,843.79                | 1.10                   | 0.79                |                       |
| 5,091.00              | 26.28           | 313.08      | 4,685.46              | 1,254.33     | -1,408.38    | 1,885.92                | 0.28                   | -0.14               |                       |
| 5,185.00              | 26.06           | 314.22      | 4,769.82              | 1,282.95     | -1,438.38    | 1,927.34                | 0.58                   | -0.23               |                       |
| 5,280.00              | 25.49           | 315.45      | 4,855.37              | 1,312.07     | -1,467.68    | 1,968.56                | 0.82                   | -0.60               |                       |
| 5,374.00              | 25.23           | 312.38      | 4,940.32              | 1,339.99     | -1,496.67    | 2,008.77                | 1.43                   | -0.28               |                       |
| 5,469.00              | 25.44           | 310.71      | 5,026.18              | 1,366.94     | -1,527.09    | 2,049.41                | 0.78                   | 0.22                |                       |
| 5,563.00              | 26.15           | 310.62      | 5,110.82              | 1,393.60     | -1,558.12    | 2,090.32                | 0.76                   | 0.76                |                       |
| 5,658.00              | 26.32           | 312.73      | 5,196.03              | 1,421.52     | -1,589.48    | 2,132.30                | 1.00                   | 0.18                |                       |
| 5,752.00              | 25.18           | 312.38      | 5,280.70              | 1,449.14     | -1,619.56    | 2,173.13                | 1.22                   | -1.21               |                       |
| 5,847.00              | 25.09           | 312.90      | 5,366.70              | 1,476.47     | -1,649.24    | 2,213.47                | 0.25                   | -0.09               |                       |
| 5,941.00              | 25.18           | 315.63      | 5,451.80              | 1,504.33     | -1,677.83    | 2,253.33                | 1.24                   | 0.10                |                       |
| 6,036.00              | 25.36           | 317.03      | 5,537.71              | 1,533.67     | -1,705.83    | 2,293.72                | 0.66                   | 0.19                |                       |
| 6,130.00              | 24.52           | 318.00      | 5,622.95              | 1,562.89     | -1,732.60    | 2,333.12                | 0.99                   | -0.89               |                       |

# Cathedral Energy Services

## Survey Report

|                  |                               |                                     |                             |
|------------------|-------------------------------|-------------------------------------|-----------------------------|
| <b>Company:</b>  | Caerus Oil & Gas              | <b>Local Co-ordinate Reference:</b> | Well PUCKETT 13C-23         |
| <b>Project:</b>  | Garfield County, CO (UTM 12N) | <b>TVD Reference:</b>               | 30' KB @ 8462.00usft        |
| <b>Site:</b>     | S23-T6S-R97W (MESA N23)       | <b>MD Reference:</b>                | 30' KB @ 8462.00usft        |
| <b>Well:</b>     | PUCKETT 13C-23                | <b>North Reference:</b>             | True                        |
| <b>Wellbore:</b> | OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature           |
| <b>Design:</b>   | FINAL                         | <b>Database:</b>                    | USA EDM 5000 Multi Users DB |

| Survey                |                 |             |                       |              |              |                         |                        |                     |                        |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|------------------------|---------------------|------------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usf) | Build Rate (°/100u) | Formations / Comments  |
| 6,225.00              | 24.17           | 317.83      | 5,709.50              | 1,591.96     | -1,758.85    | 2,372.02                | 0.38                   | -0.37               |                        |
| 6,319.00              | 24.21           | 316.51      | 5,795.25              | 1,620.20     | -1,785.03    | 2,410.33                | 0.58                   | 0.04                |                        |
| 6,414.00              | 23.16           | 316.86      | 5,882.24              | 1,647.97     | -1,811.21    | 2,448.32                | 1.12                   | -1.11               |                        |
| 6,508.00              | 21.93           | 314.92      | 5,969.06              | 1,673.85     | -1,836.28    | 2,484.23                | 1.53                   | -1.31               |                        |
| 6,603.00              | 20.39           | 312.99      | 6,057.65              | 1,697.66     | -1,860.95    | 2,518.48                | 1.78                   | -1.62               |                        |
| 6,697.00              | 18.15           | 310.35      | 6,146.38              | 1,718.31     | -1,884.09    | 2,549.49                | 2.56                   | -2.38               |                        |
| 6,792.00              | 15.51           | 310.71      | 6,237.30              | 1,736.18     | -1,905.00    | 2,576.99                | 2.78                   | -2.78               |                        |
| 6,886.00              | 12.70           | 307.98      | 6,328.46              | 1,750.74     | -1,922.67    | 2,599.88                | 3.07                   | -2.99               |                        |
| 6,981.00              | 11.91           | 303.06      | 6,421.28              | 1,762.51     | -1,939.12    | 2,620.01                | 1.38                   | -0.83               |                        |
| 7,075.00              | 10.99           | 299.02      | 6,513.41              | 1,772.15     | -1,955.09    | 2,638.37                | 1.30                   | -0.98               |                        |
| 7,170.00              | 10.24           | 294.01      | 6,606.79              | 1,779.98     | -1,970.72    | 2,655.28                | 1.25                   | -0.79               |                        |
| 7,269.00              | 9.01            | 290.14      | 6,704.39              | 1,786.23     | -1,986.04    | 2,670.92                | 1.40                   | -1.24               |                        |
| 7,364.00              | 6.15            | 283.55      | 6,798.55              | 1,789.99     | -1,997.97    | 2,682.37                | 3.14                   | -3.01               |                        |
| 7,553.00              | 2.81            | 265.35      | 6,986.96              | 1,791.98     | -2,012.43    | 2,694.56                | 1.90                   | -1.77               |                        |
| 7,648.00              | 1.80            | 275.73      | 7,081.88              | 1,791.94     | -2,016.24    | 2,697.40                | 1.15                   | -1.06               |                        |
| 7,931.00              | 1.93            | 243.03      | 7,364.74              | 1,790.22     | -2,024.91    | 2,702.78                | 0.37                   | 0.05                |                        |
| 8,215.00              | 0.70            | 247.34      | 7,648.66              | 1,787.39     | -2,030.77    | 2,705.32                | 0.43                   | -0.43               |                        |
| 8,498.00              | 2.73            | 240.92      | 7,931.52              | 1,783.45     | -2,038.26    | 2,708.35                | 0.72                   | 0.72                |                        |
| 8,782.00              | 3.60            | 264.74      | 8,215.09              | 1,779.34     | -2,053.05    | 2,716.77                | 0.55                   | 0.31                |                        |
| 9,065.00              | 5.54            | 258.15      | 8,497.18              | 1,775.72     | -2,075.27    | 2,731.09                | 0.71                   | 0.69                |                        |
| 9,348.00              | 6.55            | 255.07      | 8,778.60              | 1,768.76     | -2,104.24    | 2,748.28                | 0.37                   | 0.36                |                        |
| 9,443.00              | 6.50            | 264.74      | 8,872.99              | 1,766.87     | -2,114.83    | 2,755.00                | 1.16                   | -0.05               | LAST SURVEY - 9443' MD |
| 9,504.00              | 6.50            | 264.74      | 8,933.60              | 1,766.23     | -2,121.70    | 2,759.75                | 0.00                   | 0.00                | PTB - 9504' MD         |

| Targets  |               |              |            |              |              |                 |                |           |             |
|--|---------------|--------------|------------|--------------|--------------|-----------------|----------------|-----------|-------------|
| Target Name  | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude  | Longitude   |
| - hit/miss target  |               |              |            |              |              |                 |                |           |             |
| - Shape  |               |              |            |              |              |                 |                |           |             |
| PUCKETT 13C-23 PBHI  | 0.00          | 0.00         | 8,922.00   | 1,761.99     | -2,213.04    | 14,359,239.00   | 2,431,568.00   | 39.508045 | -108.195288 |
| - actual wellpath misses target center by 92.16usft at 9502.81usft MD (8932.42 TVD, 1766.25 N, -2121.57 E) |               |              |            |              |              |                 |                |           |             |
| - Ellipse (radii L200.00 W100.00 on 250.00 azi)  |               |              |            |              |              |                 |                |           |             |

| Design Annotations    |                       |                   |              |                        |  |
|-----------------------|-----------------------|-------------------|--------------|------------------------|--|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              | Comment                |  |
|                       |                       | +N/-S (usft)      | +E/-W (usft) |                        |  |
| 9,443.00              | 8,872.99              | 1,766.87          | -2,114.83    | LAST SURVEY - 9443' MD |  |
| 9,504.00              | 8,933.60              | 1,766.23          | -2,121.70    | PTB - 9504' MD         |  |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_