

TABLE 2
HOWARD 25C-22HZ
GROUNDWATER SAMPLE RESULTS SUMMARY TABLE
KERR-MCGEE OIL & GAS ONSHORE LP

Well Name	Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth To Water (ft. BTOC)
COGCC Table 910-1 standards for groundwater (µg/L)⁽¹⁾		5	560	700	1400	
GW01	5/1/2014	311	21.3	5.8	20.7	~4*
BH01	11/20/2014	<1.0	<1.0	<1.0	<1.0	4.54
BH02	11/20/2014	<1.0	<1.0	<1.0	<1.0	5.83
BH03	11/20/2014	<1.0	<1.0	<1.0	<1.0	6.24

Notes:

1. Standards for groundwater are taken from 2 CCR 404-1, Table 910-1, effective January 30, 2015.

COGCC = Colorado Oil and Gas Conservation Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

µg/L = Micrograms per liter.

ft. BTOC = Feet below top of casing.

* feet below ground surface

BOLD = Analytical result is in exceedance of COGCC Table 910-1 groundwater standards.