



PO Box 100, Dept. 901, Bixby, OK 74008-0100

SeqID / Service Date	687954 / Jan 29, 2018
State/County	Colorado/Weld (US)
Well Name / Field	Williams 4-29 / Wattenberg
Division / District	Electric Line / Ft Lupton [CO]
Job # / Unit	EL687954 / HD 0340 [HD 0271] (Ft Lupton [CO])
Type of Operation	Mechanical Services

JOB INFORMATION

Customer	Anadarko Petroleum Corp. PO BOX 4995 THE WOODLANDS, TEXAS, 77387 US	Surface Ln.	NE NW
Contact	Cintora, Rodrigo [970-373-9751]	Bottom Hole Ln.	
		Well Site Sup.	Nate Winholtz
		Salesperson	Grimes, Patrick [303-857-4123]

DESCRIPTION OF WORK

Run Gauge Ring To A Depth Of 7430 Ft.
Set **Castiron Bridgeplug @ 7390 Ft.**
Dump Two Sacks Cement @ 7390 Ft.

OPERATION LOG

2018-01-29 00:00	Time Set By Client		
START Date/Time of Event	Elapsed	Description / Operation	Type
2018-01-29 09:15	-	Run In Hole (RIH) GR	Operational
2018-01-29 10:00	0.75	Pull Out of Hole (POOH)	Operational
2018-01-29 10:15	0.25	Run In Hole (RIH) BP	Operational
2018-01-29 10:45	0.50	Pull Out of Hole (POOH)	Operational
2018-01-29 11:00	0.25	Run In Hole (RIH) DB	Operational
2018-01-29 11:30	0.50	Pull Out of Hole (POOH)	Operational

PERSONNEL

Personnel	Title
Hayes, Mark	Supervisor
Blockberger, John	Operator
Miller, Adam	Operator

FIELD CHARGES - QUOTED

Description	Asset/Inv	Start Date	Qty	Unit Price	UOM	Extended Price	* Non-Discountable
ELECTRIC LINE:Mechanical Services & Pup Joints:Misc. Mechanical & Swabbing Services							
Flat Rate Depth Determination/ GR/ Junk basket/ weight bar *		2018-Jan-29	1				
ELECTRIC LINE:Mechanical Services & Pup Joints:Misc. Mechanical & Swabbing Services:Bridge Plugs / Cement Retainer /							
Setting Tool Operation Charge *		2018-Jan-29	1				
Reliance Supplied Bridge Plug Charge- 4.5" 10K *		2018-Jan-29	1				
ELECTRIC LINE:Mechanical Services & Pup Joints:Misc. Mechanical & Swabbing Services:Dump Bailer							
Dump Bailer Operation Charge/ 2sack G cement *		2018-Jan-29	1				
Subtotal for FIELD CHARGES - QUOTED							

COMMENTS

Thank you for choosing Reliance Oilfield Services.

JOSH GUSTAFSON
USER ID: RIX842

BILLING CODES

CUSTOMER SIGNATURE

X _____
Nate Winholtz

WBS/WO/CC: _____

G/L ACCT: _____

Nate Winholtz

Date Signed : 2018-Jan-29

HAZARDOUS MATERIAL SHIPPING PAPER



January 29, 2018

FROM:
 Shipper: Reliance Pressure Control LLC
 Street: 2 West 2nd Street, Suite 1205
 Origin: Tulsa, OK 74103

Route	WCR 14.5, 23, HWY52, 31/4, 16.5, W.3, NE.5 INTO				Vehicle Number						U.S. DOT Hazmat No.	
					Id3447						082615550017X	
QTY.		TOTAL QTY.		NUMBER	DESCRIPTION & CLASSIFICATION	HAZARD CLASS	Package Group	Net Explosive Mass Out (lbs)	Net Explosive Mass In (lbs)	Gross Weight Out (lbs)	Gross Weight In (lbs)	LABELS REQUIRED
No. of Boxes		No. of Charges										
Trip Out	Trip In	Trip Out	Trip In									
				UN0255	Detonators, Electric	1.4B	II					Explosive 1.4B
				UN0456	Detonators, Electric	1.4S						Explosive 1.4S
				UN0455	Detonators, Non Electric	1.4S	II	-		-		Explosive 1.4S
		1		UN0454	Igniters	1.4S	II			0.0075		Explosive 1.4S
		-		UN0384	Components, Explosive Train, N.O.S. (Articles Containing HMX)	1.4S	II	-		-		Explosive 1.4S
		-		UN0289	,0075	1.4D	II	-		-		Explosive 1.4D
				UN0440	Charges, Shaped	1.4D	II					Explosive 1.4S
		-		UN0059	Charges, Shaped	1.1D	II	-		-		Explosive 1.1D
				UN0381	Cartridges, Power Device	1.2C	II	-				Explosive 1.2C
				UN0278	Cartridges, Oil Well	1.4C	II					Explosive 1.4S
		1		UN0276	Cartridges, Power Device	1.4C	II			0.3524		Explosive 1.4C
				UN1325	Flammable Solids, Organic, N.O.S. (Contains Strontium Nitrate and Potassium Perchlorate Mixture)	4.1	II					Flammable Solid
		-		UN0481	Substances, Explosive, N.O.S. (Ammonium Perchlorate, PVC, Plastisol)	1.4S	II	-		-		Explosive 1.4S
				UN0440	Tubing Cutter Assy, Charges, Shaped	1.4D	II					Explosive 1.4D
				UN0349	NT Segmented Casing Cutter, Unassembled, Articles, Explosive, N.O.S. (Articles Containing HMX)	1.4S	II					Explosive 1.4S
QTY.				ID	DESCRIPTION & CLASSIFICATION	HAZARD CLASS	PG	Net Explosive Mass (lbs)	Net Explosive Mass (lbs)	Gross Weight Out (lbs)	Gross Weight In (lbs)	LABELS REQUIRED
No. of Guns		No. of Charges		NUMBER								
Trip Out	Trip In	Trip Out	Trip In									
-				UN0494	Jet Perforating Guns, Charged Oil Well, Without Detonator	1.4D	II					Explosive 1.4D
-		-		NA0494	Jet Perforating Guns, Charged Oil Well, With Detonator	1.4D	II	-		-		Explosive 1.4D
		-		UN1746	Bromine Trifluoride (DOT-SP 14796 for Chammas)	5.1	I			-		Oxidizer 5.1, Inhalation Hazard 6, Corrosive 8
Total Explosive Weight and Mass for Load								0.0000		0.3599		

This is to certify that the above-named (or herein named) materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

Destination out	Signed	Date
WCR 3.25, 16.5 MARK HAYES		January 29, 2018
Destination back	Signed	Date
ft lupton co		

24-HOUR EMERGENCY
 RESPONSE PHONE NUMBER
 INFOTRAC

1-800-535-5053

See reverse side for Emergency Response Information

Corporate
 Address
 and
 Phone Number:

2100 South Utica, Suite 200
 Tulsa, OK 74114
 918-392-9275

Revised and Approved December 5, 2014

EMERGENCY RESPONSE INFORMATION

EXPLOSIVES 1.4

POTENTIAL HAZARDS

FIRE OR EXPLOSION

MAY EXPLODE AND THROW FRAGMENTS 500 meters (1/3 MILE) OR MORE IF FIRE REACHES CARGO.

HEALTH

Fire may produce irritating, Corrosive and/or toxic gases.



PO Box 100, Dept. 901, Bixby, OK 74008-0100

SeqID / Service Date	687955 / Jan 30, 2018
State/County	Colorado/Weld (US)
Well Name / Field	Williams 4-29 / Wattenberg
Division / District	Electric Line / Ft Lupton [CO]
Job # / Unit	EL687955 / HD 0340 [HD 0271] (Ft Lupton [CO])
Type of Operation	Mechanical Services

JOB INFORMATION

Customer **Anadarko Petroleum Corp.**

PO BOX 4995
THE WOODLANDS, TEXAS, 77387
US

Contact Cintora, Rodrigo [970-373-9751]

Surface Ln. NE NW

Bottom Hole Ln.

Well Site Sup. Kent Ebers

Salesperson Grimes, Patrick [303-857-4123]

DESCRIPTION OF WORK

Set Bridge Plug @ 4191 Ft.

Dump Two Sacks Cement @ 4191 Ft.

OPERATION LOG

2018-01-30 00:00 Time Set By Client

START Date/Time of Event	Elapsed	Description / Operation	Type
2018-01-30 09:15	-	Run In Hole (RIH) BP	Operational
2018-01-30 09:45	0.50	Pull Out of Hole (POOH)	Operational
2018-01-30 09:45	-	Run In Hole (RIH) DB	Operational
2018-01-30 10:00	0.25	Pull Out of Hole (POOH)	Operational

PERSONNEL

Personnel	Title
Hayes, Mark	Supervisor
Miller, Adam	Operator
Walsh, Chase	Operator

FIELD CHARGES - QUOTED

* Non-Discountable


Description	Asset/Inv	Start Date	Qty	Unit Price	UOM	Extended Price
ELECTRIC LINE:Mechanical Services & Pup Joints:Misc. Mechanical & Swabbing Services:Bridge Plugs / Cement Retainer / Packer:Setting Tool Charges						
Setting Tool Operation Charge *		2018-Jan-30	1			
Reliance Supplied Bridge Plug Charge- 4.5" 10K *		2018-Jan-30	1			
ELECTRIC LINE:Mechanical Services & Pup Joints:Misc. Mechanical & Swabbing Services:Dump Bailer						
Dump Bailer Operation Charge/ 2sack G cement *		2018-Jan-30	1			
Subtotal for FIELD CHARGES - QUOTED						

COMMENTS

Thank you for choosing Reliance Oilfield Services.

BILLING CODES

CUSTOMER SIGNATURE

X 
Jacob Roland Kent Ebers

USERPNR084 (Jacob Roland)

GL ACT #

AFE/CC/M

WELL #

APC SIGN

DATE

Date Signed: 2018 Jan 30

GRAND TOTAL

Quoted Field Charges:

Quoted Total:

Total:

1. Colorado State Tax (2.90000%):

GRAND TOTAL

Currency: US Dollar (\$)

HAZARDOUS MATERIAL SHIPPING PAPER



January 30, 2018

FROM:
 Shipper: Reliance Pressure Control LLC
 Street: 2 West 2nd Street, Suite 1205
 Origin: Tulsa, OK 74103

Route	WCR 14.5, 23, HWY52, 31/4, 16.5, W.3, NE.5 INTO				Vehicle Number					U.S. DOT Hazmat No.		
					Id3447					082615550017X		
QTY.		TOTAL QTY.		NUMBER	DESCRIPTION & CLASSIFICATION	HAZARD CLASS	Package Group	Net Explosive Mass Out (lbs)	Net Explosive Mass In (lbs)	Gross Weight Out (lbs)	Gross Weight In (lbs)	LABELS REQUIRED
No. of Boxes		No. of Charges										
Trip Out	Trip In	Trip Out	Trip In									
				UN0255	Detonators, Electric	1.4B	II					Explosive 1.4B
				UN0456	Detonators, Electric	1.4S						Explosive 1.4S
				UN0455	Detonators, Non Electric	1.4S	II	-		-		Explosive 1.4S
		1		UN0454	Igniters	1.4S	II			0.0075		Explosive 1.4S
		-		UN0384	Components, Explosive Train, N.O.S. (Articles Containing HMX)	1.4S	II	-		-		Explosive 1.4S
		-		UN0289	.0075	1.4D	II	-		-		Explosive 1.4D
				UN0440	Charges, Shaped	1.4D	II					Explosive 1.4S
		-		UN0059	Charges, Shaped	1.1D	II	-		-		Explosive 1.1D
				UN0381	Cartridges, Power Device	1.2C	II	-				Explosive 1.2C
				UN0278	Cartridges, Oil Well	1.4C	II					Explosive 1.4S
		1		UN0276	Cartridges, Power Device	1.4C	II			0.3524		Explosive 1.4C
				UN1325	Flammable Solids, Organic, N.O.S. (Contains Strontium Nitrate and Potassium Perchlorate Mixture)	4.1	II					Flammable Solid
		-		UN0481	Substances, Explosive, N.O.S. (Ammonium Perchlorate, PVC, Plastisol)	1.4S	II	-		-		Explosive 1.4S
				UN0440	Tubing Cutter Assy, Charges, Shaped	1.4D	II					Explosive 1.4D
				UN0349	NT Segmented Casing Cutter, Unassembled, Articles, Explosive, N.O.S. (Articles Containing HMX)	1.4S	II					Explosive 1.4S
QTY.		No. of Charges		ID	DESCRIPTION & CLASSIFICATION	HAZARD CLASS	PG	Net Explosive Mass (lbs)	Net Explosive Mass (lbs)	Gross Weight Out (lbs)	Gross Weight In (lbs)	LABELS REQUIRED
No. of Guns		No. of Charges		NUMBER								
Trip Out	Trip In	Trip Out	Trip In									
-				UN0494	Jet Perforating Guns, Charged Oil Well, Without Detonator	1.4D	II					Explosive 1.4D
-		-		NA0494	Jet Perforating Guns, Charged Oil Well, With Detonator	1.4D	II	-		-		Explosive 1.4D
		-		UN1746	Bromine Trifluoride (DOT-SP 14796 for Chammas)	5.1	I			-		Oxidizer 5.1, Inhalation Hazard 6, Corrosive 8
Total Explosive Weight and Mass for Load								0.0000		0.3599		

This is to certify that the above-named (or herein named) materials are properly classified, described, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation.

Destination out	Signed	Date
WCR 3.25, 16.5	MARK HAYES	January 30, 2018
Destination back	Signed	Date
ft lupton co		

24-HOUR EMERGENCY RESPONSE PHONE NUMBER
INFOTRAC
1-800-535-5053
 See reverse side for Emergency Response Information

Corporate Address and Phone Number:
2100 South Utica, Suite 200
Tulsa, OK 74114
918-392-9275

Revised and Approved December 5, 2014

EMERGENCY RESPONSE INFORMATION
EXPLOSIVES 1.4

POTENTIAL HAZARDS**FIRE OR EXPLOSION**

MAY EXPLODE AND THROW FRAGMENTS 500 meters (1/3 MILE) OR MORE IF FIRE REACHES CARGO.

HEALTH

Fire may produce irritating, Corrosive and/or toxic gases.