RELIANCE
OILFIELD SERVICES

Radial Cement Bond
Gamma Ray
Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 411-25
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Tri State Trucking PA 411-25
Field Parachute
County Garfield State Colorado
Location: API # : 05-045-23659
2285 FNL & 1902 FWL SENW
SEC 25 TWP 6S RGE 95W

Other Services
--

Permanent Datum	Ground Level	Elevation	5224'
Log Measured From	Kelly Bushing	24 FT	
Drilling Measured From	Kelly Bushing		

Elevation
K.B. 5248'
D.F. 5247'
G.L. 5224'

Date	15-JAN-2018
Run Number	One
Depth Driller	8245 FT
Depth Logger	8168 FT
Bottom Logged Interval	8168 FT
Top Log Interval	Surface
Open Hole Size	8.75"
Type Fluid	Fresh Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	236° F
Estimated Cement Top	See Log
Time Well Ready	R.O.A.
Time Logger on Bottom	19:37
Equipment Number	HD-359
Location	Grand Junction, CO
Recorded By	A. Ellsworth
Witnessed By	D. Welsh

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1134 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8203 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint from 4140 FT to 4162 FT
Log ran from 8168 FT to Surface
Log ran with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded With 0 PSI Surface Induced Pressure

Database File	tep_tri state trucking pa 411-25_rbl_01-15-18\tep_tri state trucking pa 411-25_rbl_01-15-18.db
Dataset Pathname	main.1
Presentation Format	ros_rbt004_t
Dataset Creation	Tue Jan 16 11:52:26 2018
Charted by	Depth in Feet scaled 1:240

Track 1		Track 3	Track 4	Track 5	Track 6
Gamma Ray 0 (GAPI) 200		3' Amplitude 0 (mV) 100	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150
Casing Collar Locator		3' Amplitude x 5 0 (mV) 20			Mimimum Amplitude 0 150
Line Speed -150 (ft/min) 150		3' Travel Time 300 (usec) 200			Maximum Amplitude 0 150
Line Tension 0 (lb) 2000					
Temperature 0 (degF) 20					


133.1
3800
134.9
3900


136.8
4000
139.0
4100
Marker Joint


140.7
4200
143.2
4300


145.5
4400
147.7
4500


149.6
4600
151.6
4700


153.1
4800
154.5
4900
156.5
5000


158.3
5100
160.5
5200


162.3
5300
165.1
5400


166.9
5500
168.6
5600


170.5
5700
172.4
5800


174.5
5900
176.3
6000


178.2
6100
180.2
6200


182.1
6300
183.7
6400


185.9
6500
188.1
6600


190.2
6700
192.2
6800


194.1
6900
196.2
7000


198.1
7100
201.1
7200


203.8
7300
206.1
7400


209.0
7500
213.0
7600
217.0
7700



Gamma Ray 0 (GAPI) 200 *Casing Collar Locator* Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Temperature 0 (degF) 20	3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150

RELIANCE
OILFIELD SERVICES

Repeat Pass

Recorded With 0 PSI Surface Induced Pressure

Database File tep_tri state trucking pa 411-25_rbl_01-15-18\tep_tri state trucking pa 411-25_rbl_01-15-18.db
Dataset Pathname repeat.1
Presentation Format ros_rbt004_tep
Dataset Creation Tue Jan 16 12:01:56 2018
Charted by Depth in Feet scaled 1:240

Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Temperature 0 (degF) 20	3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150



Gamma Ray 0 (GAPI) 200 Line Speed -150 (ft/min) 150 Line Tension 0 (lb) 2000 Temperature 0 (degF) 20	3' Amplitude 0 (mV) 100 3' Amplitude x 5 0 (mV) 20 3' Travel Time 300 (usec) 200	5' Variable Density Log 200 1200	Sector Map 10 110	Average Amplitude 0 150 Mimimum Amplitude 0 150 Maximum Amplitude 0 150

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Titan CHD-16875 GO Titan 1-11/16" Assembled Electric Cable Head w/ 1" Fishing Neck	1.03	1.69	5.40
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
TEMP	16.33					
			Probe Radii-2750 RBT (FW1305-098) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
WVFS8	14.10					
WVFS7	14.10					
WVFS6	14.10					
WVFS5	14.10					
WVFS4	14.10					
WVFS3	14.10					
WVFS2	14.10					
WVFS1	14.10					
WVFCAL	14.10					
WVF3FT	14.10					
WVF5FT	13.10					
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
CCL$2	6.42					
CCL$1	6.42					
GR	5.18		Probe GR-CCL-2750 GOB (FW1307-038) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined	4.51	2.75	55.00
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
			GO BN-14375 GO 1 7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset: tep_tri state trucking pa 411-25_rbl_01-15-18.db: field/well/run1/main.1
Total length: 22.82 ft
Total weight: 262.40 lb
O.D.: 2.75 in

Calibration Report

Database File c:\programdata\warrior\data\tep_tri state trucking pa 411-25_rbl_01-15-18\tep_tri state trucking pa 411-25_rb
Dataset Pathname main.1
Dataset Creation Tue Jan 16 11:52:26 2018

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	2750 GOB	
Performed:	Sun Nov 12 12:44:12 2017	
Calibrator Value:	637.0	GAPI
Background Reading:	113.2	cps
Calibrator Reading:	1022.4	cps
Sensitivity:	0.7007	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	33.745	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.003	0.824	0.800	81.196	97.172	1.093
CAL	-0.006	0.756				
5'	-0.028	0.632	0.800	81.196	121.744	4.215
SUM						
S1	-0.009	0.800	0.000	100.000	123.621	1.161
S2	-0.006	0.840	0.000	100.000	118.280	0.698
S3	-0.007	0.869	0.000	100.000	114.214	0.746
S4	-0.006	0.973	0.000	100.000	102.173	0.619
S5	-0.008	0.982	0.000	100.000	100.978	0.828
S6	-0.007	0.908	0.000	100.000	109.336	0.755
S7	-0.008	0.824	0.000	100.000	120.157	0.964
S8	-0.006	0.777	0.000	100.000	127.727	0.735

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.006	0.756	1.000	0.000

Air Zero Calibration, performed Mon Jan 15 15:05:17 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	-0.008	0.000	-0.000
5'	-0.003	0.000	0.001
SUM			
S1	-0.010	0.000	0.000
S2	-0.006	0.000	0.001
S3	-0.006	0.000	-0.000
S4	-0.006	0.000	0.000
S5	-0.005	0.000	0.000
S6	-0.005	0.000	0.000
S7	-0.005	0.000	-0.000
S8	-0.005	0.000	-0.000

Temperature Calibration Report

Serial Number:	FW1305-098	
Tool Model:	2750 RBT	
Performed:	Sun Nov 12 13:43:57 2017	
	Reference	Reading
Low Reference:	100.00 degF	109.43 degF
High Reference:	350.00 degF	405.87 degF
Gain:	0.84	
Offset:	7.72	
Delta Spacing	1	

RELIANCE
OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Tri State Trucking PA 411-25
Field	Parachute
County	Garfield
State	Colorado