

Location Map:



Compliance • Engineering • Remediation
 LT Environmental, Inc.
 4600 W. 60th Avenue
 Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW02	Project: Amey
Date: 1/31/08	Project Number: KMG
Logged By: MLCG	Drilled By:
Drilling Method: Direct Push	Sampling Method: Continuous

Elevation:	Detector:	Seal: Bentonite Chips	Grout: Sakrete
Gravel Pack: 10-20 Silica Sand		Diameter: 1" Length: 10'	Hole Diameter: 1" Depth to Liquid:
Casing Type: Schedule 40 PVC		Diameter: 1" Length: 10'	Total Depth: 12' Depth to Water: 6.5'
Screen Type: Schedule 40 PVC	Slot: 0.010"		

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample Time	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
					1				Sand, Fg to Mg. Brown no odor	
					2					
					3					
					4					
					5				Sand Fg to mg Brown, no odor,	
					6				water @ 6.5	
					7				some staining @ 7.5	
					8					
					9				Sand Fg to Mg.	
					10				Black staining from 7.5-11' wat.	
					11					
					12					
					13				TD: 12'	
					14				Screen To 2'	
					15					
					16					
					17					
					18					
					19					
					20					
					21					
					22					
					23					
					24					

Notes:

Well Location Sketch:

1 010

012

muller muller muller gasoline

Tank battery
Pad

Compliance • Engineering • Remediation

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:	Muller			Project:	Arvada 10-27A		
Date:	6/19/12			Project Number:	KMG 07341		
Logged By:	Burkhalter			Drilled By:	ACT		
Elevation:				Drilling Method:	direct push		
Detector:	NA			Sampling Method:	NA		
Gravel Pack:	10-20 silica sand 12'-0"			Seal:	Antonik 12'-0"		
Casing Type:	PVC			Diameter:	1" 2'		
Screen Type:	PVC			Length:	2.25"		
Slot:	0.010			Hole Diameter:	2.25"		
Diameter:	1" 10'			Depth to Liquid:	12'		
Length:	10'			Depth to Water:	NA		

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Diagram
					0					
					2				TD 12'	
					4				Not logged,	
					6				replacement well	
					8					
					10					
					12					
					14					
					16					
					18					
					20					
					22					
					24					
					26					
					28					
					30					
					32					
					34					
					36					
					38					
					40					

NOTES:

Page 1 of 1

Well Location Sketch:

mw 12
mw 13R
mw 10R
mw 11R
baseline

fuel battery pad



Compliance • Engineering • Remediation

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:

mw 10R

Project:

Avery 10-27A

Date:

6/19/12

Project Number:

KMG 07341

Logged By:

Burkhalter

Drilled By:

ACT

Drilling Method:

direct push

Sampling Method:

NA

Elevation:

Detector:

NA

Gravel Pack:

10-20 silica sand 12'-2'

Seal:

Bentonite 12'-0'

Grout:

Casing Type:

PVC

Diameter:

1"

Length:

2'

Hole Diameter:

2.25"

Depth to Liquid:

Screen Type:

PVC

Slot:

0.010

Diameter:

1"

Length:

10'

Total Depth:


12'

Depth to Water:

NA

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Diagram
					0					
					2					
					4					
					6					
					8					
					10					
					12					
					14					
					16					
					18					
					20					
					22					
					24					
					26					
					28					
					30					
					32					
					34					
					36					
					38					
					40					

TP 12'
Not logged,
replacement well



NOTES:

Page 1 of 1

Well Location Sketch:

gas line
 16
 13R
 012
 0mw10R
 0mw11R
 tank battery pad



Compliance - Engineering - Remediation

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:

mw13R

Project:

July 10-20-74

Date:

6/19/12

Project Number:

KMG 07341

Logged By:

Burkhalter

Drilled By:

ACT

Drilling Method:

direct push

Sampling Method:

NA

Seal:

bentonite 1'-0"

Grout:

Elevation:

Detector:

NA

Gravel Pack:

10-20 silica sand 12'-21'

Casing Type:

PVC

Diameter:

1"

Length:

Hole Diameter:

2.25"

Depth to Liquid:

Screen Type:

PVC

Slot:

0.010

Diameter:

1"

Length:

Total Depth:


12'

Depth to Water:

NA

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Diagram
					0					
					2					
					4					
					6					
					8					
					10					
					12					
					14					
					16					
					18					
					20					
					22					
					24					
					26					
					28					
					30					
					32					
					34					
					36					
					38					
					40					

TD 12'
 Not logged,
 replacement well



Location Map: 				Compliance , Engineering , Remediation LT Environmental, Inc. 4400 West 46th Ave. Denver, Colorado 80212			
BORING LOG/MONITORING WELL COMPLETION DIAGRAM							
Boring/Well Number: MWOIR				Project: HSR-Avery 10-27A			
Date: 7/26/2012				Project Number: KMG07341			
Logged By: Chris Roy / Jeremy				Drilled By: Drill Pros			
Elevation: Not Measured		Detector: MiniRae 2000 PID		Drilling Method: GeoProbe Direct Push		Sampling Method: Continuous	
Gravel Pack: Silica Sand		Seal: Bentonite		Grout: None Concrete			
Casing Type: PVC		Diameter: 1"		Length: 6.5'		Hole Diameter: 2.25"	Depth to Liquid: 5'
Screen Type: PVC		Slot: 0.020		Diameter: 1"		Length: 10'	
				Total Depth: 14'		Depth to Water: 9.5'	

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	Dry ↓ Moist ↓ Wet ↓			NA	0	4' / 2'		0'-2' Gravely fine sand, medium brown, dry, no stain, no odor	
					2			2'-4' no recovery	
					4	4' / 2'	4'-5' Gravely fine sand, medium brown, dry, no stain, no odor		
		8.8			6		5'-6' Clayey sand, tan, moist, no stain, no odor		
					8	4' / 2'	6'-8' no recovery		
		521.3			10		8'-8.5' Same as 5'-6'		
					12	2' / 0'	8.5'-9' Gravely fine sand, medium brown, wet, no stain, no odor		
					14		9'-9.5' Silt, tan, wet, no stain, no odor		
					16		9.5'-10' Fine sand, black, wet, heavy staining, strong odor		
					18		10'-12' no recovery		
					20		12'-14' no recovery		
					22				
					24				
					26				
			28						
			30						

See MWOLR



Compliance | Engineering | Remediation
LT Environmental, Inc.
4400 West 46th Ave.
Denver, Colorado 80212

Boring/Well Number:	MW03R	Project:	HSR-Avery 10-27A
Date:	7/26/2012	Project Number:	KMG07341
Logged By:	Chris Roy / Jeremy	Drilled By:	Chris Roy DrillPro

Elevation: Not Measured	Detector: MiniRae 2000 PID	Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous	
Gravel Pack: Silica Sand		Seal: Bentonite	Grout: Concrete	
Casing Type: PVC	Diameter: 1'	Length: 4'	Hole Diameter: 2.25"	Depth to Liquid: NM
Screen Type: PVC	Slot: 0.020	Diameter: 1'	Length: 10'	Total Depth: 14'
			Depth to Water: NM	

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	NA	NA	NA	NA	0			Not Cored	
					2				
					4				
					6				
					8				
					10				
					12				
					14				
					16				
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:

See MWOIR



Compliance , Engineering , Remediation
 LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MWO4R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / Jeremy	Drilled By: Drill Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
Casing Type: PVC	Grout: Concrete
Screen Type: PVC	Slot: 0.020
Diameter: 1'	Length: 4'
Hole Diameter: 2.25"	Depth to Liquid: NM
Total Depth: 14'	Depth to Water: NM

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion FLUSH
	NA	NA	NA	NA	0			Not Cored	
					2				
					4				
					6				
					8				
					10				
					12				
					14				
					16				
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:

See MW06R



Compliance , Engineering , Remediation
 LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW06R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / Jeremy	Drilled By: Drill Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
Casing Type: PVC	Grout: Concrete
Screen Type: PVC	Slot: 0.020
Diameter: 1'	Length: 4'
Hole Diameter: 2.25"	Depth to Liquid: 7.5'
Total Depth: 14'	Depth to Water: 9'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Flush
	Dry			NA	0			0'-4' Clayey/gravelly sand, medium to dark brown, dry, no odor, no staining, slightly plastic, low cohesion	
		5.8			2	4 1/4'			
					4				
					6	4 1/4'			
		1.8			8			4'-7.5' Fine sand, medium brown, dry, no odor, no staining	
	Moist				10	4 1/3'		7.5'-8' Clayey sand, tan, moist, no stain, no odor, low plasticity, low cohesion	
	Wet	960.8			12			8'-11' fine sand with trace silt, medium brown, black stain with odor from 10' to 11', wet at 9'	
					14	2 1/2'		11'-12' no recovery	
					16			12'-13.5' fine sand, black stain, wet, strong odor	
					18			13.5'-14' fine sand, trace silt, medium brown, wet, no stain, no odor	
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:

See MW01R



Compliance , Engineering , Remediation
LT Environmental, Inc.
4400 West 46th Ave.
Denver, Colorado 80212

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW07R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / Jeremy	Drilled By: Drill Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
Casing Type: PVC	Grout: None
Screen Type: PVC	Slot: 0.020
Diameter: 1"	Length: 6.5'
Hole Diameter: 2.25"	Depth to Liquid: NM
Total Depth: 14'	Depth to Water: NM

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	NA	NA	NA	NA	0			Not Cored	
					2				
					4				
					6				
					8				
					10				
					12				
					14				
					16				
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:



Compliance | Engineering | Remediation
 LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212

See MWOLR

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW08R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / Keremy	Drilled By: Dwight Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
Casing Type: PVC	Grout: None
Screen Type: PVC	Slot: 0.020
Diameter: 1'	Length: 6.5'
Hole Diameter: 2.25"	Depth to Liquid: 7.5'
Total Depth: 14'	Depth to Water: 8'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
	Dry			NA	0			0'-2' Fine sand, medium brown, dry, no stain, no odor	
					2	4 1/2'		2'-4' no recovery	
					4			4'-5.5' Fine sand, medium brown, dry, no stain, no odor	
					6	4 1/4'		5.5'-7.5' Fine sand with trace clay, tan to medium brown, dry, no stain, no odor, very low cohesion, very low plasticity	
	moist wet				8	4 1/3.5'		7.5'-8' Fine sand, orange, moist, no stain, no odor	
		740.4			10	2 1/2'		8'-9.5' Fine sand, orange, wet, no stain, no odor	
					12			9.5'-10' Silt, tan, wet, no stain, no odor	
					14			10'-12' Fine sand, black, wet, heavy stain, strong odor	
					16			10'-14' SAA	
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:



Compliance | Engineering | Remediation
LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212

See MW01R

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW14R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / <i>Seremy</i>	Drilled By: Drill Drill Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
Casing Type: PVC	Grout: Concrete
Screen Type: PVC	Slot: 0.020
Diameter: 1"	Length: 4'
Hole Diameter: 2.25"	Depth to Liquid: 7.5'
Diameter: 1"	Length: 10'
Total Depth: 14'	Depth to Water: 9.5'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample / Run / Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion
	Dry			NA	0	4' / 4'		0' - 3.5' Gravelly, clayey sand, tan to medium brown, dry, no stain, slightly cohesive, slightly plastic	FLUSH
		2.9			6	4' / 3'		3.5' - 7' Fine sand, med brown, dry, no stain, no odor	
	Moist				10	4' / 4'		7' - 14' Fine sand with lenses of silt, tan, black stain with odor from 10' - 14', moist at 7.5', wet at 9.5'	
	Wet	312.3			12	2' / 2'			
					14				
					16				
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:

See MWOLR



Compliance | Engineering | Remediation
LT Environmental, Inc.
4400 West 46th Ave.
Denver, Colorado 80212

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW15R		Project: HSR-Avery 10-27A	
Date: 7/26/2012		Project Number: KMG07341	
Logged By: Chris Roy / Jeremy		Drilled By: Drill Pro	
Elevation: Not Measured	Detector: MiniRae 2000 PID	Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand		Seal: Bentonite	Grout: None
Casing Type: PVC	Diameter: 1'	Length: 6.5'	Hole Diameter: 2.25"
Screen Type: PVC	Slot: 0.020	Diameter: 1'	Length: 10'
		Total Depth: 14'	Depth to Liquid: 5.5'
			Depth to Water: 10'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	Dry			NA	0	4' / 2'		0'-1' Clayey Sand, Medium Brown, Dry, No stain, No odor, Slightly Plastic, Slight-Mod cohesion	
					2				
					4				
					6	4' / 2'		1'-2' Fine sand, Dark Brown, Dry, No stain, No odor	
	Moist				8				
		1080			10	4' / 2'		2'-4' No recovery	
	Wet				12			4'-6' Fine sand, dark brown, moist at 5 1/2', no stain, no odor	
					14	2' / 0'		6'-8' No recovery	
					16			8-10 Sandy silt turning to fine sand, olive brown, black stain with odor from 9'-10', wet at 10'	
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:

See MWOLR



Compliance , Engineering , Remediation
LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW20R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / <i>Seremy</i>	Drilled By: DrillPro <i>DrillPro</i>
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: <i>Silica Sand</i>	Seal: <i>Bentonite</i>
Casing Type: <i>PVC</i>	Grout: <i>Concrete</i>
Screen Type: <i>PVC</i>	Slot: <i>0.020</i>
Diameter: <i>1"</i>	Length: <i>4'</i>
Hole Diameter: <i>2.25"</i>	Depth to Liquid: <i>NM</i>
Total Depth: <i>14'</i>	Depth to Water: <i>NM</i>

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	NA	NA	NA	NA	0			<i>Not Cored</i>	<i>FLUSH</i>
					2				
					4				
					6				
					8				
					10				
					12				
					14				
					16				
					18				
					20				
					22				
					24				
					26				
					28				
					30				

Location Map:



Compliance | Engineering | Remediation
 LT Environmental, Inc.
 4400 West 46th Ave.
 Denver, Colorado 80212


See MW01R

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW21R	Project: HSR-Avery 10-27A
Date: 7/26/2012	Project Number: KMG07341
Logged By: Chris Roy / Jeremy	Drilled By: Drill Pro
Drilling Method: GeoProbe Direct Push	Sampling Method: Continuous
Gravel Pack: Silica Sand	Seal: Bentonite
	Grout: None
Casing Type: PVC	Diameter: 1" Length: 10'
Screen Type: PVC Slot: 0.020	Hole Diameter: 2.25" Depth to Liquid: 3'
	Total Depth: 12' Depth to Water: 7'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Soil/Rock Type	Lithology/Remarks	Well Completion
	dry		None	NA	0	4'		0'-1.5' No Recovery	
	↓				2	2.5'		1.5'-4' Fine Sand, Trace silt,	
	moist	0.4			4	4'		Dark Brown, Moist @ 3',	
	↓				6	2'		No stain, No odor	
	wet	1.9			8	4'		4'-6' No recovery	
	↓				10	2'		6'-7' Gravelly Sand, Brown w/	
		0.8			12			orange grains, moist, No stain,	
					14			No odor	
					16			7'-8' Sandy silt turning to silty	
					18			sand, Tan to orange / rust-brown,	
					20			wet, No stain, No odor	
					22			8'-10' No recovery	
					24			10'-12' Fine Sand, Light Brown,	
					26			wet, No stain, No odor	
					28				
					30				

Well Location Sketch:



Compliance • Engineering • Remediation

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number:	MW06R2			Project:	Avery 10-27A		
Date:	01/16/14			Project Number:	kmg07341		
Logged By:	Jeremy Espinoza			Drilled By:	Drill Pro		
Drilling Method:	Direct Push			Sampling Method:	Continuous		
Seal:	Bentonite			Grout:	None		
Casing Type:	PVC			Diameter:	1"	Length:	4'
Screen Type:	PVC			Diameter:	1"	Length:	10'
Slot:	0.01			Hole Diameter:	3"	Depth to Liquid:	
				Total Depth:	15'	Depth to Water:	7.5'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Diagram
					0					
	Moist	0.0	None	NA	2	4	4	CL	0-3' Gravely sandy clay, med brown, moist, med cohesion, low plasticity	
		10.1	Stain		4					
		0.0	None		6	4	4	SP	- Stain from 2.5'-3'	
		879			8					
		752	Stain		10	4	4		3-15' fine sandy, wet at 7.5', Brown to tan, stain from 8'-14'	
		0.0	None		12					
					14	3	3			
					16					
					18					
					20					
					22					
					24					
					26					
					28					
					30					
					32					
					34					
					36					
					38					
					40					

NOTES:

Well Location Sketch:

MW19



MW25
~100'
MW17
MW12

Lease



Compliance • Engineering • Remediation

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, Colorado 80003

BORING LOG/MONITORING WELL COMPLETION DIAGRAM

Boring/Well Number: MW25	Project: Avery 10-27A				
Date: 2/3/2015	Project Number: 14207341				
Logged By: Kris Shepherd	Drilled By: Drill Pro				
Drilling Method: Direct Push	Sampling Method: Continuous				
Seal: Bentonite	Grout: -				
Casing Type: PVC	Diameter: 1"	Length: 2'	Hole Diameter: 3"	Depth to Liquid: -	
Screen Type: PVC	Slot: 0.01	Diameter: 1"	Length: 10'	Total Depth: 12'	Depth to Water: ~5'

Penetration Resistance	Moisture Content	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Run	Recovery	Soil/Rock Type	Lithology/Remarks	Well Completion Diagram
					0					
					2				Hydrovac, Not Logged	
					4					
					6					
	wet ↓	0.0 0.1 1.0	none ↓		8			SM	6' → 10' Silty fg sand, poorly graded, tan, no odor, no stain, wet	
					10	6	3.5	SW	10' → 12' fg → coarse sand, well graded, tan, no odor, no stain, wet	
					12				* Push point to 12'	
					14				- completed as PVC stick up.	
					16					
					18					
					20					
					22					
					24					
					26					
					28					
					30					
					32					
					34					
					36					
					38					
					40					

NOTES:

Page ____ of ____