

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>401576149</b>			
Date Received:			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>96850</u>	Contact Name <u>Jessie Pahler</u>
Name of Operator: <u>TEP ROCKY MOUNTAIN LLC</u>	Phone: <u>(970) 242-0170</u>
Address: <u>PO BOX 370</u>	Fax: <u>( )</u>
City: <u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>	Email: <u>jpahler@westernwaterandland.com</u>

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- <u>045</u> <u>23730</u> <u>00</u>	OGCC Facility ID Number: <u>452555</u>
Well/Facility Name: <u>FEDERAL</u>	Well/Facility Number: <u>RU 412-17</u>
Location QtrQtr: <u>NESW</u> Section: <u>17</u> Township: <u>7S</u> Range: <u>93W</u> Meridian: <u>6</u>	
County: <u>GARFIELD</u> Field Name: <u>RULISON</u>	
Federal, Indian or State Lease Number: <u>COC50944</u>	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 5 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 3 Number of Water Source Exceptions requested per Rule 609.c.
- 3 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

## COMMENTS

A water source evaluation for pad RU 32-17 identified five potential water sources in a 1/2 mile radius for Rule 609 sampling (four springs and one domestic well). Access to sample the well was not granted. Two of the springs could not be located during field reconnaissance. One spring was frozen over and a sample could not be collected. One sample was collected from the remaining spring (Twinky Bee, facility ID 757220). Please see attached document for details. This sundry applies to API numbers:

05-045-23730

05-045-23731

05-045-23732

05-045-23733

05-045-23734

05-045-23735

05-045-23736

05-045-23737

05-045-23738

05-045-23739

05-045-23740

05-045-23741

05-045-23742

05-045-23743

05-045-23744

05-045-23745

05-045-23746

05-045-23747

05-045-23748

05-045-23749

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jessie Pahler

Title: Project Scientist                      Email: jpahler@westernwaterandland.com                      Date:

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)

## Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401576178	OTHER

Total Attach: 1 Files