



Service Order #: 75267C

Date: 01-Feb-18

Well Name	Location	County	St	API#		
UPRR #1		WELD	CO	05-123-05139		
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	LINER	GAS	REWORK		

Customer: BONANZA CREEK

Remarks:

\*7" LINER\*

Pumped: 17 bbls / 83 sks

TOC-

Ann: 0

In 7": 288

Customer Rep: KURT DODGE

PH:

WELLBORE DATA				
Type	Size	Weight	Depth	Volume
Surface Casing:	9.625	32.3	388.0	
Production Casing:				
Intermediate:				
Drill Pipe:				
Tubing:				

OTHER DATA		
BHT	Max PSI	Total Depth
	1,000	388.0

Packer or RetainerType / Depth:

Perf Depths: # Total

Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:	7.000	26.0	388.0	
Open Hole:				

Perf Depths:	#	Total

TIME	PUMP RATES		DENSITY (lb/gal)	PRESS (psi)	STG TOT (bbls)	TOTAL (bbls)	REMARKS
	WATER (gpm)	PUMP (bpm)					
13:52	0	0.2	6.88	2,501		0.1	PSI TEST LINES
13:54	0	0.3	6.88	0		0.0	ESTABLISH CIRCULATION
13:58	0	1.9	6.88	31		11.3	SHUT DOWN - CIRCULATION ESTABLISHED
14:01	52	0.0	15.81	13		11.3	BATCH UP CEMENT @ 15.8 PPG
14:03	0	0.3	15.92	13		11.3	PUMP CEMENT
14:09	0	1.8	6.89	27		28.2	END CEMENT - DISP CEMENTWITH H2O
14:14	8	3.0	7.97	164		11.1	SHUT DOWN - END JOB

Summary

Max FI. Rate	Avg FI. Rate	Max Psi	Avg Psi
3.0	1.7	2,501	63

Customer Acknowledgement:

Service Rating:

- ☐ Satisfactory  
☐ Unsatisfactory

Cementer:

CORY THAUT

PRODUCTS USED

Class G (+ 2% CaCl)



Service Order #: 73056

Date: 14-Feb-18

Well Name	Location	County	St	API#		
UPRR #1		WELD	CO			
Formation	Cement Via	Type Of Service	Well Type	Age	AFE#	PO#
	TUBING	PLUG		REWORK		

Customer: BONANZA CREEK

Remarks: SAFETY MEETING  
450 SKS, 92.2 BBLS, 3500' - 2615'  
382 SKS, 78.4 BBLS, 784' - 434'  
101 SKS, 20.8 BBLS, 434' - 0'

Customer Rep: KURT

PH:

WELLBORE DATA				
Type	Size	Weight	Depth	Volume
Surface Casing:	7.000	26.0	388.0	
Production Casing:				
Intermediate:				
Drill Pipe:				
Tubing:	2.875	6.5	3,500.0	
Type	Size	Depth (Top)	Depth (Bot)	Volume
Liner:				
Open Hole:	9.000		3,500.0	

OTHER DATA		
BHT	Max PSI	Total Depth

Packer or RetainerType / Depth:

Perf Depths:	#	Total
	0	0
	0	
	0	

TIME	PUMP RATES		DENSITY	PRESS	STG TOT	TOTAL	REMARKS
	WATER (gpm)	PUMP (bpm)	(lb/gal)	(psi)	(bbbls)	(bbbls)	
9:31	258	0.0	6.88	13	0.2	0.2	PRIME UP
9:36	614	0.4	6.88	0	17.0	17.0	PSI TEST
9:39	0	0.0	6.88	26	0.0	0.0	MUD FLUSH
9:46	44	3.0	14.41	597	20.1	20.1	END MUD FLUSH / START H2O SPACER
9:48	0	3.0	15.91	612	5.1	25.3	END SPACER / START CMT
10:19	0	1.9	15.58	55	92.2	117.6	END CMT / START DISPLACEMENT
10:26	0	0.1	6.88	153	15.1	134.7	OFF LINE
13:24	0	0.3	6.85	57	50.0	182.4	PSI TEST
13:25	0	0.1	6.88	31	0.0	0.0	MUD FLUSH
13:31	0	2.1	6.91	190	10.0	10.0	END MUD FLUSH / START SPACER
13:34	47	2.1	15.99	184	6.0	16.0	END SPACER / START CMT
14:11	0	2.2	15.24	107	78.4	94.5	END CMT / WASH UP
10:38	0	0.3	6.88	45	61.4	156.1	PSI TEST
10:39	0	0.0	6.78	20	0.0	0.0	H2O SPACER
10:45	42	2.0	15.96	52	10.5	10.5	END H2O / START CMT
10:55	0	2.1	15.69	120	18.8	29.4	END CMT / DISPLACE
10:56	0	0.0	15.65	122	2.0	31.4	OFF LINE

Summary

Max Fl. Rate Avg Fl. Rate Max Psi Avg Psi  
3.0 1.3 2,571 143

Customer Acknowledgement:

Service Rating:

- ☐ Satisfactory  
☐ Unsatisfactory

Cementer:

S. BOHLEN

PRODUCTS USED

CLASS G CMT, 1.15 YEILD, 15.8 LBS/GAL