



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 4/2/2015

TOTAL WELL DEPTH (FT. BGS): 19

DEPTH TO WATER (FT. BGS): 11.02 (4/14/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH01 (Abandoned)


SURFACE COMPLETION: Stick up - 3.95'

NORTHING (CO STATE PLANE): 40.0400978106

EASTING (CO STATE PLANE): -104.87213991

CASING ELEVATION (FT. AMSL): 4975.58

GROUND ELEVATION (FT. AMSL): 4971.63



### Drilling / Sample Method:

Macro-Core  
Expendable Well Tip

Hydrovac  
Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
Analytical Chemistry Lab

Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 4/2/2015

TOTAL WELL DEPTH (FT. BGS): 19

DEPTH TO WATER (FT. BGS): 10.79 (4/14/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH02 (Abandoned)


SURFACE COMPLETION: Stick up - 3.61'

NORTHING (CO STATE PLANE): 40.040089625

EASTING (CO STATE PLANE): -104.87232577

CASING ELEVATION (FT. AMSL): 4974.66

GROUND ELEVATION (FT. AMSL): 4971.05



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 4/2/2015

TOTAL WELL DEPTH (FT. BGS): 19

DEPTH TO WATER (FT. BGS): 10.56 (4/14/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH03 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.039982512

EASTING (CO STATE PLANE): -104.87231163

CASING ELEVATION (FT. AMSL): 4971.08

GROUND ELEVATION (FT. AMSL): 4971.28



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 4/2/2015

TOTAL WELL DEPTH (FT. BGS): 19

DEPTH TO WATER (FT. BGS): 10.83 (4/14/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH04 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.040103897

EASTING (CO STATE PLANE): -104.87246153

CASING ELEVATION (FT. AMSL): 4971.69

GROUND ELEVATION (FT. AMSL): 4971.98



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 4/2/2015

TOTAL WELL DEPTH (FT. BGS): 19

DEPTH TO WATER (FT. BGS): 10.90 (4/14/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH05 (Destroyed)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.040191706

EASTING (CO STATE PLANE): -104.872287

CASING ELEVATION (FT. AMSL): 4971.59

GROUND ELEVATION (FT. AMSL): Not Measured



### Drilling / Sample Method:

Macro-Core  
Expendable Well Tip  
Hydrovac  
Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
Analytical Chemistry Lab  
Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 5/9/2016

TOTAL WELL DEPTH (FT. BGS): 15

DEPTH TO WATER (FT. BGS): 7.49 (7/12/2016) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH05R (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.402018698

EASTING (CO STATE PLANE): -104.87228811

CASING ELEVATION (FT. AMSL): 4971.59

GROUND ELEVATION (FT. AMSL): 4971.83



### Drilling / Sample Method:

Macro-Core  
Expendable Well Tip

Hydrovac  
Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
Analytical Chemistry Lab

Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 6/19/2015

TOTAL WELL DEPTH (FT. BGS): 17.5

DEPTH TO WATER (FT. BGS): 9.18 (7/6/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH06 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.040206362

EASTING (CO STATE PLANE): -104.87222961

CASING ELEVATION (FT. AMSL): 4971.46

GROUND ELEVATION (FT. AMSL): 4971.7



### Drilling / Sample Method:

- Macro-Core
- Hydrovac
- Expendable Well Tip
- Hand Auger

### Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 6/19/2015

TOTAL WELL DEPTH (FT. BGS): 17.5

DEPTH TO WATER (FT. BGS): 9.14 (7/6/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH07 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.040206124

EASTING (CO STATE PLANE): -104.87233442

CASING ELEVATION (FT. AMSL): 4971.72

GROUND ELEVATION (FT. AMSL): 4971.92



### Drilling / Sample Method:

- Macro-Core
- Expendable Well Tip
- Hydrovac
- Hand Auger

### Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab





6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 6/19/2015

TOTAL WELL DEPTH (FT. BGS): 17.5

DEPTH TO WATER (FT. BGS): 8.34 (7/6/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH08 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.03994144

EASTING (CO STATE PLANE): -104.87236518

CASING ELEVATION (FT. AMSL): 4970.76

GROUND ELEVATION (FT. AMSL): 4970.94



### Drilling / Sample Method:

- Macro-Core
- Hydrovac
- Expendable Well Tip
- Hand Auger

### Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 6/19/2015

TOTAL WELL DEPTH (FT. BGS): 17.25

DEPTH TO WATER (FT. BGS): 8.84 (7/6/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH09 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.03996939

EASTING (CO STATE PLANE): -104.87213596

CASING ELEVATION (FT. AMSL): 4970.79

GROUND ELEVATION (FT. AMSL): 4971.02



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 6/19/2015

TOTAL WELL DEPTH (FT. BGS): 17.25

DEPTH TO WATER (FT. BGS): 8.24 (7/6/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH10 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.04010656

EASTING (CO STATE PLANE): -104.8720379

CASING ELEVATION (FT. AMSL): 4971.16

GROUND ELEVATION (FT. AMSL): 4971.56



### Drilling / Sample Method:

- Macro-Core
- Expendable Well Tip
- Hydrovac
- Hand Auger

### Laboratory Sample Types:

- Geotechnical Lab
- Analytical Chemistry Lab
- Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 10/12/2015

TOTAL WELL DEPTH (FT. BGS): 13

DEPTH TO WATER (FT. BGS): 6.82 (10/26/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH11 (Destroyed)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.039873411

EASTING (CO STATE PLANE): -104.8720966

CASING ELEVATION (FT. AMSL): 4970.58

GROUND ELEVATION (FT. AMSL): Not Measured



### Drilling / Sample Method:

Macro-Core

Hydrovac

Expendable Well Tip

Hand Auger

### Laboratory Sample Types:

Geotechnical Lab

Analytical Chemistry Lab

Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 5/9/2016

TOTAL WELL DEPTH (FT. BGS): 15

DEPTH TO WATER (FT. BGS): 7.05 (7/12/2016) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH11R (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.039869341

EASTING (CO STATE PLANE): -104.87210222

CASING ELEVATION (FT. AMSL): 4970.45

GROUND ELEVATION (FT. AMSL): 4970.64



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab



6899 Pecos Street, Unit C  
Denver, Colorado 80221

CLIENT: Kerr-McGee Oil & Gas Onshore LP

LOGGED BY: Brandon LeVasseur

PROJECT MANAGER: Robert Cornez

DRILLING CONTRACTOR: Tasman Geosciences, Inc.

DRILLING EQUIPMENT: AMS PowerProbe

DRILL BIT SIZE (INCHES): 2-3/8"

DATE STARTED - COMPLETED: 10/12/2015

TOTAL WELL DEPTH (FT. BGS): 15

DEPTH TO WATER (FT. BGS): 6.45 (10/26/2015) ▼

## Albert Sack Unit 1

BORING/WELL ID: BH12 (Abandoned)


SURFACE COMPLETION: Flush Mount

NORTHING (CO STATE PLANE): 40.039779664

EASTING (CO STATE PLANE): -104.87224641

CASING ELEVATION (FT. AMSL): 4969.8

GROUND ELEVATION (FT. AMSL): 4970.21



### Drilling / Sample Method:

Macro-Core  
 Hydrovac  
 Expendable Well Tip  
 Hand Auger

### Laboratory Sample Types:

Geotechnical Lab  
 Analytical Chemistry Lab  
 Geotechnical & Analytical Chemistry Lab