

**FORM  
INSP**

Rev  
X/15

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

08/31/2017

Submitted Date:

03/30/2018

Document Number:

685100382

**FIELD INSPECTION FORM**

Loc ID 312800 Inspector Name: NEIDEL, KRIS On-Site Inspection  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

OGCC Operator Number: 95960  
Name of Operator: WEXPRO COMPANY  
Address: P O BOX 45003  
City: SALT LAKE CITY State: UT Zip: 84145-

**Findings:**

- 1 Number of Comments
- 0 Number of Corrective Actions
- Corrective Action Response Requested

**Contact Information:**

Contact Name	Phone	Email	Comment
Stegall, April	307-352-7561	april.stegall@dominionenergy.com	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
100690	PIT	AC			-	CARL ALLEN 11	EI

**General Comment:**

On 8/31/2017 COGCC staff, Kris Neidel was present to observe field activities, the collection of samples for demonstration to COGCC table 910-1. The samples were collected with a skid steer mounted solid stem auger. Close attention was paid to the soil cuttings to determine appropriate sample collection. Wexpro staff took geology field notes of soil types. Attention was given to any hydrocarbon odor or visual observation. The target depth for sampling was vertically below the bottom of the pit, just below return to native soils. The pit was near the existing storage tank, location was determined by historic aerials and consultation with field staff. A 4 foot column of heavily contaminated soil was observed. A sample of the apparent contaminated soil was collected for analysis of TPH and BETX to determine the magnitude of concentration for future removal.

**Inspected Facilities**

Facility ID: 100690 Type: PIT API Number: - Status: AC Insp. Status: EI