


Nickel Road Operating LLC

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSect	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
3	984.93	15.70	111.77	975.15	-39.63	99.24	2.00	111.77	-94.82	
4	6981.12	15.70	111.77	6747.67	-641.33	1605.97	0.00	0.00	-1534.50	
5	7930.90	90.00	269.26	7395.00	-717.52	1102.58	11.00	156.71	-1026.04	
6	17480.90	90.00	269.26	7395.00	-841.28	-8446.62	0.00	0.00	8488.41	DRAKE 6X-HC-11-07-67 BHL

PLAN #1 DRAKE 6X-HC-11-07-67 20' KB @ 5220.00ust Ground Level @ 5200.00 North American Datum 1983 Well DRAKE 6X-HC-11-07-67, Grid North									
Type	Target	Azimuth	Origin	Type	N/S	E/W	From	TVD	
TD	No Target (Freehand)	264.31	Slot		0.00	0.00	0.00	0.00	
Name		TVD	+N/-S	+E/-W	Latitude	Longitude			
DRAKE 6X-HC-11-07-67 BHL		7395.00	-841.28	-8446.62	40.585896	-104.833463			
DRAKE 6X-HC-11-07-67 LP		7395.00	-716.52	-1179.42	40.586045	-104.833463			

Project: WELD COUNTY, CO
Site: S12-T7N-R67W
Well: DRAKE 6X-HC-11-07-67
Wellbore: OH
Design: PLAN #1



WELL DETAILS: DRAKE 6X-HC-11-07-67

+N/-S	+E/-W	Northing	Easting	5200.00	Latitude	Longitude
0.00	0.00	1457749.80	3183946.84		40.588036	-104.837690

CATHEDRAL



Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DRAKE 6X-HC-11-07-67
Company:	Nickel Road Operating LLC	TVD Reference:	20' KB @ 5220.00usft
Project:	WELD COUNTY, CO	MD Reference:	20' KB @ 5220.00usft
Site:	S12-T7N-R67W	North Reference:	Grid
Well:	DRAKE 6X-HC-11-07-67	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Project	WELD COUNTY, CO		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		S12-T7N-R67W			
Site Position:		Northing:	1,457,799.97 usft	Latitude:	40.588176
From:	Lat/Long	Easting:	3,183,834.54 usft	Longitude:	-104.838093
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.43 °

Well	DRAKE 6X-HC-11-07-67					
Well Position	+N/-S	0.00 usft	Northing:	1,457,749.80 usft	Latitude:	40.588036
	+E/-W	0.00 usft	Easting:	3,183,946.84 usft	Longitude:	-104.837690
Position Uncertainty		0.00 usft	Wellhead Elevation:	usft	Ground Level:	5,200.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	10/11/2017	8.30	67.00	52,444.30000000

Design	PLAN #1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	264.31

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	
984.93	15.70	111.77	975.15	-39.63	99.24	2.00	2.00	0.00	111.77	
6,981.12	15.70	111.77	6,747.67	-641.33	1,605.97	0.00	0.00	0.00	0.00	
7,930.90	90.00	269.26	7,395.00	-717.52	1,102.58	11.00	7.82	16.58	156.71	
17,480.90	90.00	269.26	7,395.00	-841.28	-8,446.62	0.00	0.00	0.00	0.00	DRAKE 6X-HC-11-07

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DRAKE 6X-HC-11-07-67
Company:	Nickel Road Operating LLC	TVD Reference:	20' KB @ 5220.00usft
Project:	WELD COUNTY, CO	MD Reference:	20' KB @ 5220.00usft
Site:	S12-T7N-R67W	North Reference:	Grid
Well:	DRAKE 6X-HC-11-07-67	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	
300.00	2.00	111.77	299.98	-0.65	1.62	-1.55	2.00	2.00	
400.00	4.00	111.77	399.84	-2.59	6.48	-6.19	2.00	2.00	
500.00	6.00	111.77	499.45	-5.82	14.57	-13.93	2.00	2.00	
600.00	8.00	111.77	598.70	-10.34	25.89	-24.74	2.00	2.00	
700.00	10.00	111.77	697.47	-16.14	40.42	-38.62	2.00	2.00	
800.00	12.00	111.77	795.62	-23.22	58.14	-55.55	2.00	2.00	
900.00	14.00	111.77	893.06	-31.56	79.03	-75.51	2.00	2.00	
984.93	15.70	111.77	975.15	-39.63	99.24	-94.82	2.00	2.00	
1,000.00	15.70	111.77	989.65	-41.14	103.03	-98.44	0.00	0.00	
1,100.00	15.70	111.77	1,085.92	-51.18	128.16	-122.45	0.00	0.00	
1,200.00	15.70	111.77	1,182.19	-61.21	153.28	-146.46	0.00	0.00	
1,300.00	15.70	111.77	1,278.46	-71.25	178.41	-170.47	0.00	0.00	
1,400.00	15.70	111.77	1,374.73	-81.28	203.54	-194.48	0.00	0.00	
1,500.00	15.70	111.77	1,471.00	-91.32	228.67	-218.49	0.00	0.00	
1,600.00	15.70	111.77	1,567.27	-101.35	253.80	-242.50	0.00	0.00	
1,700.00	15.70	111.77	1,663.54	-111.39	278.92	-266.51	0.00	0.00	
1,800.00	15.70	111.77	1,759.81	-121.42	304.05	-290.52	0.00	0.00	
1,900.00	15.70	111.77	1,856.08	-131.46	329.18	-314.53	0.00	0.00	
2,000.00	15.70	111.77	1,952.35	-141.49	354.31	-338.54	0.00	0.00	
2,100.00	15.70	111.77	2,048.62	-151.52	379.44	-362.55	0.00	0.00	
2,200.00	15.70	111.77	2,144.89	-161.56	404.57	-386.56	0.00	0.00	
2,300.00	15.70	111.77	2,241.16	-171.59	429.69	-410.57	0.00	0.00	
2,400.00	15.70	111.77	2,337.43	-181.63	454.82	-434.58	0.00	0.00	
2,500.00	15.70	111.77	2,433.70	-191.66	479.95	-458.59	0.00	0.00	
2,600.00	15.70	111.77	2,529.97	-201.70	505.08	-482.60	0.00	0.00	
2,700.00	15.70	111.77	2,626.24	-211.73	530.21	-506.61	0.00	0.00	
2,800.00	15.70	111.77	2,722.51	-221.77	555.33	-530.62	0.00	0.00	
2,900.00	15.70	111.77	2,818.78	-231.80	580.46	-554.63	0.00	0.00	
3,000.00	15.70	111.77	2,915.05	-241.84	605.59	-578.64	0.00	0.00	
3,100.00	15.70	111.77	3,011.32	-251.87	630.72	-602.65	0.00	0.00	
3,200.00	15.70	111.77	3,107.59	-261.91	655.85	-626.66	0.00	0.00	
3,300.00	15.70	111.77	3,203.86	-271.94	680.98	-650.67	0.00	0.00	
3,400.00	15.70	111.77	3,300.13	-281.98	706.10	-674.68	0.00	0.00	
3,500.00	15.70	111.77	3,396.40	-292.01	731.23	-698.69	0.00	0.00	
3,600.00	15.70	111.77	3,492.67	-302.05	756.36	-722.70	0.00	0.00	
3,700.00	15.70	111.77	3,588.94	-312.08	781.49	-746.71	0.00	0.00	
3,800.00	15.70	111.77	3,685.21	-322.11	806.62	-770.72	0.00	0.00	
3,900.00	15.70	111.77	3,781.48	-332.15	831.74	-794.73	0.00	0.00	
4,000.00	15.70	111.77	3,877.75	-342.18	856.87	-818.74	0.00	0.00	
4,100.00	15.70	111.77	3,974.02	-352.22	882.00	-842.75	0.00	0.00	
4,200.00	15.70	111.77	4,070.29	-362.25	907.13	-866.76	0.00	0.00	
4,300.00	15.70	111.77	4,166.56	-372.29	932.26	-890.77	0.00	0.00	
4,400.00	15.70	111.77	4,262.83	-382.32	957.39	-914.78	0.00	0.00	
4,500.00	15.70	111.77	4,359.10	-392.36	982.51	-938.79	0.00	0.00	
4,600.00	15.70	111.77	4,455.37	-402.39	1,007.64	-962.80	0.00	0.00	
4,700.00	15.70	111.77	4,551.64	-412.43	1,032.77	-986.81	0.00	0.00	
4,800.00	15.70	111.77	4,647.91	-422.46	1,057.90	-1,010.82	0.00	0.00	
4,900.00	15.70	111.77	4,744.18	-432.50	1,083.03	-1,034.83	0.00	0.00	
5,000.00	15.70	111.77	4,840.45	-442.53	1,108.15	-1,058.84	0.00	0.00	

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DRAKE 6X-HC-11-07-67
Company:	Nickel Road Operating LLC	TVD Reference:	20' KB @ 5220.00usft
Project:	WELD COUNTY, CO	MD Reference:	20' KB @ 5220.00usft
Site:	S12-T7N-R67W	North Reference:	Grid
Well:	DRAKE 6X-HC-11-07-67	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
5,100.00	15.70	111.77	4,936.72	-452.57	1,133.28	-1,082.85	0.00	0.00	
5,200.00	15.70	111.77	5,032.99	-462.60	1,158.41	-1,106.86	0.00	0.00	
5,300.00	15.70	111.77	5,129.26	-472.64	1,183.54	-1,130.87	0.00	0.00	
5,400.00	15.70	111.77	5,225.53	-482.67	1,208.67	-1,154.88	0.00	0.00	
5,500.00	15.70	111.77	5,321.80	-492.70	1,233.80	-1,178.89	0.00	0.00	
5,600.00	15.70	111.77	5,418.07	-502.74	1,258.92	-1,202.90	0.00	0.00	
5,700.00	15.70	111.77	5,514.34	-512.77	1,284.05	-1,226.91	0.00	0.00	
5,800.00	15.70	111.77	5,610.61	-522.81	1,309.18	-1,250.92	0.00	0.00	
5,900.00	15.70	111.77	5,706.88	-532.84	1,334.31	-1,274.93	0.00	0.00	
6,000.00	15.70	111.77	5,803.15	-542.88	1,359.44	-1,298.94	0.00	0.00	
6,100.00	15.70	111.77	5,899.41	-552.91	1,384.56	-1,322.95	0.00	0.00	
6,200.00	15.70	111.77	5,995.68	-562.95	1,409.69	-1,346.96	0.00	0.00	
6,300.00	15.70	111.77	6,091.95	-572.98	1,434.82	-1,370.97	0.00	0.00	
6,400.00	15.70	111.77	6,188.22	-583.02	1,459.95	-1,394.98	0.00	0.00	
6,500.00	15.70	111.77	6,284.49	-593.05	1,485.08	-1,418.99	0.00	0.00	
6,600.00	15.70	111.77	6,380.76	-603.09	1,510.20	-1,443.00	0.00	0.00	
6,700.00	15.70	111.77	6,477.03	-613.12	1,535.33	-1,467.01	0.00	0.00	
6,800.00	15.70	111.77	6,573.30	-623.16	1,560.46	-1,491.02	0.00	0.00	
6,900.00	15.70	111.77	6,669.57	-633.19	1,585.59	-1,515.03	0.00	0.00	
6,981.12	15.70	111.77	6,747.67	-641.33	1,605.97	-1,534.50	0.00	0.00	
7,000.00	13.82	115.21	6,765.92	-643.24	1,610.39	-1,538.71	11.00	-9.98	
7,100.00	6.30	166.40	6,864.48	-653.69	1,622.51	-1,549.74	11.00	-7.52	
7,200.00	11.38	236.95	6,963.50	-664.43	1,615.51	-1,541.71	11.00	5.08	
7,300.00	21.46	253.37	7,059.34	-675.08	1,589.64	-1,514.90	11.00	10.08	
7,400.00	32.13	259.39	7,148.49	-685.25	1,545.83	-1,470.31	11.00	10.67	
7,500.00	42.96	262.62	7,227.67	-694.55	1,485.72	-1,409.57	11.00	10.83	
7,600.00	53.84	264.75	7,293.97	-702.64	1,411.50	-1,334.91	11.00	10.89	
7,700.00	64.76	266.35	7,344.94	-709.24	1,325.90	-1,249.08	11.00	10.91	
7,800.00	75.69	267.68	7,378.73	-714.09	1,232.07	-1,155.23	11.00	10.93	
7,900.00	86.62	268.89	7,394.09	-717.02	1,133.46	-1,056.81	11.00	10.94	
7,930.90	90.00	269.26	7,395.00	-717.52	1,102.58	-1,026.04	11.00	10.94	
8,000.00	90.00	269.26	7,395.00	-718.42	1,033.48	-957.19	0.00	0.00	
8,100.00	90.00	269.26	7,395.00	-719.71	933.49	-857.57	0.00	0.00	
8,200.00	90.00	269.26	7,395.00	-721.01	833.50	-757.94	0.00	0.00	
8,300.00	90.00	269.26	7,395.00	-722.30	733.51	-658.31	0.00	0.00	
8,400.00	90.00	269.26	7,395.00	-723.60	633.52	-558.68	0.00	0.00	
8,500.00	90.00	269.26	7,395.00	-724.89	533.53	-459.06	0.00	0.00	
8,600.00	90.00	269.26	7,395.00	-726.19	433.53	-359.43	0.00	0.00	
8,700.00	90.00	269.26	7,395.00	-727.49	333.54	-259.80	0.00	0.00	
8,800.00	90.00	269.26	7,395.00	-728.78	233.55	-160.17	0.00	0.00	
8,900.00	90.00	269.26	7,395.00	-730.08	133.56	-60.54	0.00	0.00	
9,000.00	90.00	269.26	7,395.00	-731.37	33.57	39.08	0.00	0.00	
9,100.00	90.00	269.26	7,395.00	-732.67	-66.42	138.71	0.00	0.00	
9,200.00	90.00	269.26	7,395.00	-733.97	-166.41	238.34	0.00	0.00	
9,300.00	90.00	269.26	7,395.00	-735.26	-266.41	337.97	0.00	0.00	
9,400.00	90.00	269.26	7,395.00	-736.56	-366.40	437.59	0.00	0.00	
9,500.00	90.00	269.26	7,395.00	-737.85	-466.39	537.22	0.00	0.00	
9,600.00	90.00	269.26	7,395.00	-739.15	-566.38	636.85	0.00	0.00	
9,700.00	90.00	269.26	7,395.00	-740.45	-666.37	736.48	0.00	0.00	
9,800.00	90.00	269.26	7,395.00	-741.74	-766.36	836.10	0.00	0.00	
9,900.00	90.00	269.26	7,395.00	-743.04	-866.36	935.73	0.00	0.00	
10,000.00	90.00	269.26	7,395.00	-744.33	-966.35	1,035.36	0.00	0.00	

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DRAKE 6X-HC-11-07-67
Company:	Nickel Road Operating LLC	TVD Reference:	20' KB @ 5220.00usft
Project:	WELD COUNTY, CO	MD Reference:	20' KB @ 5220.00usft
Site:	S12-T7N-R67W	North Reference:	Grid
Well:	DRAKE 6X-HC-11-07-67	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
10,100.00	90.00	269.26	7,395.00	-745.63	-1,066.34	1,134.99	0.00	0.00	
10,200.00	90.00	269.26	7,395.00	-746.93	-1,166.33	1,234.62	0.00	0.00	
10,300.00	90.00	269.26	7,395.00	-748.22	-1,266.32	1,334.24	0.00	0.00	
10,400.00	90.00	269.26	7,395.00	-749.52	-1,366.31	1,433.87	0.00	0.00	
10,500.00	90.00	269.26	7,395.00	-750.81	-1,466.31	1,533.50	0.00	0.00	
10,600.00	90.00	269.26	7,395.00	-752.11	-1,566.30	1,633.13	0.00	0.00	
10,700.00	90.00	269.26	7,395.00	-753.41	-1,666.29	1,732.75	0.00	0.00	
10,800.00	90.00	269.26	7,395.00	-754.70	-1,766.28	1,832.38	0.00	0.00	
10,900.00	90.00	269.26	7,395.00	-756.00	-1,866.27	1,932.01	0.00	0.00	
11,000.00	90.00	269.26	7,395.00	-757.29	-1,966.26	2,031.64	0.00	0.00	
11,100.00	90.00	269.26	7,395.00	-758.59	-2,066.26	2,131.27	0.00	0.00	
11,200.00	90.00	269.26	7,395.00	-759.89	-2,166.25	2,230.89	0.00	0.00	
11,300.00	90.00	269.26	7,395.00	-761.18	-2,266.24	2,330.52	0.00	0.00	
11,400.00	90.00	269.26	7,395.00	-762.48	-2,366.23	2,430.15	0.00	0.00	
11,500.00	90.00	269.26	7,395.00	-763.77	-2,466.22	2,529.78	0.00	0.00	
11,600.00	90.00	269.26	7,395.00	-765.07	-2,566.21	2,629.40	0.00	0.00	
11,700.00	90.00	269.26	7,395.00	-766.37	-2,666.20	2,729.03	0.00	0.00	
11,800.00	90.00	269.26	7,395.00	-767.66	-2,766.20	2,828.66	0.00	0.00	
11,900.00	90.00	269.26	7,395.00	-768.96	-2,866.19	2,928.29	0.00	0.00	
12,000.00	90.00	269.26	7,395.00	-770.25	-2,966.18	3,027.92	0.00	0.00	
12,100.00	90.00	269.26	7,395.00	-771.55	-3,066.17	3,127.54	0.00	0.00	
12,200.00	90.00	269.26	7,395.00	-772.85	-3,166.16	3,227.17	0.00	0.00	
12,300.00	90.00	269.26	7,395.00	-774.14	-3,266.15	3,326.80	0.00	0.00	
12,400.00	90.00	269.26	7,395.00	-775.44	-3,366.15	3,426.43	0.00	0.00	
12,500.00	90.00	269.26	7,395.00	-776.73	-3,466.14	3,526.05	0.00	0.00	
12,600.00	90.00	269.26	7,395.00	-778.03	-3,566.13	3,625.68	0.00	0.00	
12,700.00	90.00	269.26	7,395.00	-779.32	-3,666.12	3,725.31	0.00	0.00	
12,800.00	90.00	269.26	7,395.00	-780.62	-3,766.11	3,824.94	0.00	0.00	
12,900.00	90.00	269.26	7,395.00	-781.92	-3,866.10	3,924.56	0.00	0.00	
13,000.00	90.00	269.26	7,395.00	-783.21	-3,966.10	4,024.19	0.00	0.00	
13,100.00	90.00	269.26	7,395.00	-784.51	-4,066.09	4,123.82	0.00	0.00	
13,200.00	90.00	269.26	7,395.00	-785.80	-4,166.08	4,223.45	0.00	0.00	
13,300.00	90.00	269.26	7,395.00	-787.10	-4,266.07	4,323.08	0.00	0.00	
13,400.00	90.00	269.26	7,395.00	-788.40	-4,366.06	4,422.70	0.00	0.00	
13,500.00	90.00	269.26	7,395.00	-789.69	-4,466.05	4,522.33	0.00	0.00	
13,600.00	90.00	269.26	7,395.00	-790.99	-4,566.05	4,621.96	0.00	0.00	
13,700.00	90.00	269.26	7,395.00	-792.28	-4,666.04	4,721.59	0.00	0.00	
13,800.00	90.00	269.26	7,395.00	-793.58	-4,766.03	4,821.21	0.00	0.00	
13,900.00	90.00	269.26	7,395.00	-794.88	-4,866.02	4,920.84	0.00	0.00	
14,000.00	90.00	269.26	7,395.00	-796.17	-4,966.01	5,020.47	0.00	0.00	
14,100.00	90.00	269.26	7,395.00	-797.47	-5,066.00	5,120.10	0.00	0.00	
14,200.00	90.00	269.26	7,395.00	-798.76	-5,165.99	5,219.73	0.00	0.00	
14,300.00	90.00	269.26	7,395.00	-800.06	-5,265.99	5,319.35	0.00	0.00	
14,400.00	90.00	269.26	7,395.00	-801.36	-5,365.98	5,418.98	0.00	0.00	
14,500.00	90.00	269.26	7,395.00	-802.65	-5,465.97	5,518.61	0.00	0.00	
14,600.00	90.00	269.26	7,395.00	-803.95	-5,565.96	5,618.24	0.00	0.00	
14,700.00	90.00	269.26	7,395.00	-805.24	-5,665.95	5,717.86	0.00	0.00	
14,800.00	90.00	269.26	7,395.00	-806.54	-5,765.94	5,817.49	0.00	0.00	
14,900.00	90.00	269.26	7,395.00	-807.84	-5,865.94	5,917.12	0.00	0.00	
15,000.00	90.00	269.26	7,395.00	-809.13	-5,965.93	6,016.75	0.00	0.00	
15,100.00	90.00	269.26	7,395.00	-810.43	-6,065.92	6,116.37	0.00	0.00	
15,200.00	90.00	269.26	7,395.00	-811.72	-6,165.91	6,216.00	0.00	0.00	

Cathedral Energy Services

Planning Report

Database:	USA EDM 5000 Multi Users DB	Local Co-ordinate Reference:	Well DRAKE 6X-HC-11-07-67
Company:	Nickel Road Operating LLC	TVD Reference:	20' KB @ 5220.00usft
Project:	WELD COUNTY, CO	MD Reference:	20' KB @ 5220.00usft
Site:	S12-T7N-R67W	North Reference:	Grid
Well:	DRAKE 6X-HC-11-07-67	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	PLAN #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100u)	Comments / Formations
15,300.00	90.00	269.26	7,395.00	-813.02	-6,265.90	6,315.63	0.00	0.00	
15,400.00	90.00	269.26	7,395.00	-814.32	-6,365.89	6,415.26	0.00	0.00	
15,500.00	90.00	269.26	7,395.00	-815.61	-6,465.89	6,514.89	0.00	0.00	
15,600.00	90.00	269.26	7,395.00	-816.91	-6,565.88	6,614.51	0.00	0.00	
15,700.00	90.00	269.26	7,395.00	-818.20	-6,665.87	6,714.14	0.00	0.00	
15,800.00	90.00	269.26	7,395.00	-819.50	-6,765.86	6,813.77	0.00	0.00	
15,900.00	90.00	269.26	7,395.00	-820.80	-6,865.85	6,913.40	0.00	0.00	
16,000.00	90.00	269.26	7,395.00	-822.09	-6,965.84	7,013.02	0.00	0.00	
16,100.00	90.00	269.26	7,395.00	-823.39	-7,065.84	7,112.65	0.00	0.00	
16,200.00	90.00	269.26	7,395.00	-824.68	-7,165.83	7,212.28	0.00	0.00	
16,300.00	90.00	269.26	7,395.00	-825.98	-7,265.82	7,311.91	0.00	0.00	
16,400.00	90.00	269.26	7,395.00	-827.28	-7,365.81	7,411.54	0.00	0.00	
16,500.00	90.00	269.26	7,395.00	-828.57	-7,465.80	7,511.16	0.00	0.00	
16,600.00	90.00	269.26	7,395.00	-829.87	-7,565.79	7,610.79	0.00	0.00	
16,700.00	90.00	269.26	7,395.00	-831.16	-7,665.78	7,710.42	0.00	0.00	
16,800.00	90.00	269.26	7,395.00	-832.46	-7,765.78	7,810.05	0.00	0.00	
16,900.00	90.00	269.26	7,395.00	-833.76	-7,865.77	7,909.67	0.00	0.00	
17,000.00	90.00	269.26	7,395.00	-835.05	-7,965.76	8,009.30	0.00	0.00	
17,100.00	90.00	269.26	7,395.00	-836.35	-8,065.75	8,108.93	0.00	0.00	
17,200.00	90.00	269.26	7,395.00	-837.64	-8,165.74	8,208.56	0.00	0.00	
17,300.00	90.00	269.26	7,395.00	-838.94	-8,265.73	8,308.19	0.00	0.00	
17,400.00	90.00	269.26	7,395.00	-840.23	-8,365.73	8,407.81	0.00	0.00	
17,480.90	90.00	269.26	7,395.00	-841.28	-8,446.62	8,488.41	0.00	0.00	

Targets

Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
DRAKE 6X-HC-11-07-67 - plan hits target center - Point	0.00	359.59	7,395.00	-841.28	-8,446.62	1,456,908.51	3,175,500.23	40.585896	-104.868123
DRAKE 6X-HC-11-07-67 - plan misses target center by 5.64usft at 7854.66usft MD (7389.46 TVD, -715.94 N, 1178.53 E) - Point	0.00	359.57	7,395.00	-716.52	1,179.42	1,457,033.27	3,185,126.26	40.586045	-104.833463