






Drilling Dynamics Gamma Ray

Scale: 1:240 MD	Company: Anadarko		
	Well: PAPA JO 2-25 35N2-17HZ		
Depth Reference: Driller's Depth	Field: Weld County		
	County: Weld	Country:	United States
	State: Colorado		
Status: Field Print	Surface Location: Latitude: 40° 41' 11" N Longitude: 105° 41' 11" W	Other Services: Wellbore Survey	
API: 05123455060000			
Job ID: 8912527	SEC: 8	TWN: 1N	RGE: 68W
Permanent Datum (P.D.): Mean Sea Level	Elevation: 0.00 ft	Interval: 1889.00 ft - 13297.72 ft	Elevations:
Log Measured From: Rig Floor	Above P.D. 5089.00 ft	Created: 2018-01-21 17:03:53	Elev. KB: N/A
BHGE Rep 1: N/A	BHGE Rep 2: N/A		Elev. DF: 5089.00 ft
Client Representative: N/A			Elev. GL: 5063.00 ft

©"4239"Dcmgt"Jwiju."c"IG"eqorcp{"NNE"ó"Cnn"tkijvu"tgugtxgf0"Dcmgt"Jwiju."c"IG"eqorcp{"NNE"cpf"kvu"chhknkcvgu"*öDJIGö+"rtqkfgu"vjku"kphqtocvkqp"qp"cp"öcu"kuö"dcuku"hqt"igpgtcn"kphqtocvkqp" purposes and believes it to be accurate as of the date of publication. BHGE does not make any representation as to the accuracy or completeness of the information and makes no warranties of any kind, specific, implied or oral, to the fullest extent permissible by law, including those of merchantability and fitness for a particular purpose or use. BHGE hereby disclaims any and all liability for any direct, indirect, consequential or special damages, claims for lost profits, or third party claims arising from the use of the information, whether a claim is asserted in contract, tort, or otherwise. The BHGE logo is a trademark of Baker Hughes, a GE company, LLC. GE and the GE monogram are trademarks of General Electric Company used under trademark license.


<div><div>BAKER HUGHES</div><div>a GE company</div></div> <div></div>	Company	Anadarko			
	Well	PAPA JO 2-25 35N2-17HZ			
	Interval	Date From:	2018-01-20 04:52:58	Top:	6800.00
	Created	Date To:	2018-01-21 16:55:28	Bottom:	13298.00
		2018-01-21	17:03:54		
Gamma Ray - Apparent 0.5 ft Average [GRAX]		MD 1:240 feet	Gamma Time Since Drilled		Weight On Bit, Average 1 ft Average [WOBA]
0 200			0 600		0 100
API			min		klb
True Vertical Depth [TVD]			Depth Averaged ROP 3 ft Average [ROPA]		Downhole Temperature [TCDX]
6500 7800			0 750		100 300
ft			ft/h		degF







7100

7200











7700

7800









8100


8200








8300

8400










0068

00800

00









9200


9300






9400


9500






9660


9700








0086

0066










10200

10300












10700

10800











11300


11400





11500


11600







11700

11800








12100

12200


12300






12400

12500





12600

12700

