

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401616406

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

4. Contact Name: Ally Ota

Phone: (303) 860-5800

Fax: (303) 831-3988

Email: Alexandria.Ota@pdce.com

5. API Number 05-123-44006-00

7. Well Name: McGlothlin Farms

8. Location: QtrQtr: SESE Section: 4 Township: 5N Range: 64W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 4W-334

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 02/07/2018 End Date: 02/24/2018 Date of First Production this formation: 03/31/2018
Perforations Top: 7141 Bottom: 14473 No. Holes: 1548 Hole size: 42/100
Provide a brief summary of the formation treatment: Open Hole: ☐

44 Stage Plug and Perf
Total Fluid: 148,897 bbls
Gel Fluid: 107,191 bbls
Slickwater Fluid: 40,532 bbls
15% HCl Acid: 1,174 bbls
Total Proppant: 7,620,700 lbs
Silica Proppant: 7,620,700 lbs
Method for determining flowback: Measuring flowback tank volumes.

This formation is commingled with another formation: ☐ Yes ☒ No
Total fluid used in treatment (bbl): 148897 Max pressure during treatment (psi): 4531
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34
Type of gas used in treatment: Min frac gradient (psi/ft): 1.01
Total acid used in treatment (bbl): 1174 Number of staged intervals: 44
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 5568
Fresh water used in treatment (bbl): 147723 Disposition method for flowback: DISPOSAL
Total proppant used (lbs): 7620700 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 04/20/2018 Hours: 24 Bbl oil: 417 Mcf Gas: 1005 Bbl H2O: 338
Calculated 24 hour rate: Bbl oil: 417 Mcf Gas: 1005 Bbl H2O: 338 GOR: 2410
Test Method: Flowing Casing PSI: 2570 Tubing PSI: 1661 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1292 API Gravity Oil: 50
Tubing Size: 2 + 3/8 Tubing Setting Depth: 6892 Tbg setting date: 03/21/2018 Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

Actual Top of Productive Zone footages: 2,105' FSL & 594' FEL Sec: 4 Twp: 5N Rng: 64W

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez
Title: Regulatory Contractor Date: Email: Cassie.Gonzalez@pdce.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)