



CRESTONE PEAK
RESOURCES

April 24, 2018

Ms. Julie Murphy, Director
Colorado Oil and Gas Conservation Commission
1120 Lincoln Street, Suite 801
Denver, Colorado 80203

RE: COGCC Rule 318A.a.: Surface Owner Exception Location Request
COGCC Rule 318A.c.: Twinning Exception Location Request
Herren 33H-H367 Pad: SENE Section 33, Township 3 North, Range 67 West
Proposed Wells: Herren 1B-33H-H367 Doc #401578309, Herren 1C-33H-H367 Doc #401578310,
Herren 1D-33H-H367 Doc #401578311, Herren 1E-33H-H367 Doc #401578312,
Herren 1F-33H-H367 Doc #401578313, Herren 1G-33H-H367 Doc #401578315,
Herren 1H-33H-H367 Doc #401578317, Herren 1I-33H-H367 Doc #401578316,
Herren 1J-33H-H367 Doc #401578318
Weld County, Colorado

Dear Director Murphy:

Crestone Peak Resources Operating LLC (CPR) proposes to drill nine (9) horizontal wells on the above referenced pad.

Colorado Oil & Gas Conservation Commission (COGCC) Rule 318A.a. requires surface locations within a square with sides four hundred (400) feet in length, the center of which is the center of any governmental quarter-quarter section ("400' window"); or within a square with sides eight hundred (800) feet in length, the center of which is the center of any governmental quarter section ("800' window"). The above referenced wells are proposed at a surface location outside a legal drilling window as defined by Rule 318A.a. These wells were located outside of the GWA Window due to a negotiated SUA with the surface owner. CPR has obtained written permission from the surface owner by way of Surface Use Agreement.

COGCC Rule 318A.c requires a new surface location to be less than 50' from an existing surface well location. The above referenced wells are proposed at a surface location approximately 126'-143' NW of the nearest oil and gas well (Herren 42-33 API# 05-123-20523).

CPR respectfully requests the COGCC approve the exception location request and Applications for Permit to Drill for the wells on the subject pad. Many thanks for your consideration of this matter.

Respectfully,

Erin Lind
Regulatory Analyst

EL:jg