



SRC ENERGY

P&A Wellbore Diagram

Operator: SRC Energy

Operator #: 10311

Well Name: Bauer I 34-20

Location: Weld, CO

API: 05-123-22383

Legal: NESW 34-6N-66W

Current

Proposed

Deepest Water Well (1 mile): 600'

Well History

Spud Date: 10/11/2004

Perfs: Codell: 7168' - 7178'

Bradenhead History

Date of last test: N/A

Bradenhead pressure: N/A

Plugging Procedure

Set CIBP @ 7093'

Set 49 sx on top of CIBP (635' plug)

Set CIBP @ 4400'

Dump bail 2 sx on top of CIBP

Perforate @ 2500'

Set CICR @ 2400'

Pump 88 sx through CICR (400' annulus plug)

Set 8 sx on top of CICR (100' plug)

Cut casing @ 707'

Pump 230 sx @ 757' to surface

Formations

Fox Hills (Btm)	745'
Upper Pierre (Btm)	1343'
Sussex (Top)	4470'
Shannon (Top)	4768'
Niobrara (Top)	6658'
Codell (Top)	7166'

Legend

Existing Cement

Cement Pumped

CIBP

CICR

Surface Hole: 12.25"

Surface Casing:

8.625" 24# @ 407'

175 sacks of cement

TOC: 3780'

7168' - 7178'

Production Hole: 7.875"

Production Casing:

4.5" 11.6# @ 7318'

430 sacks of cement

TD: 7332'

707' - Casing Cut

757' - Stub Plug

2400' - CICR

2500' - Perfs

2 sx on top

4400' - CIBP

49 sx on top

7093' - CIBP