

Light, Cheryl

From: Diane McCoy - DNR <diane.mccoy@state.co.us>
Sent: Tuesday, April 10, 2018 11:49 AM
To: Sloan, Trey
Cc: Light, Cheryl; Barber, Candice
Subject: Re: HSR-CANNON LAND 6-3A (05-123-19840) P&A Change

WARNING! This message originated from a [source](#) external to Anadarko. If you do not recognize the sender or are suspicious of the message content, forward this email to ITSecurity@anadarko.com for evaluation. **DO NOT** "Reply", "Open" attachments or "Click" on any links in a suspicious email.

No objections to the changes.

Thanks,

Diane McCoy
Engineer



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

1120 Lincoln Street, Suite 801, Denver, CO 80203

[303.894.2100](tel:303.894.2100) x5114

Diane.McCoy@state.co.us | www.colorado.gov/cogcc

On Tue, Apr 10, 2018 at 6:20 AM, Sloan, Trey <Trey.Sloan@anadarko.com> wrote:

We are currently unable to get back inside the 4.5" casing on the HSR-Cannon Land 6-3 (API 05-123-19840). They are tagging with tubing at the casing stub at 811'. When trying to enter the 4.5" casing, they are tagging cement outside the 4.5" casing at 861'. I am requesting approval to pump our plug from the top of the casing stub at 811' into the surface casing, no shallower than 711'.

We do not have any surface casing pressure on this well.

Original;

150 sxs

BOC (in 4.5) casing at 1465'

TOC at 711' or higher

B	C	D	E	F	G	H	I	J	K	L	M
API:	05-123-19840	KB ELEVATION:	4986							QTR-QTR: SENW	
WELL NAME:	HSR-CANNON LAND 6-3A	GROUND LEVEL:	4976							SECTION: 3	
COUNTY:	WELD	MD:	8191							TOWNSHIP SN	
LATITUDE:	40.1685742	PBMD:	8179							RANGE: 66W	
LONGITUDE:	-104.7663204	CREATED BY:	T. SLOAN								
		DATE:	3/28/2018								
	Existing					DATUM: RKB				Proposed	
						KB=10'					
Hole Size/Depth	12-1/4" - 771'					Cmt to Surf					
						80'					
<u>Surface Casing</u>										711'	TOC in S.C.
	Casing Size/Depth: 8-5/8", 24#/ft @	761'									
						150 sx					
						1.15 yld					
										811'	Shoot off casing
	Sq Perfs/TOC	861'									
	Fox Hills Formation Marker	1264'									
	Sq Perfs/BOC	1400'									
										1465'	BOC inside csg

Proposed;

80 sxs

BOC (at 4.5" casing stub) at 811'

TOC at 711' or higher

B	C	D	E	F	G	H	I	J	K	L	M
API:	05-123-19840	KB ELEVATION:	4986							QTR-QTR: SENW	
WELL NAME:	HSR-CANNON LAND 6-3A	GROUND LEVEL:	4976							SECTION: 3	
COUNTY:	WELD	MD:	8191							TOWNSHIP SN	
LATITUDE:	40.1685742	PBMD:	8179							RANGE: 66W	
LONGITUDE:	-104.7663204	CREATED BY:	T. SLOAN								
		DATE:	3/28/2018								
	Existing					DATUM: RKB				Proposed	
						KB=10'					
Hole Size/Depth	12-1/4" - 771'					Cmt to Surf					
						80'					
Surface Casing										711'	TOC in S.C.
Casing Size/Depth: 8-5/8", 24#/ft @		761'									
						80 sx					
						1.15 yld					
										811'	Shoot off casing & proposed BOC
	Sq Perfs/TOC	861'									
	Fox Hills Formation Marker	1264'									
	Sq Perfs/BOC	1400'									

Thanks,

Trey Sloan

Field Production Engineer

Anadarko Petroleum Corporation

501 North Division Blvd

Platteville, CO 80651

Office: (970) 515-1669 Ext. 41669

Cell: (918) 534-6637

[Click here for Anadarko's Electronic Mail Disclaimer](#)