
gyrodata
Log Variables
BOND HODC
Log Variables
Log Variables


gyrodata
REPEAT PASS - Run with
3
POOH
End of Run
Survey Report
Survey Data
Survey Plots
Survey Calculation Methods
Survey Tie-In Data
Survey Tool Data
Survey Error Model
Survey Error Ellipse Plots
Survey Error Ellipse Data
Survey Error Ellipse Plots
Survey Error Ellipse Data
Survey Error Ellipse Plots
Survey Error Ellipse Data



Calibration Report

Database File	d:\warrior\data\20180326_extraction_wssunrise 5-5-5_cbl\20180326_extraction_wssunrise 5-5-5_cbl.db
Dataset Pathname	Main
Dataset Creation	Mon Mar 26 13:54:16 2018

Gamma Ray Calibration Report

Serial Number:	ISHV2-03	
Tool Model:	2 3/4" TekCo	
Performed:	Tue Dec 13 00:23:06 2016	
Calibrator Value:	194.0	GAPI
Background Reading:	58.9	cps
Calibrator Reading:	300.8	cps
Sensitivity:	0.8020	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	IT4B1-01	
Tool Model:	2 3/4" RIB Analog	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	0.000	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.001	1.277	0.000	71.921	56.275	0.042
CAL	0.000	0.290				
5'	0.001	1.486	0.000	71.921	48.429	-0.062
SUM						
S1	0.035	1.079	0.000	72.000	68.981	-2.436
S2	0.038	1.215	0.000	72.000	61.203	-2.356
S3	0.040	1.502	0.000	72.000	49.223	-1.955
S4	0.037	1.790	0.000	72.000	41.067	-1.504
S5	0.043	1.817	0.000	72.000	40.576	-1.731
S6	0.041	1.409	0.000	72.000	52.634	-2.161
S7	0.041	1.263	0.000	72.000	58.923	-2.396
S8	0.036	1.100	0.000	72.000	67.642	-2.417

Internal Reference Calibration, performed Fri Aug 25 16:20:58 2017:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.290	0.000	0.290	1.000	0.000

Air Zero Calibration, performed Fri Aug 25 16:20:58 2017:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	IT4B1-01			
Tool Model:	2 3/4" RIB Analog			
Performed:	Fri Aug 26 11:07:15 2016			
	Reference		Reading	
Low Reference:	0.00	degF	0.00	usec
High Reference:	1.00	degF	1.00	usec
Gain:	0.33			
Offset:	0.00			
Delta Spacing	1			

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			CableHead-TitanConeType2	1.03	1.44	3.60
CCL	13.50		CCL_Log-2 3/4" TekCo (IPSN7-03)	1.83	2.75	33.00
			Antelope-Overbody	1.25	2.75	
TEMP	10.05					
WVFS8	8.76		RBTA-2 3/4" RIB Analog (IT4B1-01)	9.13	2.75	102.00
WVFS7	8.76					
WVFS6	8.76					
WVFS5	8.76					
WVFS4	8.76					
WVFS3	8.76					
WVFS2	8.76					
WVFS1	8.76					
WVF3FT	8.01					
WVF5FT	7.01					
WVFSYNC	3.68					
WVFTEMP	3.68					
WVFCAL	3.68					
			Antelope-Overbody	1.25	2.75	
			GR_Log-2 3/4" TekCo (ISHV2-03)	3.68	2.75	47.00
GR	1.04					
LOCTIM	0.00					
UTCTIM	0.00					

Dataset:	20180326_extraction_wssunrise 5-5-5_cbl.db: field/well/run1/Main
Total length:	15.67 ft
Total weight:	185.60 lb
O.D.:	2.75 in

gyrodata

Company	Extraction Oil and Gas		
Well	WS-Sunrise 5-5-5		
Field	Wattenberg		
County	Weld		
State	Colorado	Country	U.S.A.