

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401649729

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: Callie Fiddes

Phone: (720) 929-4361

Fax:

Email: Callie.Fiddes@Anadarko.com

5. API Number 05-123-45226-00

7. Well Name: BUROUGH

8. Location: QtrQtr: SESE Section: 17 Township: 1N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 17N-17HZ

Completed Interval

FORMATION: NIOBRARA	Status: PRODUCING	Treatment Type: FRACTURE STIMULATION
Treatment Date: 03/11/2018	End Date: 03/20/2018	Date of First Production this formation: 04/27/2018
Perforations Top: 7995	Bottom: 12959	No. Holes: 886 Hole size: 0.44
Provide a brief summary of the formation treatment:		Open Hole: <input type="checkbox"/>
PERF AND FRAC FROM 7995-12959.		
747 BBL 7 1/2% HCL ACID, 5,887 BBL PUMP DOWN, 169,574 BBL SLICKWATER, 176,208 TOTAL FLUID, 1,454,900# 40/70 OTTAWA/ST. PETERS, 1,454,900# TOTAL SAND.		
This formation is commingled with another formation:		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Total fluid used in treatment (bbl): 176208	Max pressure during treatment (psi): 7689	
Total gas used in treatment (mcf): 0	Fluid density at initial fracture (lbs/gal): 8.30	
Type of gas used in treatment:	Min frac gradient (psi/ft): 0.93	
Total acid used in treatment (bbl): 747	Number of staged intervals: 36	
Recycled water used in treatment (bbl): 0	Flowback volume recovered (bbl): 7566	
Fresh water used in treatment (bbl): 175461	Disposition method for flowback: DISPOSAL	
Total proppant used (lbs): 1454900	Rule 805 green completion techniques were utilized: <input checked="" type="checkbox"/>	
Reason why green completion not utilized:		
Fracture stimulations must be reported on FracFocus.org		
Test Information:		
Date: 05/22/2018	Hours: 24	Bbl oil: 272 Mcf Gas: 437 Bbl H2O: 430
Calculated 24 hour rate:	Bbl oil: 272	Mcf Gas: 437 Bbl H2O: 430 GOR: 1607
Test Method: Flowing	Casing PSI: 2092	Tubing PSI: 1507 Choke Size: 14/64
Gas Disposition: SOLD	Gas Type: WET	Btu Gas: 1286 API Gravity Oil: 54
Tubing Size: 2 + 3/8	Tubing Setting Depth: 7541	Tbg setting date: 05/12/2018 Packer Depth:
Reason for Non-Production:		
Date formation Abandoned:	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt
** Bridge Plug Depth:	** Sacks cement on top:	** Wireline and Cement Job Summary must be attached.
Comment:		
This well had a delayed completion. The estimated TPZ footages on form 5 should be revised to 136' FSL, 1032' FEL, Sec 17.		
Anadarko certifies compliance with rule 317.s.		
I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.		
Signed:	Print Name: Callie Fiddes	
Title: Regulatory Analyst	Date:	Email: Callie.Fiddes@Anadarko.com

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)