

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400782226

Date Received:

08/19/2015

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96155

2. Name of Operator: WHITING OIL & GAS CORPORATION

3. Address: 1700 BROADWAY STE 2300

City: DENVER State: CO Zip: 80290

4. Contact Name: Elvera Berryman

Phone: (303) 390-4221

Fax: (303) 390-1598

Email: elvera.berryman@whiting.com

5. API Number 05-123-39201-00

7. Well Name: Horsetail

8. Location: QtrQtr: SENW Section: 30 Township: 10N Range: 57W Meridian: 6

9. Field Name: DJ HORIZONTAL NIOBRARA Field Code: 16950

6. County: WELD

Well Number: 30F-3107

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 01/15/2015 End Date: 01/21/2015 Date of First Production this formation: 03/26/2015
Perforations Top: 5997 Bottom: 12981 No. Holes: 1440 Hole size: 3/7

Provide a brief summary of the formation treatment:

Open Hole: ☐

Cemented liner 40 staged intervals: SlickWater: 26402 bbl; pHaserFrac #22: 82808 bbl; 22# Linear Gel: 11791 bbl ;15% HCl: 131bbl, Fresh Water: 5798 bbl.
Total Proppant: 6637636# 20/40 Ottawa; 111733# 40/70 Ottawa
See attached Frac Summary Report and Wellbore Diagram for details.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 126930

Max pressure during treatment (psi): 6697

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.80

Total acid used in treatment (bbl): 131

Number of staged intervals: 40

Recycled water used in treatment (bbl): 121001

Flowback volume recovered (bbl): 30366

Fresh water used in treatment (bbl): 5798

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 6749369

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 05/01/2015 Hours: 24 Bbl oil: 589 Mcf Gas: 1 Bbl H2O: 278
Calculated 24 hour rate: Bbl oil: 589 Mcf Gas: 1 Bbl H2O: 278 GOR: 2
Test Method: Separator Casing PSI: 0 Tubing PSI: 250 Choke Size:
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1356 API Gravity Oil: 35
Tubing Size: 2 + 3/8 Tubing Setting Depth: 5463 Tbg setting date: 03/29/2015 Packer Depth: 5450

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

Landing Collar is a 13011'. Cement fills the hole from 13011' to TD.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Elvera Berryman

Title: Engineer Tech Date: 8/19/2015 Email: elvera.berryman@whiting.com

Attachment Check List

Att Doc Num	Name
400782226	FORM 5A SUBMITTED
400886839	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Waiting for form 5 to pass	05/30/2018

Total: 1 comment(s)