

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 401249292			
Date Received: 04/03/2017			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10447</u>	Contact Name <u>Dwayne Knudson</u>
Name of Operator: <u>URSA OPERATING COMPANY LLC</u>	Phone: <u>(970) 625-9922</u>
Address: <u>792 BUCKHORN DR</u>	Fax: <u>()</u>
City: <u>RIFLE</u> State: <u>CO</u> Zip: <u>81650</u>	Email: <u>dknudson@ursaresources.com</u>

API Number : 05- <u>103</u> <u>12279</u> <u>00</u>	OGCC Facility ID Number: <u>449826</u>
Well/Facility Name: <u>BR C-240</u>	Well/Facility Number: <u>43A-24-2-98</u>
Location QtrQtr: <u>SWSE</u> Section: <u>24</u> Township: <u>2S</u> Range: <u>98W</u> Meridian: <u>6</u>	
County: <u>RIO BLANCO</u> Field Name: <u>SULPHUR CREEK</u>	
Federal, Indian or State Lease Number: <u>COC03453</u>	

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 0 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Ursa Operating Company (Ursa) is requesting an exception to the ground water sampling rule 609 as outlined in COGCC Rule 609.c (1) due to no suitable water wells being present within the 1/2 mile radius. One (1) water well (permit # 0051650) was noted ~1900ft to the east per the DWR website, but after further investigation, it was determined it was a groundwater monitoring well used for site investigation activities in 2013 and is not plotted correctly as there is no water well in that area.

The wells with API #'s that are included in the exception request is as followed;

BR C-24O 42D-24-02-98 05103122850000

BR C-24O 32D-24-02-98 05103122830000

BR C-24O 32C-24-02-98 05103122800000

Operator Comments:

Please forward onto Arthur Koepsell for review

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Kris Rowe

Title: Env. Consultant

Email: krowe@hrlcomp.com

Date: 4/3/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPESELL, ARTHUR

Date: 4/4/2017

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental Data	A review of information available on COGIS maps indicates that all water features that meet the 100 series definition of a water source within 1/2 mile of the oil/gas well(s) that have been properly addressed by the operator.	04/04/2017
--------------------	---	------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

401249292	SUNDRY NOTICE APPROVED-GW
401250346	FORM 4 SUBMITTED

Total Attach: 2 Files