

FORM
5

Rev
09/14

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401612846

Date Received:

05/09/2018

DRILLING COMPLETION REPORT

Per Rule 308A, this form and all required attachments shall be submitted after completing the drilling operations to drill, sidetrack, or deepen a wellbore and after changing the casing and cement configuration of a wellbore. If any attempt has been made to test, complete, or produce the well, the operator shall also submit a Form 5A (Completed Interval Report) per Rule 308B. If the well has been plugged, the operator shall also submit a Form 6 (Well Abandonment Report) per Rule 311.

Completion Type Final completion Preliminary completion

OGCC Operator Number: 10311 Contact Name: Christi Ng
Name of Operator: SRC ENERGY INC Phone: (720) 616-4385
Address: 1675 BROADWAY SUITE 2600 Fax: (720) 616-4301
City: DENVER State: CO Zip: 80202

API Number 05-123-45103-00 County: WELD
Well Name: Falken Well Number: 32N-9B-L
Location: QtrQtr: NESE Section: 11 Township: 6N Range: 66W Meridian: 6
Footage at surface: Distance: 1889 feet Direction: FSL Distance: 276 feet Direction: FEL
As Drilled Latitude: 40.500755 As Drilled Longitude: -104.735946

GPS Data:
Date of Measurement: 08/11/2017 PDOP Reading: 1.3 GPS Instrument Operator's Name: Rob Wilson

** If directional footage at Top of Prod. Zone Dist.: 2372 feet Direction: FSL Dist.: 320 feet Direction: FWL
Sec: 12 Twp: 6N Rng: 66W
** If directional footage at Bottom Hole Dist.: 2290 feet Direction: FSL Dist.: 325 feet Direction: FEL
Sec: 9 Twp: 6N Rng: 66W

Field Name: WATTENBERG Field Number: 90750
Federal, Indian or State Lease Number:

Spud Date: (when the 1st bit hit the dirt) 09/16/2017 Date TD: 09/30/2017 Date Casing Set or D&A: 10/02/2017
Rig Release Date: 01/26/2018 Per Rule 308A.b.

Well Classification:
 Dry Oil Gas/Coalbed Disposal Stratigraphic Enhanced Recovery Storage Observation

Total Depth MD 18910 TVD** 7091 Plug Back Total Depth MD 18780 TVD** 7093
Elevations GR 4811 KB 4836 Digital Copies of ALL Logs must be Attached per Rule 308A

List Electric Logs Run:
MWD/LWD, CBL, Mud, (Resistivity on 123-45117).

CASING, LINER AND CEMENT

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Top	Cmt Bot	Status
CONDUCTOR	26	16	55	0	40	32	0	40	VISU
SURF	13+1/2	9+5/8	36	0	1,817	850	0	1,817	VISU
1ST	8+1/2	5+1/2	20	0	18,895	2,473	0	18,782	CBL

STAGE/TOP OUT/REMEDIAL CEMENT

Cement work date: _____

Method used	String	Cementing tool setting/perf depth	Cement volume	Cement top	Cement bottom

Details of work:

FORMATION LOG INTERVALS AND TEST ZONES

FORMATION NAME	Measured Depth		Check if applies		COMMENTS (All DST and Core Analysis must be submitted to COGCC)
	Top	Bottom	DST	Cored	
PARKMAN	3,856		NO	NO	
SUSSEX	4,396		NO	NO	
SHANNON	5,073		NO	NO	
SHARON SPRINGS	7,139		NO	NO	
NIOBRARA	7,185		NO	NO	

Operator Comments

Top of productive zone footages are estimated and based on the top possible legal perforation point within the unit. The estimated date of completion of the pad is 2nd quarter 2018. The actual top of productive zone footages will be provided in the comments on the Form 5A when the well has been completed. The BHL footages are from the "Projection to Bit" numbers listed on the first page of the directional survey.

Surface and production casing setting depths on Surface Cement Job Summary and Production Cement Job Summary are incorrect. Reported depths on casing tab, 1792' is the accurate surface csg setting depth and 18870' is the accurate production csg setting depth. 6 bbl wet shoe.

No open hole Resistivity log with Gamma Ray was run on this well. A Resistivity Log was run on the Falken 9C-9-L (123-45117).

Each attachment and log run during the drilling and completion of a well is intended to fulfill a specific purpose. At times, vendors that run these logs or jobs put additional data in their report that is not critical or relevant to the technical purpose of their job. This data is not verified with SRC Energy and at times is not 100% accurate. For example, setting depths for a liner, date casing was set, or TD dates on a mud log may not be accurate. SRC Energy confirms setting depths through either daily drilling reports or liner reports, confirms date casing was set through daily drilling reports, and confirms TD through either our Pason system or daily drilling reports. Additionally, SRC Energy confirms liner tops through liner reports and not the CBL. Synergy is not able to request that these vendors not include this information in their report.

A formal as-drilled was performed and is attached with this submittal as verification of the surface location and ground elevation. Any other attachment that shows a different surface location or ground elevation is not accurate.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Christi Ng

Title: Sr. Regulatory Analyst Date: 5/9/2018 Email: cng@srcenergy.com

Attachment Check List

Att Doc Num	Document Name	attached ?	
<u>Attachment Checklist</u>			
	CMT Summary *	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Core Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
401613593	Directional Survey **	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	DST Analysis	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
	Logs	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
	Other	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>
<u>Other Attachments</u>			
401612846	FORM 5 SUBMITTED	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613574	CEMENT BOND_LAS	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613575	CEMENT BOND_PDF	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613577	MWD/LWD_LAS	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613579	MWD/LWD_PDF	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613587	MUD_LAS	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613589	MUD_PDF	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613590	WELL LOCATION PLAT	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613591	CEMENT JOB SUMMARY_SURFACE	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613592	CEMENT JOB SUMMARY_PRODUCTION	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>
401613594	DIRECTIONAL DATA	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	<ul style="list-style-type: none"> • Per operator, corrected BHL footage from 275' FEL to 325' FEL. • Passes Permitting. 	06/18/2018
Permit	<ul style="list-style-type: none"> • TPZ footages are estimated. • BHL footage of 275' FEL appears incorrect based on calculation using deviated drilling plan; please submit correct BHL footage. 	05/24/2018

Total: 2 comment(s)