

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
GM 343-B TVD	4798.0	-1443.73	1943.91	1599646.92	2259278.76	39.4504254	-108.1234713	Circle (Radius: 50.00)
<i>- plan misses target center by 43.05mst at 5424.30usht MD (4804.88 TVD, -1418.50 N, 1909.71 E)</i>								
GM 343-B PBHL	6644.0	-1443.73	1943.91	1599646.92	2259278.76	39.4504254	-108.1234713	Point
<i>- plan misses target center by 0.22usht at 7265.86usht MD (6644.00 TVD, -1443.73 N, 1943.69 E)</i>								



TEP Rocky Mountain LLC

Garfield County, CO NAD83

MV 60-8D Pad

GM 343-8 - Slot GM 343-8 (A6)

OH

Plan: Plan #1 19Jun2018 mmsdi

Standard Planning Report

20 June, 2018



Database:	Grand Junction District	Local Co-ordinate Reference:	Well GM 343-8 - Slot GM 343-8 (A6)
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Site:	MV 60-8D Pad	North Reference:	True
Well:	GM 343-8	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 19Jun2018 mmsdi		

Project	Garfield County, CO NAD83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site	MV 60-8D Pad				
Site Position:		Northing:	1,601,172.03 usft	Latitude:	39.4544712
From:	Map	Easting:	2,257,381.57 usft	Longitude:	-108.1303437
Position Uncertainty:	0.00 usft	Slot Radius:	13.20 in	Grid Convergence:	-1.66

Well	GM 343-8 - Slot GM 343-8 (A6)					
Well Position	+N/-S	-29.78 usft	Northing:	1,601,142.36 usft	Latitude:	39.4543894
	+E/-W	-3.25 usft	Easting:	2,257,377.46 usft	Longitude:	-108.1303553
Position Uncertainty		0.00 usft	Wellhead Elevation:	0.00 usft	Ground Level:	6,175.00 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	6/19/2018	9.52	65.68	51,678

Design	Plan #1 19Jun2018 mmsdi			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	126.60

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
135.00	0.00	0.00	135.00	0.00	0.00	0.00	0.00	0.00	0.00	
923.05	31.52	126.60	883.90	-126.03	169.68	4.00	4.00	0.00	126.60	
4,341.22	31.52	126.60	3,797.67	-1,191.66	1,604.33	0.00	0.00	0.00	0.00	
5,417.33	10.00	126.60	4,798.00	-1,417.78	1,908.75	2.00	-2.00	0.00	180.00	
5,917.33	0.00	0.00	5,295.47	-1,443.73	1,943.69	2.00	-2.00	-25.32	-180.00	
7,265.86	0.00	0.00	6,644.00	-1,443.73	1,943.69	0.00	0.00	0.00	0.00	GM 343-8 PBHL

Database:	Grand Junction District	Local Co-ordinate Reference:	Well GM 343-8 - Slot GM 343-8 (A6)
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Site:	MV 60-8D Pad	North Reference:	True
Well:	GM 343-8	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 19Jun2018 mmsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
135.00	0.00	0.00	135.00	0.00	0.00	0.00	0.00	0.00	0.00
Start Build 4.00									
200.00	2.60	126.60	199.98	-0.88	1.18	1.47	4.00	4.00	0.00
300.00	6.60	126.60	299.64	-5.66	7.62	9.49	4.00	4.00	0.00
400.00	10.60	126.60	398.49	-14.58	19.62	24.44	4.00	4.00	0.00
500.00	14.60	126.60	496.06	-27.58	37.13	46.25	4.00	4.00	0.00
600.00	18.60	126.60	591.88	-44.61	60.06	74.82	4.00	4.00	0.00
700.00	22.60	126.60	685.46	-65.59	88.30	109.99	4.00	4.00	0.00
800.00	26.60	126.60	776.37	-90.40	121.71	151.61	4.00	4.00	0.00
900.00	30.60	126.60	864.15	-118.94	160.13	199.47	4.00	4.00	0.00
923.05	31.52	126.60	883.90	-126.03	169.68	211.37	4.00	4.00	0.00
Start 3418.17 hold at 923.05 MD									
1,000.00	31.52	126.60	949.49	-150.02	201.98	251.60	0.00	0.00	0.00
9 5/8" Casing @ 1000' MD									
1,100.00	31.52	126.60	1,034.73	-181.20	243.95	303.88	0.00	0.00	0.00
1,200.00	31.52	126.60	1,119.98	-212.37	285.92	356.16	0.00	0.00	0.00
1,300.00	31.52	126.60	1,205.22	-243.55	327.89	408.45	0.00	0.00	0.00
1,400.00	31.52	126.60	1,290.46	-274.72	369.86	460.73	0.00	0.00	0.00
1,500.00	31.52	126.60	1,375.71	-305.90	411.83	513.01	0.00	0.00	0.00
1,600.00	31.52	126.60	1,460.95	-337.08	453.80	565.29	0.00	0.00	0.00
1,700.00	31.52	126.60	1,546.19	-368.25	495.77	617.58	0.00	0.00	0.00
1,800.00	31.52	126.60	1,631.44	-399.43	537.75	669.86	0.00	0.00	0.00
1,900.00	31.52	126.60	1,716.68	-430.60	579.72	722.14	0.00	0.00	0.00
2,000.00	31.52	126.60	1,801.93	-461.78	621.69	774.42	0.00	0.00	0.00
2,100.00	31.52	126.60	1,887.17	-492.95	663.66	826.71	0.00	0.00	0.00
2,200.00	31.52	126.60	1,972.41	-524.13	705.63	878.99	0.00	0.00	0.00
2,228.84	31.52	126.60	1,997.00	-533.12	717.74	894.07	0.00	0.00	0.00
GSAND									
2,300.00	31.52	126.60	2,057.66	-555.30	747.60	931.27	0.00	0.00	0.00
2,352.02	31.52	126.60	2,102.00	-571.52	769.43	958.47	0.00	0.00	0.00
GSAND BASE									
2,400.00	31.52	126.60	2,142.90	-586.48	789.57	983.56	0.00	0.00	0.00
2,500.00	31.52	126.60	2,228.15	-617.65	831.54	1,035.84	0.00	0.00	0.00
2,600.00	31.52	126.60	2,313.39	-648.83	873.52	1,088.12	0.00	0.00	0.00
2,700.00	31.52	126.60	2,398.63	-680.00	915.49	1,140.40	0.00	0.00	0.00
2,748.53	31.52	126.60	2,440.00	-695.13	935.85	1,165.78	0.00	0.00	0.00
FRUN									
2,800.00	31.52	126.60	2,483.88	-711.18	957.46	1,192.69	0.00	0.00	0.00
2,900.00	31.52	126.60	2,569.12	-742.36	999.43	1,244.97	0.00	0.00	0.00
3,000.00	31.52	126.60	2,654.36	-773.53	1,041.40	1,297.25	0.00	0.00	0.00
3,100.00	31.52	126.60	2,739.61	-804.71	1,083.37	1,349.54	0.00	0.00	0.00
3,200.00	31.52	126.60	2,824.85	-835.88	1,125.34	1,401.82	0.00	0.00	0.00
3,300.00	31.52	126.60	2,910.10	-867.06	1,167.31	1,454.10	0.00	0.00	0.00
3,400.00	31.52	126.60	2,995.34	-898.23	1,209.29	1,506.38	0.00	0.00	0.00
3,500.00	31.52	126.60	3,080.58	-929.41	1,251.26	1,558.67	0.00	0.00	0.00
3,600.00	31.52	126.60	3,165.83	-960.58	1,293.23	1,610.95	0.00	0.00	0.00
3,700.00	31.52	126.60	3,251.07	-991.76	1,335.20	1,663.23	0.00	0.00	0.00
3,800.00	31.52	126.60	3,336.31	-1,022.93	1,377.17	1,715.52	0.00	0.00	0.00
3,900.00	31.52	126.60	3,421.56	-1,054.11	1,419.14	1,767.80	0.00	0.00	0.00
4,000.00	31.52	126.60	3,506.80	-1,085.29	1,461.11	1,820.08	0.00	0.00	0.00
4,100.00	31.52	126.60	3,592.05	-1,116.46	1,503.09	1,872.36	0.00	0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well GM 343-8 - Slot GM 343-8 (A6)
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Site:	MV 60-8D Pad	North Reference:	True
Well:	GM 343-8	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 19Jun2018 mmsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,153.91	31.52	126.60	3,638.00	-1,133.27	1,525.71	1,900.55	0.00	0.00	0.00
MVRD									
4,200.00	31.52	126.60	3,677.29	-1,147.64	1,545.06	1,924.65	0.00	0.00	0.00
4,300.00	31.52	126.60	3,762.53	-1,178.81	1,587.03	1,976.93	0.00	0.00	0.00
4,306.41	31.52	126.60	3,768.00	-1,180.81	1,589.72	1,980.28	0.00	0.00	0.00
WFRK/UMVRD									
4,341.22	31.52	126.60	3,797.67	-1,191.66	1,604.33	1,998.48	0.00	0.00	0.00
Start Drop -2.00									
4,400.00	30.35	126.60	3,848.09	-1,209.68	1,628.58	2,028.70	2.00	-2.00	0.00
4,500.00	28.35	126.60	3,935.25	-1,238.90	1,667.93	2,077.70	2.00	-2.00	0.00
4,600.00	26.35	126.60	4,024.07	-1,266.29	1,704.80	2,123.64	2.00	-2.00	0.00
4,700.00	24.35	126.60	4,114.44	-1,291.82	1,739.17	2,166.45	2.00	-2.00	0.00
4,800.00	22.35	126.60	4,206.25	-1,315.45	1,770.98	2,206.07	2.00	-2.00	0.00
4,900.00	20.35	126.60	4,299.38	-1,337.15	1,800.20	2,242.47	2.00	-2.00	0.00
5,000.00	18.35	126.60	4,393.73	-1,356.90	1,826.79	2,275.60	2.00	-2.00	0.00
5,100.00	16.35	126.60	4,489.18	-1,374.68	1,850.72	2,305.41	2.00	-2.00	0.00
5,200.00	14.35	126.60	4,585.61	-1,390.46	1,871.97	2,331.88	2.00	-2.00	0.00
5,300.00	12.35	126.60	4,682.90	-1,404.22	1,890.50	2,354.96	2.00	-2.00	0.00
5,400.00	10.35	126.60	4,780.94	-1,415.95	1,906.29	2,374.63	2.00	-2.00	0.00
5,417.33	10.00	126.60	4,798.00	-1,417.78	1,908.75	2,377.69	2.00	-2.00	0.00
Start DLS 2.00 TFO -180.00 - KMGAS									
5,424.30	9.86	126.60	4,804.86	-1,418.50	1,909.71	2,378.90	2.00	-2.00	0.00
GM 343-8 BTV									
5,500.00	8.35	126.60	4,879.61	-1,425.64	1,919.33	2,390.87	2.00	-2.00	0.00
5,600.00	6.35	126.60	4,978.78	-1,433.26	1,929.59	2,403.66	2.00	-2.00	0.00
5,700.00	4.35	126.60	5,078.34	-1,438.82	1,937.07	2,412.98	2.00	-2.00	0.00
5,800.00	2.35	126.60	5,178.17	-1,442.30	1,941.76	2,418.81	2.00	-2.00	0.00
5,900.00	0.35	126.60	5,278.14	-1,443.70	1,943.65	2,421.16	2.00	-2.00	0.00
5,917.33	0.00	0.00	5,295.47	-1,443.73	1,943.69	2,421.22	2.00	-2.00	0.00
Start 1348.53 hold at 5917.33 MD									
6,000.00	0.00	0.00	5,378.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,100.00	0.00	0.00	5,478.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,200.00	0.00	0.00	5,578.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,300.00	0.00	0.00	5,678.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,400.00	0.00	0.00	5,778.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,500.00	0.00	0.00	5,878.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,600.00	0.00	0.00	5,978.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,700.00	0.00	0.00	6,078.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,725.86	0.00	0.00	6,104.00	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
CMEO									
6,800.00	0.00	0.00	6,178.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
6,900.00	0.00	0.00	6,278.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
7,000.00	0.00	0.00	6,378.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
7,100.00	0.00	0.00	6,478.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
7,165.86	0.00	0.00	6,544.00	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
RLNS									
7,200.00	0.00	0.00	6,578.14	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
7,265.86	0.00	0.00	6,644.00	-1,443.73	1,943.69	2,421.22	0.00	0.00	0.00
TD at 7265.86 - TD - GM 343-8 PBHL									

Database:	Grand Junction District	Local Co-ordinate Reference:	Well GM 343-8 - Slot GM 343-8 (A6)
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 6175' & RKB 24' @ 6199.00usft
Site:	MV 60-8D Pad	North Reference:	True
Well:	GM 343-8	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 19Jun2018 mmsdi		

Design Targets									
Target Name									
- hit/miss target	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- Shape	(°)	(°)	(usft)	(usft)	(usft)	(usft)	(usft)		
GM 343-8 BTV	0.00	0.00	4,798.00	-1,443.73	1,943.91	1,599,642.96	2,259,278.76	39.4504255	-108.1234713
- plan misses target center by 43.05usft at 5424.30usft MD (4804.86 TVD, -1418.50 N, 1909.71 E)									
- Circle (radius 50.00)									
GM 343-8 PBHL	0.00	0.00	6,644.00	-1,443.73	1,943.91	1,599,642.96	2,259,278.76	39.4504255	-108.1234713
- plan misses target center by 0.22usft at 7265.86usft MD (6644.00 TVD, -1443.73 N, 1943.69 E)									
- Point									

Casing Points				
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (in)	Hole Diameter (in)
1,000.00	949.49	9 5/8" Casing @ 1000' MD	9.62	13.50

Formations					
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
2,228.84	1,997.00	GSAND		0.00	0.00
2,352.02	2,102.00	GSAND BASE		0.00	0.00
2,748.53	2,440.00	FRUN		0.00	0.00
4,153.91	3,638.00	MVRD		0.00	0.00
4,306.41	3,768.00	WFRK/UMVRD		0.00	0.00
5,417.33	4,798.00	KMVGAS		0.00	0.00
6,725.86	6,104.00	CME0		0.00	0.00
7,165.86	6,544.00	RLNS		0.00	0.00
7,265.86	6,644.00	TD		0.00	0.00

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Comment
135.00	135.00	0.00	0.00	Start Build 4.00
923.05	883.90	-126.03	169.68	Start 3418.17 hold at 923.05 MD
4,341.22	3,797.67	-1,191.66	1,604.33	Start Drop -2.00
5,417.33	4,798.00	-1,417.78	1,908.75	Start DLS 2.00 TFO -180.00
5,917.33	5,295.47	-1,443.73	1,943.69	Start 1348.53 hold at 5917.33 MD
7,265.86	6,644.00	-1,443.73	1,943.69	TD at 7265.86