


<div>FORM 2 Rev 08/16</div>	<div>State of Colorado Oil and Gas Conservation Commission 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109</div>	<div></div>	<div>Document Number:  401632894</div>
<div>APPLICATION FOR PERMIT TO:</div> <div><input checked="" type="checkbox"/> Drill    <input type="checkbox"/> Deepen    <input type="checkbox"/> Re-enter    <input type="checkbox"/> Recomplete and Operate</div>			<div>Date Received:  05/22/2018</div>
<div>TYPE OF WELL    OIL <input checked="" type="checkbox"/>    GAS <input type="checkbox"/>    COALBED <input type="checkbox"/>    OTHER <input type="checkbox"/></div> <div>ZONE TYPE    SINGLE ZONE <input checked="" type="checkbox"/>    MULTIPLE ZONES <input type="checkbox"/>    COMMINGLE ZONES <input type="checkbox"/></div>		<div>Refiling <input type="checkbox"/></div> <div>Sidetrack <input type="checkbox"/></div>	
<div>Well Name: Critter Creek    Well Number: 15-6104BE</div> <div>Name of Operator: HIGHPOINT OPERATING CORPORATION    COGCC Operator Number: 10071</div> <div>Address: 1099 18TH ST STE 2300</div> <div>City: DENVER    State: CO    Zip: 80202</div> <div>Contact Name: Sydney Smith    Phone: (303)910-4511    Fax: (    )</div> <div>Email: ssmith@hpres.com</div>			
<div>RECLAMATION FINANCIAL ASSURANCE</div> <div>Plugging and Abandonment Bond Surety ID: 20040060</div>			
<div>WELL LOCATION INFORMATION</div> <div>QtrQtr: SWSW    Sec: 15    Twp: 11N    Rng: 63W    Meridian: 6</div> <div>Latitude: 40.916243    Longitude: -104.424215</div> <div>Footage at Surface: 400 Feet    FNL/FSL FSL 1175 Feet    FEL/FWL FWL</div> <div>Field Name: HEREFORD    Field Number: 34200</div> <div>Ground Elevation: 5242    County: WELD</div> <div>GPS Data:</div> <div>Date of Measurement: 03/27/2018    PDOP Reading: 1.3    Instrument Operator's Name: CHAD MEIERS</div> <div>If well is <input type="checkbox"/> Directional    <input checked="" type="checkbox"/> Horizontal (highly deviated)    submit deviated drilling plan.</div> <div>Footage at Top of Prod Zone: FNL/FSL FSL 2604 FWL    Bottom Hole: FNL/FSL FNL 2535 FWL</div> <div>300    240    2535</div> <div>Sec: 15    Twp: 11N    Rng: 63W    Sec: 10    Twp: 11N    Rng: 63W</div>			
<div>LOCATION SURFACE &amp; MINERALS &amp; RIGHT TO CONSTRUCT</div> <div>Surface Ownership: <input checked="" type="checkbox"/> Fee    <input type="checkbox"/> State    <input type="checkbox"/> Federal    <input type="checkbox"/> Indian</div> <div>The Surface Owner is: <input checked="" type="checkbox"/> is the mineral owner beneath the location.</div> <div>(check all that apply) <input checked="" type="checkbox"/> is committed to an Oil and Gas Lease.</div> <div><input checked="" type="checkbox"/> has signed the Oil and Gas Lease.</div> <div><input type="checkbox"/> is the applicant.</div> <div>The Mineral Owner beneath this Oil and Gas Location is: <input checked="" type="checkbox"/> Fee    <input type="checkbox"/> State    <input type="checkbox"/> Federal    <input type="checkbox"/> Indian</div> <div>The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes</div> <div>The right to construct the Oil and Gas Location is granted by: oil and gas lease</div> <div>Surface damage assurance if no agreement is in place:    Surface Surety ID:</div>			

## LEASE INFORMATION

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

Legal Description: T11NR63W, 6th P.M.  
Section: 15 ALL  
Containing 2,720.00 acres more or less

Total Acres in Described Lease: 2720 Described Mineral Lease is: ☒ Fee ☐ State ☐ Federal ☐ Indian

Federal or State Lease # \_\_\_\_\_

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 0 Feet

## CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 5280 Feet  
Building Unit: 5280 Feet  
High Occupancy Building Unit: 5280 Feet  
Designated Outside Activity Area: 5280 Feet  
Public Road: 392 Feet  
Above Ground Utility: 364 Feet  
Railroad: 5280 Feet  
Property Line: 400 Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).  
- Enter 5280 for distance greater than 1 mile.  
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☐ Buffer Zone  
☐ Exception Zone  
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit  
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.  
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

## SPACING and UNIT INFORMATION

Distance from completed portion of proposed wellbore to nearest completed portion of offset wellbore permitted or completed in the same formation: 441 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary 300 Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	421-94	1280	Sec 10 & Sec 15: All

## DRILLING PROGRAM

Proposed Total Measured Depth: 17996 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: \_\_\_\_\_ Feet ☒ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No (If Yes, attach an H<sub>2</sub>S Drilling Operations Plan)

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Methods: Land application

Cuttings Disposal: OFFSITE Cuttings Disposal Method: Beneficial reuse

Other Disposal Description:

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: 454282 or Document Number: \_\_\_\_\_

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	13+1/2	9+5/8	36	0	1500	730	1500	0
1ST	8+3/4	7	23	0	7235	688	7235	1300
1ST LINER	6+1/8	4+1/2	11.6	7985	17996	460	17996	7985

☒ Conductor Casing is NOT planned

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 318A.a. Exception Location (GWA Windows).
- ☐ Rule 318A.c. Exception Location (GWA Twinning).

## RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

## OTHER LOCATION EXCEPTIONS

Check all that apply:

☐ Rule 318.c. Exception Location from Rule or Spacing Order Number \_\_\_\_\_

☐ Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

Comments

This well has a bottom-hole location beyond the unit boundary setback. The bottom of the completed interval will be within the unit boundary setback at 300' FNL and 2535' FWL of Section 10. The wellbore beyond the unit boundary setback will be physically isolated and will not be completed.

Surface Use Agreement attached for informational purposes.

The distance from completed portion of proposed wellbore to nearest completed portion of offset wellbore permitted or completed in the same formation was measured to the Critter Creek 15-6104BW.

This application is in a Comprehensive Drilling Plan \_\_\_\_\_ No \_\_\_\_\_ CDP #: \_\_\_\_\_

Location ID: \_\_\_\_\_

Is this application being submitted with an Oil and Gas Location Assessment application? \_\_\_\_\_ No \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Sydney Smith

Title: Regulatory Analyst Date: 5/22/2018 Email: ssmith@hpres.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: 7/12/2018

Expiration Date: 07/11/2020

API NUMBER

05 123 47302 00

## Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

### COA Type

### Description

	<p>1) Submit Form 42 electronically to COGCC 48 hours prior to MIRU (spud notice) for the first well activity with a rig on the pad and provide 48 hour spud notice via Form 42 for all subsequent wells drilled on the pad.</p> <p>2) Provide cement coverage to a minimum of 200' above Niobrara. Verify coverage with cement bond log.</p> <p>Bradenhead tests shall be performed and reported according to the following schedule and Form 17 submitted within 10 days of each test.:</p> <p>1) All: Within 60 days of rig release, prior to stimulation.</p> <p>2) Delayed completion: 6 months after rig release, prior to stimulation.</p> <p>3) All: Within 30 days of first production, as reported on Form 5A.</p>
--	--

## Best Management Practices

### No BMP/COA Type

### Description

1	Drilling/Completion Operations	Operator will insure the wellbore beyond the unit boundary setback is physically isolated and is not completed. In the Operator Comments on the Form 5A the operator will (1) report the footages from the section lines of the bottom of the completed interval (2) describe how the wellbore beyond the unit boundary setback is physically isolated and (3) certify that none of the wellbore setback was completed.
2	Drilling/Completion Operations	HighPoint will adhere to the COGCC Policy for Bradenhead Monitoring effective 5/29/12.
3	Drilling/Completion Operations	One of the first wells drilled on the pad will be logged with open-hole Resistivity Log and Gamma Ray Log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall clearly state "No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which open-hole logs were run.

Total: 3 comment(s)

## Applicable Policies and Notices to Operators

Notice Concerning Operating Requirements for Wildlife Protection.  
[http://cogcc.state.co.us/documents/reg/Policies/Wildlife\\_Notice.pdf](http://cogcc.state.co.us/documents/reg/Policies/Wildlife_Notice.pdf)

## Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401632894	FORM 2 SUBMITTED
401649079	OffsetWellEvaluations Data
401649100	DIRECTIONAL DATA
401649104	DEVIATED DRILLING PLAN
401649106	SURFACE AGRMT/SURETY
401649109	WELL LOCATION PLAT
401649912	WASTE MANAGEMENT PLAN

Total Attach: 8 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Permit	Passed Final Review.	07/10/2018
Permit	With operator concurrence, the following was corrected: Distance from completed portion of wellbore to nearest unit boundary was corrected to 300 ft.	07/10/2018
Permit	Distance from completed portion of wellbore to nearest unit boundary is reported at 0 ft. Emailed operator asking to confirm distance.  Form 2A, doc #401631414 approved 6/30/2018.	07/03/2018
Engineer	Evaluated existing wells within 1500' of proposed directional.	06/01/2018
Permit	Passed completeness.	05/30/2018

Total: 5 comment(s)