

Tammy Fredrickson
Dominion
PO Box 458
Rock Springs, WY 82901

Date: July 6, 2018
Request Number: 37409R
Date Received: 06/19/18
Matrix: Soil

REPORT OF ANALYSIS

Lab Number: R4028

Sample ID: F wilson 26 Resample #5 06/19/18 12:40 pm

	Result	Units	Method	Date Analyzed	Analyst
Nickel	26.2*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Copper	298*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Zinc	595	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Arsenic	23.7*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Selenium	0.76*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Silver	2.03*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Cadmium	1.51*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Barium	0.259*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Mercury	1.09	mg/kg	SW846 EPA 3051/6020	6/29/2018	MLE
Lead	61.0*	mg/kg	SW846 EPA 3051/6020	6/28/2018	MLE
Total Chromium	16.0*	mg/kg	SW846 EPA 3051/6020	2/28/2018	MLE
Chromium (VI)	3.10	mg/kg	EPA 7196A	6/26/2018	CB
Chromium (III)	12.9	mg/kg	Calculated (ttl.Cr-CrVI)	7/6/2018	TD
Soluble, Boron	0.13*	mg/L	Hot water ext./6010	6/27/2018	CB
pH	7.06	std. units	USDA 60-2,3/150.1	6/25/2018	CB
Conductivity	3,140	µmhos/cm	USDA 60-2,3/120.1	6/25/2018	CB
Calcium	598	mg/L	USDA 60-2,3/6010	6/27/2018	CB
Magnesium	456	mg/L	USDA 60-2,3/6010	6/27/2018	CB
Sodium	509	mg/L	USDA 60-2,3/6010	6/27/2018	CB
Sodium Absorption Ratio	3.81	Ratio	Calculated	7/6/2018	TD

*Results are the average of 2 runs

BTEX, GRO, DRO & PAH Analyzed by ALS Lab in Fort Collins Colorado. See attached Report.
ALS Lab Sample ID: 1806542-1



WYOMING ANALYTICAL LABORATORIES, INC

1660 Harrison Street
Laramie, WY 82070

www.wal-lab.com
laramie@wal-lab.com

ph: 307-742-7995
fax: 307-721-8956

Tammy Fredrickson
Dominion
PO Box 458
Rock Springs, WY 82901


Date: July 10, 2018
Request Number: 37409R
Date Received: 06/19/18
Matrix: Soil

QUALITY CONTROL

	Reference	Expected	Value	% Recovery
Nickel	LRAA 1722	127	129	102
Copper	LRAA 1722	228	246	108
Zinc	LRAA 1722	158	205	130
Arsenic	LRAA 1722	161	123	76
Selenium	LRAA 1722	305	238	78
Silver	LRAA 1722	58	36	62
Cadmium	LRAA 1722	190	183	96
Barium	LRAA 1722	351	400	114
Mercury	LRAA 1722	15.9	13.7	86
Lead	LRAA 1722	138	140	101
Total Chromium	LRAA 1722	150	123	82
Chromium (VI)	Hach QC	0.5	0.47	95
Soluble, Boron	ESI QC	1.0	1.09	109
pH	iv-pH-QC	6.59	6.57	100
Calcium	ESI QC	20	20.97	105
Magnesium	ESI QC	50	51.1	102
Sodium	ESI QC	50	50.4	101

BTEX, GRO, & PAH Analyzed by ALS Lab in Fort Collins Colorado. See attached Report.
ALS Lab Sample ID: 1806542-1

End of QC Report
MLE/tab



Monte L. Ellis
Laboratory Manager



WYOMING ANALYTICAL LABORATORIES, INC

1660 Harrison Street
Laramie, WY 82070

www.wal-lab.com
laramie@wal-lab.com


ph: 307-742-7995
fax: 307-721-8956

Tammy Fredrickson
Dominion Energy Wexpro
2251 Westgate Dr.
Rock Springs, WY 82901

Date: July 10, 2018
Request Number: 37409R
Date Received: 06/19/18
Matrix: Soil

BTEX, GRO, DRO & PAH Analyzed by ALS Lab in Fort Collins Colorado.
The following pages apply to the samples listed below.

WAL Lab Number	ALS Lab Number	Wexpro Sample ID
R4028	1806542-1	F Wilson 26 Resample #5 06/19/18 12:40 pm



Monte L. Ellis
Laboratory Manager



WYOMING ANALYTICAL LABORATORIES, INC

1660 Harrison Street
Laramie, WY 82070

www.wal-lab.com
laramie@wal-lab.com

ph: 307-742-7995
fax: 307-721-8956



Thursday, July 05, 2018

Monte Ellis
Wyoming Analytical Laboratories, Inc.
1660 Harrison St.
Laramie, WY 82070

Re: ALS Workorder: 1806542
Project Name:
Project Number: 37409R

Dear Mr. Ellis:

One soil sample was received from Wyoming Analytical Laboratories, Inc., on 6/22/2018. The sample was scheduled for the following analyses:

GC/MS Semivolatiles

GC/MS Volatiles

Total Extractable Petroleum Hydrocarbons (Diesel)

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,

ALS Environmental
Katie M. O'Brien
Project Manager

ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
AIHA	214884
Alaska (AK)	UST-086
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
PJ-LA (DoD ELAP/ISO 170250)	95377
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO000782008A
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280



1806542

GC/MS Volatiles:

The sample was analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C. The sample was also analyzed for Gasoline Range Organics (GRO).

All acceptance criteria were met.

GC/MS Semivolatiles:

The sample was analyzed using GC/MS following the current revision of SOP 506 based on SW-846 Method 8270D.

All acceptance criteria were met.

DRO:

The sample was analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

ALS -- Fort Collins

SAMPLE SUMMARY REPORT

Client: Wyoming Analytical Laboratories, Inc.

Date: 05-Jul-18

Project: 37409R

Work Order: 1806542

Sample ID: R4028

Lab ID: 1806542-1

Legal Location:

Matrix: SOIL

Collection Date: 6/19/2018 12:40

Percent Moisture: 12.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/25/2018	PrepBy: LML
Diesel Range Organics	170	DM	28	MG/KG	5	6/29/2018 12:48
Surr: O-TERPHENYL	76		49-114	%REC	5	6/29/2018 12:48
GC/MS Semi-volatiles			SW8270		Prep Date: 6/29/2018	PrepBy: JMD
NAPHTHALENE	ND		1500	UG/KG	1	7/3/2018 16:32
2-METHYLNAPHTHALENE	ND		1500	UG/KG	1	7/3/2018 16:32
ACENAPHTHYLENE	ND		1500	UG/KG	1	7/3/2018 16:32
ACENAPHTHENE	ND		1500	UG/KG	1	7/3/2018 16:32
FLUORENE	ND		1500	UG/KG	1	7/3/2018 16:32
PHENANTHRENE	ND		1500	UG/KG	1	7/3/2018 16:32
ANTHRACENE	ND		1500	UG/KG	1	7/3/2018 16:32
FLUORANTHENE	ND		1500	UG/KG	1	7/3/2018 16:32
PYRENE	ND		1500	UG/KG	1	7/3/2018 16:32
BENZO(A)ANTHRACENE	ND		1500	UG/KG	1	7/3/2018 16:32
CHRYSENE	ND		1500	UG/KG	1	7/3/2018 16:32
BENZO(B)FLUORANTHENE	ND		1500	UG/KG	1	7/3/2018 16:32
BENZO(K)FLUORANTHENE	ND		1500	UG/KG	1	7/3/2018 16:32
BENZO(A)PYRENE	ND		1500	UG/KG	1	7/3/2018 16:32
INDENO(1,2,3-CD)PYRENE	ND		1500	UG/KG	1	7/3/2018 16:32
DIBENZO(A,H)ANTHRACENE	ND		1500	UG/KG	1	7/3/2018 16:32
BENZO(G,H,I)PERYLENE	ND		1500	UG/KG	1	7/3/2018 16:32
Surr: NITROBENZENE-D5	72		32-110	%REC	1	7/3/2018 16:32
Surr: 2-FLUOROBIPHENYL	86		41-111	%REC	1	7/3/2018 16:32
Surr: TERPHENYL-D14	82		23-159	%REC	1	7/3/2018 16:32
GC/MS Volatiles			SW8260		Prep Date: 6/25/2018	PrepBy: JXK
BENZENE	ND		5.7	UG/KG	1	6/25/2018 20:10
TOLUENE	ND		5.7	UG/KG	1	6/25/2018 20:10
ETHYLBENZENE	ND		5.7	UG/KG	1	6/25/2018 20:10
M+P-XYLENE	ND		5.7	UG/KG	1	6/25/2018 20:10
O-XYLENE	ND		5.7	UG/KG	1	6/25/2018 20:10
TOTAL XYLENES	ND		5	UG/KG	1	6/25/2018 20:10
Surr: DIBROMOFLUOROMETHANE	98		61-134	%REC	1	6/25/2018 20:10
Surr: TOLUENE-D8	101		57-135	%REC	1	6/25/2018 20:10
Surr: 4-BROMOFLUOROBENZENE	107		52-151	%REC	1	6/25/2018 20:10
GASOLINE RANGE ORGANICS	700		570	UG/KG	1	6/25/2018 20:10

ALS -- Fort Collins

SAMPLE SUMMARY REPORT

Client: Wyoming Analytical Laboratories, Inc.
 Project: 37409R
 Sample ID: R4028
 Legal Location:
 Collection Date: 6/19/2018 12:40

Date: 05-Jul-18
 Work Order: 1806542
 Lab ID: 1806542-1
 Matrix: SOIL
 Percent Moisture: 12.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

- "Report Limit" is the MDC
- U or ND - Result is less than the sample specific MDC.
- Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
- Y2 - Chemical Yield outside default limits.
- W - DER is greater than Warning Limit of 1.42
- * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
- # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
- G - Sample density differs by more than 15% of LCS density.
- D - DER is greater than Control Limit
- M - Requested MDC not met.
- LT - Result is less than requested MDC but greater than achieved MDC.
- M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
- L - LCS Recovery below lower control limit.
- H - LCS Recovery above upper control limit.
- P - LCS, Matrix Spike Recovery within control limits.
- N - Matrix Spike Recovery outside control limits
- NC - Not Calculated for duplicate results less than 5 times MDC
- B - Analyte concentration greater than MDC.
- B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

- B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
- U or ND - Indicates that the compound was analyzed for but not detected.
- E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
- M - Duplicate injection precision was not met.
- N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
- Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
- * - Duplicate analysis (relative percent difference) not within control limits.
- S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

- U or ND - Indicates that the compound was analyzed for but not detected.
- B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
- E - Analyte concentration exceeds the upper level of the calibration range.
- J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
- A - A tentatively identified compound is a suspected aldol-condensation product.
- X - The analyte was diluted below an accurate quantitation level.
- * - The spike recovery is equal to or outside the control criteria used.
- + - The relative percent difference (RPD) equals or exceeds the control criteria.
- G - A pattern resembling gasoline was detected in this sample.
- D - A pattern resembling diesel was detected in this sample.
- M - A pattern resembling motor oil was detected in this sample.
- C - A pattern resembling crude oil was detected in this sample.
- 4 - A pattern resembling JP-4 was detected in this sample.
- 5 - A pattern resembling JP-5 was detected in this sample.
- H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
- L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
- Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:
 - gasoline
 - JP-8
 - diesel
 - mineral spirits
 - motor oil
 - Stoddard solvent
 - bunker C

ALS -- Fort Collins

Client: Wyoming Analytical Laboratories, Inc.
 Work Order: 1806542
 Project: 37409R

Date: 7/5/2018 10:55:

QC BATCH REPORT

Batch ID: HC180625-81-1 Instrument ID FUELS-1 Method: SW8015M

LCS Sample ID: HC180625-81 Units: MG/KG Analysis Date: 6/29/2018 16:04
 Client ID: Run ID: HC180629-8A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD Limit	Qual
Diesel Range Organics	72.3	5	62.5		116	81-129			20	
Surr: O-TERPHENYL	10.1		12.5		81	49-114				

MB Sample ID: HC180625-81 Units: MG/KG Analysis Date: 6/29/2018 11:42
 Client ID: Run ID: HC180629-8A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit								Qual
Diesel Range Organics	ND	5								
Surr: O-TERPHENYL	9.97				80	49-114				

The following samples were analyzed in this batch: 1806542-1

Client: Wyoming Analytical Laboratories, Inc.
 Work Order: 1806542
 Project: 37409R

QC BATCH REPORT

Batch ID: EX180629-1-1 Instrument ID HPSV4 Method: SW8270

LCS Sample ID: EX180629-1 Units: UG/KG Analysis Date: 7/3/2018 13:49
 Client ID: Run ID: SV180703-4 Prep Date: 6/29/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
NAPHTHALENE	1310	333	1670		79	51-100				30	
2-METHYLNAPHTHALENE	1310	333	1670		78	51-100				30	
ACENAPHTHYLENE	1380	333	1670		82	60-109				30	
ACENAPHTHENE	1340	333	1670		80	38-103				30	
FLUORENE	1350	333	1670		81	65-106				30	
PHENANTHRENE	1420	333	1670		85	66-107				30	
ANTHRACENE	1400	333	1670		84	65-108				30	
FLUORANTHENE	1450	333	1670		87	64-109				30	
PYRENE	1370	333	1670		82	48-118				30	
BENZO(A)ANTHRACENE	1330	333	1670		80	64-107				30	
CHRYSENE	1420	333	1670		85	65-108				30	
BENZO(B)FLUORANTHENE	1370	333	1670		82	60-111				30	
BENZO(K)FLUORANTHENE	1440	333	1670		86	62-111				30	
BENZO(A)PYRENE	1370	333	1670		82	63-109				30	
INDENO(1,2,3-CD)PYRENE	1380	333	1670		82	55-117				30	
DIBENZO(A,H)ANTHRACENE	1390	333	1670		83	55-120				30	
BENZO(G,H,I)PERYLENE	1380	333	1670		83	37-123				30	
Surr: NITROBENZENE-D5	1140		1670		68	32-110					
Surr: 2-FLUOROBIPHENYL	1330		1670		80	41-111					
Surr: TERPHENYL-D14	1190		1670		72	23-159					

Client: Wyoming Analytical Laboratories, Inc.
Work Order: 1806542
Project: 37409R

QC BATCH REPORT

Batch ID: EX180629-1-1 Instrument ID HPSV4 Method: SW8270

MB Sample ID: EX180629-1 Units: UG/KG Analysis Date: 7/3/2018 13:28
Client ID: Run ID: SV180703-4 Prep Date: 6/29/2018 DF: 1

Analyte	Result	ReportLimit	Qual
NAPHTHALENE	ND	330	
2-METHYLNAPHTHALENE	ND	330	
ACENAPHTHYLENE	ND	330	
ACENAPHTHENE	ND	330	
FLUORENE	ND	330	
PHENANTHRENE	ND	330	
ANTHRACENE	ND	330	
FLUORANTHENE	ND	330	
PYRENE	ND	330	
BENZO(A)ANTHRACENE	ND	330	
CHRYSENE	ND	330	
BENZO(B)FLUORANTHENE	ND	330	
BENZO(K)FLUORANTHENE	ND	330	
BENZO(A)PYRENE	ND	330	
INDENO(1,2,3-CD)PYRENE	ND	330	
DIBENZO(A,H)ANTHRACENE	ND	330	
BENZO(G,H,I)PERYLENE	ND	330	
Surr: NITROBENZENE-D5	1070	64	32-110
Surr: 2-FLUOROBIPHENYL	1210	73	41-111
Surr: TERPHENYL-D14	1130	68	23-159

The following samples were analyzed in this batch:

1806542-1

Client: Wyoming Analytical Laboratories, Inc.
 Work Order: 1806542
 Project: 37409R

QC BATCH REPORT

Batch ID: VL180625-2 Instrument ID HPV2 Method: SW8260

LCS Sample ID: VL180625-2 Units: UG/KG Analysis Date: 6/25/2018 10:10
 Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	42.8	5	40		107	73-126				30	
TOLUENE	44.2	5	40		110	71-127				30	
ETHYLBENZENE	44.3	5	40		111	74-127				30	
M+P-XYLENE	88.5	5	80		108	79-126				30	
O-XYLENE	43.4	5	40		108	77-125				30	
Surr: DIBROMOFLUOROMETHANE	48.8		50		98	61-134					
Surr: TOLUENE-D8	51.5		50		103	57-135					
Surr: 4-BROMOFLUOROBENZENE	54.3		50		109	52-151					

LCSD Sample ID: VL180625-2 Units: UG/KG Analysis Date: 6/25/2018 10:33
 Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	41.9	5	40		105	73-126		42.8	2	30	
TOLUENE	44.3	5	40		111	71-127		44.2	0	30	
ETHYLBENZENE	43.7	5	40		109	74-127		44.3	1	30	
M+P-XYLENE	85.3	5	80		107	79-126		86.5	1	30	
O-XYLENE	43.7	5	40		109	77-125		43.4	1	30	
Surr: DIBROMOFLUOROMETHANE	48.2		50		96	61-134			1		
Surr: TOLUENE-D8	51.4		50		103	57-135			0		
Surr: 4-BROMOFLUOROBENZENE	55.8		50		111	52-151			2		

MB Sample ID: VL180625-2 Units: UG/KG Analysis Date: 6/25/2018 12:25
 Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	Qual
BENZENE	ND	5	
TOLUENE	ND	5	
ETHYLBENZENE	ND	5	
M+P-XYLENE	ND	5	
O-XYLENE	ND	5	
TOTAL XYLENES	ND	5	
Surr: DIBROMOFLUOROMETHANE	47.7		95 61-134
Surr: TOLUENE-D8	50.7		101 57-135
Surr: 4-BROMOFLUOROBENZENE	53.3		107 52-151

The following samples were analyzed in this batch: 1806542-1

Client: Wyoming Analytical Laboratories, Inc.
Work Order: 1806542
Project: 37409R

QC BATCH REPORT

Batch ID: VL180625-2-4 Instrument ID HPV2 Method: SW8260

LCS Sample ID: VL180625-5 Units: UG/KG Analysis Date: 6/25/2018 11:18
Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2240	500	2000		112	80-120				20	

LCSD Sample ID: VL180625-5 Units: UG/KG Analysis Date: 6/25/2018 11:40
Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2250	500	2000		113	80-120		2240	0	20	

MB Sample ID: VL180625-2 Units: UG/KG Analysis Date: 6/25/2018 12:25
Client ID: Run ID: VL180625-2A Prep Date: 6/25/2018 DF: 1

Analyte	Result	ReportLimit	Qual
GASOLINE RANGE ORGANICS	ND	500	

The following samples were analyzed in this batch: 1806542-1

Analytical Service Request & Chain of Custody Record for Environmental Samples page 1 of 1

Report to: <u>Tammy Fredrickson</u>		Please PRINT all information Wyoming Analytical Laboratories, Inc. 1680 Hansen St Laramie, WY 82070 307-742-7895 Fax 307-721-9458 wyalabs@aol.com 625 Carter St Rock Springs, WY 82901 307-382-3178 Fax 307-382-3531 wyalabs@ecol.com																																																																																		
Company: <u>Dominion Wexpro</u>																																																																																				
Address: <u>Po Box 458</u>																																																																																				
City/ST/Zip: <u>Rock Springs WY 82902</u>																																																																																				
Phone: <u>307-352-7514</u> Fax: <u>307-352-7575</u>																																																																																				
Email: <u>Tammy.Fredrickson@DominionEnergy.com</u>																																																																																				
Preferred Results by: Fax / Email / Hard Copy (circle all that apply) *Matrix: W-water, S-soil, SL-sludge, O-oil, G-gaseous, X-other: _____ **Preservation: T-4°C, A-acid, _____, F-filtered, N-none, X-other: _____ IAT: Standard / Expedite _____ days (subject to lead availability) Project: <u>F. Wilson Z6</u> PO#: _____																																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Sample ID</th> <th style="width: 15%;">Date/Time</th> <th style="width: 10%;">Matrix*</th> <th style="width: 10%;"># of containers</th> <th style="width: 10%;">Preservation**</th> <th style="width: 10%;">custody seals?</th> </tr> </thead> <tbody> <tr> <td>1 Resample #5</td> <td>6-19-18 / 2:40 PM</td> <td>S</td> <td>5</td> <td>T</td> <td>N</td> </tr> <tr><td>2</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>5</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>6</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>7</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>8</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>9</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>10</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Sample ID	Date/Time	Matrix*	# of containers	Preservation**	custody seals?	1 Resample #5	6-19-18 / 2:40 PM	S	5	T	N	2						3						4						5						6						7						8						9						10						<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Organics</th> <th style="width: 33%;">Inorganics</th> <th style="width: 33%;">Metals</th> </tr> </thead> <tbody> <tr> <td>SVOA, BNA, PAH (circle) by GC-MS 8270</td> <td>F, Cl, NO2, NO3, NO2+NO3, Br, PO4, SO4, NH3 (circle)</td> <td>Total/e.coli MPN, Fecal MPN, Total/e.coli Pass/Fail</td> </tr> <tr> <td>VOC, BTEX, GRO (circle) by GC-MS 8260</td> <td>Alkalinity, pH, cond, TDS, TSS, Turbidity (circle)</td> <td>As Rec'd, Total, Dissolved, TCLP, WyLeach. (circle)</td> </tr> <tr> <td>BTEX, GRO, DRO, Fuel ID (circle) by GC 8015</td> <td>TOC, BOD, COD, H2S, Specific Gravity (circle)</td> <td>Group 1, Ba, RCRA, TRI, Cu, Pb, Hg (List Below) (circle)</td> </tr> <tr> <td>TPH (circle) 418.1, 1664, 8015, 8260</td> <td></td> <td></td> </tr> </tbody> </table>		Organics	Inorganics	Metals	SVOA, BNA, PAH (circle) by GC-MS 8270	F, Cl, NO2, NO3, NO2+NO3, Br, PO4, SO4, NH3 (circle)	Total/e.coli MPN, Fecal MPN, Total/e.coli Pass/Fail	VOC, BTEX, GRO (circle) by GC-MS 8260	Alkalinity, pH, cond, TDS, TSS, Turbidity (circle)	As Rec'd, Total, Dissolved, TCLP, WyLeach. (circle)	BTEX, GRO, DRO, Fuel ID (circle) by GC 8015	TOC, BOD, COD, H2S, Specific Gravity (circle)	Group 1, Ba, RCRA, TRI, Cu, Pb, Hg (List Below) (circle)	TPH (circle) 418.1, 1664, 8015, 8260		
Sample ID	Date/Time	Matrix*	# of containers	Preservation**	custody seals?																																																																															
1 Resample #5	6-19-18 / 2:40 PM	S	5	T	N																																																																															
2																																																																																				
3																																																																																				
4																																																																																				
5																																																																																				
6																																																																																				
7																																																																																				
8																																																																																				
9																																																																																				
10																																																																																				
Organics	Inorganics	Metals																																																																																		
SVOA, BNA, PAH (circle) by GC-MS 8270	F, Cl, NO2, NO3, NO2+NO3, Br, PO4, SO4, NH3 (circle)	Total/e.coli MPN, Fecal MPN, Total/e.coli Pass/Fail																																																																																		
VOC, BTEX, GRO (circle) by GC-MS 8260	Alkalinity, pH, cond, TDS, TSS, Turbidity (circle)	As Rec'd, Total, Dissolved, TCLP, WyLeach. (circle)																																																																																		
BTEX, GRO, DRO, Fuel ID (circle) by GC 8015	TOC, BOD, COD, H2S, Specific Gravity (circle)	Group 1, Ba, RCRA, TRI, Cu, Pb, Hg (List Below) (circle)																																																																																		
TPH (circle) 418.1, 1664, 8015, 8260																																																																																				
Received 1st Print Name: <u>Much Bacon</u> Signature: <u>Much Bacon</u> Date/Time: <u>6-19-18 1634</u> Shipped VIA: <u>OTR</u>		Relinquished 1st Print Name: _____ Signature: _____ Date/Time: _____ Shipped VIA: _____																																																																																		
Received 2nd Print Name: <u>Hopie McCoy</u> Signature: <u>Hopie McCoy</u> Date/Time: <u>6/19/18 1634</u>		Relinquished 2nd Print Name: _____ Signature: _____ Date/Time: _____ Shipped VIA: _____																																																																																		
WAL use only: Record discrepancies in sample condition upon receipt on WAL Doc#228 - SCUF																																																																																				

Special Instructions / Comments:
 Expected TPH > 500 mg/kg - need 2-8oz jars & 3-4oz jars fully packed (Celo. post)

Keep Cool! 12.6°C

Metals: Soluble Baran, Total (RCRA, Ni, Cu, Zn), C, H, calculate C-3

3/10/18
 3/10/18
 3/10/18