


**GOOLSBY BROTHERS**  
and associates, inc.

575 Union Blvd, Suite 208  
Lakewood, CO 80228  
303-945-2860 Office



Geological Wellsite  
Supervision

[www.goolsbybrothers.com](http://www.goolsbybrothers.com)



Scale 1:240 (5"=100') Imperial  
Measured Depth Log

**Well Name:** Harvesters State 5C-16-M

**API:** 051234637100

**Location:** Section 15, T6N, R66W, Weld County, CO.

**License Number:**

**Spud Date:** May 11, 2018

**Surface Coordinates:** SWNE T6N, R66W Sec 15, 1,733' FNL & 2,334' FEL  
LAT 40.490846 LONG -104.76251

**Bottom Hole Coordinates:** SWNW T6N, R66W Sec 16, 1,631' FNL & 95' FWL

**Ground Elevation (ft):** 4,803'

**Logged Interval (ft):** 6,900'

**Formation:** Pierre Shales / Sands, Sharon Springs, Niobrara, Codell (Target)

**Type of Drilling Fluid:** FW Surface, OBM Curve & Lateral

**Region:** Wattenberg

**Drilling Completed:** May 14, 2018

**K.B. Elevation (ft):** 4,823'

**Total Depth (ft):** 15,108' DMTD

Printed by HORIZONTAL.LOG from WellSight Systems 1-800-447-1534 [www.WellSight.com](http://www.WellSight.com)

**OPERATOR**

**Company:** SRC Energy Inc.

**Address:** 1675 Broadway, Suite 2600  
Denver, Colorado 80202  
(720) 616-4300

**GEOLOGIST**

**Name:** Ryan Scribner & Brian Spitzmiller

**Company:** Goolsby Brothers & Assoc. (GBA), Inc. ([www.goolsbybrothers.com](http://www.goolsbybrothers.com))

**Address:** 575 Union Blvd. Suite 208,  
Lakewood CO. 80228  
Tel 303-618-7736

## Logs

PULSE MWD GR from 1,818'-15,095' MD

## Casing


9 5/8" Surface Casing set @ 1,836' MD

5 1/2" Production Casing set @ 15094' MD


## Comments

- 1) Drilling Contractor: Precision Drilling, Rig #462  
Toolpusher: Cody Teeter, Joseph Credeur
- 2) Company Man: Steve Wilson, Buddy Davis  
Lovell Young, Tony Pershall
- 3) Mud Company : Anchor USA  
Engineer: Tim Pattison, James Eckhardt
- 4) Directional Drilling: Baker Hughes Directional  
Rotary Steerable BHA  
Drillers: Dustin Tissaw, Josh Otero
- 5) Gas Equipment: Pason Gas Analyzer (Spectrometer)
- 6) SRC Geologist: Tony Williams


## ROCK TYPES




Bent  
Mrlst  
Shale



Sltst  
Carb chalk  
Chalk



Sltly sh  
Coal  
Sltst



Arg\_ss  
Ss  
Carb sh



Ls  
Sltly sh

## ACCESSORIES

### MINERAL

Anhy  
 Arggrn  
 Arg  
 Bent  
 Bit  
 Brecfrag  
 Calc  
 Carb  
 Chtdk  
 Chtlt  
 Dol  
 Feldspar  
 Ferrpel  
 Ferr  
 Glau

Gyp  
 Hvymin  
 Kaol  
 Marl  
 Minxl  
 Nodule  
 Phos  
 Pyr  
 Salt  
 Sandy  
 Silt  
 Sil  
 Sulphur  
 Tuff

### FOSSIL

Algae  
 Amph  
 Belm  
 Bioclst  
 Brach  
 Bryozoa  
 Cephal  
 Coral  
 Crin  
 Echin  
 Fish  
 Foram  
 Fossil  
 Gastro  
 Oolite

Ostra  
 Pelec  
 Pellet  
 Pisolite  
 Plant  
 Strom

### STRINGER

Chlkstg  
 Anhy  
 Arg  
 Bent  
 Coal  
 Dol  
 Gyp  
 Ls

Mrst  
 Sltstgr  
 Ssstgr

### TEXTURE

Boundst  
 Chalky  
 Cryxln  
 Earthy  
 Finexln  
 Grainst  
 Lithogr  
 Microxln  
 Mudst  
 Packst  
 Wackst

## OTHER SYMBOLS

### POROSITY TYPE

Earthy  
 Fenest  
 Fracture  
 Inter  
 Moldic  
 Organic  
 Pinpoint  
 Vuggy

### SORTING

Well  
 Moderate  
 Poor

### ROUNDING

Rounded  
 Subrnd  
 Subang

Angular

### OIL SHOWS

Even  
 Spotted  
 Ques  
 Dead  
 Vspotty  
 near even


### INTERVALS




Core  
 Dst


### EVENTS




Casing shoe\_hzl  
 Trip\_point\_1  
 Off bottom  
 conn


Survey(mwd)  
 Survey(red)  
 bit











MD 7742 TVD 7270.93  
INC 90.4 AZ 272.32  
VS 871.86

SS: (100%) brn gry - lt brn gry, v fn - fn  
grnd, mod sphrcty, fr srtg, grn sprt w/occ  
mtrx sprt, calc cmnt, com slt/cly mtrx,  
frble, mod hrd, est 10% pp por, nr evn wk  
grn pri fl, near even stain, gd bri grn blu  
cut fl, gd mod-bri grn rsd fl.


7200 TVD

MD 7835 TVD 7270.4  
INC 90.25 AZ 270.87  
VS 964.84

SS: (100%) brn gry - lt brn gry, v fn - fn  
grnd, mod sphrcty, fr srtg, grn sprdt  
w/occ mtrx sprtd, com slt/cly mtrx,  
frble-mod hrd, est 10% pp por, nr evn wk  
grn pri fl, near even stain, gd bri grn blu  
cut fl, gd mod-bri grn rsd fl.


7250

7300



Depth 7844'  
MW 9.35  
VIS 47  
YP 6  
Gels 1/3/4  
Fil 12.6  
Sol 12.75  
OW 84/16  
CI 39000  
ES 998









MD 8488 TVD	7265.31
INC 90.37 AZ	267.57
VS	1617.36


100% lt-med brngry, com drk gry/blk,  
d, mod sphrcty, fr srtg, pred grn sprt,  
cmnt, com slt/cly mtrx, frble-mod hrd,  
100% pp por, nr evn wk grn pri fl, near  
stain, gd bri grn blu cut fl, gd mod-bri  
d fl.

SS: (100%) lt-med brngry, com drk gry/blk, v fn - fn grnd, mod sphrcty, fr srtg, dom grn sprtd, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, nr even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.



SS: (100%) lt-med brngray, v  
mod sphrcty, fr srtg, grn sp  
sprt, calc cmnt, com slt/cl  
hrd, est 10% pp por, nr evn  
near even stain, gd bri grn  
mod-bri grn rsd fl.







**Code** SS



MWI/MWO 9.45 VIS 47







MD 9050 TVD 7261.1  
INC 90.49 AZ 267.39  
VS 2176.96

SS: (100%) lt-med brngry, v fn - fn grnd, mod sphrcy, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.


MD 9145 TVD 7260.31  
INC 90.46 AZ 269.8  
VS 2271.91

SS: (100%) lt-med brngry, occ drk gry/blk, v fn grnd, mod sphrcy, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.

7200 TVD


7250

7300






MW/MWO 9.5 VS 51




1000  
1000  
1000  
1000  
1000  
C1 (units)  
C2 (units)  
C3 (units)  
C4 (units)  
0  
0  
0
















MD 9986 TVD 7265.94  
INC 89.6 AZ 279.93  
VS 3110.21


MD 9986 TVD 7265.39  
INC 89.6 AZ 281.49  
VS 3110.21

MD 10080 TVD 7266.84  
INC 89.85 AZ 282.55  
VS 3202.25

SS: (100%) lt-med brngry, occ drk gryblk, v  
fn - fn grnd, mod sphrcty, fr srtg, grn sprt  
w/occ mtrx sprt, calc cmnt, com slt/cly  
mtrx, frble-mod hrd, est 10% pp por, nr evn  
wk grn pri fl, near even stain, gd bri grn  
blu cut fl, gd mod-bri grn rsd fl, rr SH.

SS: (100%) lt-med brngry, occ drk  
gryblk, v fn - fn grnd, mod sphrcty, fr  
srtg, grn sprt w/occ mtrx sprt, calc  
cmnt, com slt/cly mtrx, frble-mod hrd,  
est 10% pp por, nr evn wk grn pri fl,  
near even stain, gd bri grn blu cut fl, gd  
mod-bri grn rsd fl.







MD 10174 TVD 7267.11  
INC 89.82 AZ 281.44  
VS 3294.29


7200 TVD

MD 10266 TVD 7267.67  
INC 89.48 AZ 279.87  
VS 3384.79

SS: (100%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.

SS: (100%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.





MD 10359 TVD 7268.24  
INC 89.82 AZ 277.58  
VS 3476.78

SS: (100%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl.



7200 TVD

MD 10454 TVD 7268.69  
INC 89.63 AZ 274.78  
VS 3571.27



SS: (100%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl, rr SH.




MD 10548 TVD 7268.69  
INC 89.66 AZ 274.78  
VS 3665.14


SS: (100%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl, rr SH.












MD 11294 TVD 7264.61  
INC 90.58 AZ 267.35  
VS 4408.91

MD 11386 TVD 7263.51  
INC 90.8 AZ 269.63  
VS 4500.85

LS: (60%) off wht-crmy v lt tan, lt  
gry-grybrn ip, srrwly uneven mtx, v  
jggd-shrp cutngs, sbconcdl frac ptrn,  
mic xln, v cln, frm-hd, gd min fluor  
msks pri fl, slw dul mlky grn ct fl. dul  
grn rsd rnf fl.  
SS: (40%)


LS: (70%) off wht-crmy v lt tan, lt  
gry-grybrn ip, srrwly uneven mtx, v  
jggd-shrp cutngs, sbconcdl frac ptrn,  
mic xln, v cln, frm-hd, gd min fluor  
msks pri fl, slw dul mlky grn ct fl. dul  
grn rsd rnf fl.  
SS: (30%)

Fault #1 @ 11246' MD, 4361' VS, ~ 12' throw down.




S53

MW/MWO 9.75 VS 51







LS: (80%) off wht-crmy v lt tan, lt gry-grybrn ip, srwrly uneven mtx, v jggd-shrp cutngs, sbconcdl frac ptnr, mic xln, v cln, frm-hd, gd min fluor mskd pri fl, slw dul mlky grn ct fl. dul grn rsd rnf fl.  
SS: (20%)

MD 11480 TVD 7263.23  
INC 89.54 AZ 269.66  
VS 4594.84

LS: (70%) off wht-crmy v lt tan, lt gry-grybrn ip, srwrly uneven mtx, v jggd-shrp cutngs, sbconcdl frac ptnr, mic xln, v cln, frm-hd, gd min fluor mskd pri fl, slw dul mlky grn ct fl. dul grn rsd rnf fl.  
SS: (30%)

MD 11574 TVD 7264.69  
INC 88.68 AZ 269.77  
VS 4688.83

7200 TVD

Ft. Hays LS


Codell SS


Fault #2 @ 11640

MW/MWO 9.75 VIS 53


MW/MWO 9.8 VIS 53

7300










<p>MD 11666 TVD 7267.72 INC 87.54 AZ 268.78 VS 4780.76</p> <p>(50%) lt-med brngry, occ drk blk, v fn - fn grnd, mod sphrcty, fr grn spt w/occ mtrx spt, calc it, com slt/cly mtrx, frble-mod hrd, 10% pp por, nr evn wk grn pri fl, r even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl, Pink stain with AR. (50%)</p> <p>1634' MD, 4748' VS, ~ 6' throw up.</p>		<p>MD 11758 TVD 7269.65 INC 90.06 AZ 267.39 VS 4872.66</p> <p>SS: (70%) lt-med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn spt w/occ mtrx spt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, gd bri grn blu cut fl, gd mod-bri grn rsd fl. LS: (30%)</p>	<p>7200 TVD</p> <p>7250</p> <p>7300</p>	<p>MD 11852 TVD 7269.02 INC 90.71 AZ 266.45 VS 4966.49</p> <p>SS: (80%) lt-med brngry, gryblk, v fn - fn grnd, mod srtg, grn spt w/occ mtrx cmnt, com slt/cly mtrx, fr est 10% pp por, nr evn wk near even stain, gd bri grn mod-bri grn rsd fl. LS: (20%)</p>
---	--	---	---	--














MD 12784 TVD 7253.37 TVD  
INC 90.49 AZ 271.71  
VS 5897.76

MD 12878 TVD 7253.39  
INC 90.71 AZ 271.18  
VS 5991.74

MD 12971  
INC 90.55  
VS 6084.74


100% lt-med brngry, v fn grnd, mod  
ty, fr srtg, grn sprt w/occ mtrx sprt,  
cmnt, com slt/cly mtrx, frble-mod hrd,  
10% pp por, nr evn wk grn pri fl, near  
stain, gd fst bri grn blu cut fl, gd  
pri grn rsd fl.




7250

SS: (100%) lt-med brngry, occ drk gryblk,  
v fn - fn grnd, mod sphrcty, fr srtg, com  
mtrx sprt, calc cmnt, com slt/cly mtrx,  
frble-mod hrd, est 10% pp por, nr evn wk  
grn pri fl, near even stain, gd fst bri grn  
blu cut fl, gd mod-bri grn rsd fl.




SS: (100%) lt-med brngry,  
fn - fn grnd, mod sphrcty,  
w/occ mtrx sprt, calc cmnt,  
mtrx, frble-mod hrd, est 10%  
wk grn pri fl, near even stain,  
gd fst bri grn blu cut fl, gd mod-bri grn rsd fl.


7300


















MD 14085 TVD 7246.24  
INC 89.66 AZ 272.97  
VS 7196.82

MD 14174 TVD 7246.73  
INC 89.72 AZ 270.25  
VS 7285.79

7200 TVD

MD 14270 TVD 7247.17  
INC 89.75 AZ 267.02  
VS 7381.73





occ drk gryblk, v  
g, grn sprt w/occ  
slt/cly mtrx,  
por, nr evn wk grn  
t bri grn blu cut fl,

SS: (100%) med brngry, occ drk gryblk, v  
fn - fn grnd, mod sphrcty, fr srtg, grn sprt  
w/occ mtrx sprt, calc cmnt, com slt/cly  
mtrx, frble-mod hrd, est 10% pp por, nr evn  
wk grn pri fl, near even stain, gd bri grn  
blu cut fl, gd mod-bri grn rsd fl, com SH.

SS: (100%) med brngry, com drk gryblk, v fn  
- fn grnd, mod sphrcty, fr srtg, grn sprt w/occ  
mtrx sprt, calc cmnt, com slt/cly mtrx,  
frble-mod hrd, est 10% pp por, nr evn wk grn  
pri fl, near even stain, gd bri grn blu cut fl,  
gd mod-bri grn rsd fl, com SH.

MW/MWO 10.0 VIS 52





MD 14362 TVD 7247.55  
INC 89.78 AZ 264.46  
VS 7473.43

7200 TVD


MD 14457 TVD 7247.83  
INC 89.88 AZ 245.26  
VS 7568




SS: (100%) lt-med brn gry, com drk gryblk, v  
fn grnd, mod sphrcty, fr srtg, dom grn sprtd,  
calc cmnt, com slt/cly mtrx, frble-mod hrd,  
est 10% pp por, nr evn wk grn pri fl, near  
even stain, gd bri grn blu cut fl, gd mod-bri  
grn rsd fl, rr SH.

SS: (100%) med brngry, com drk gryblk, v  
fn - fn grnd, mod sphrcty, fr srtg, grn sprt  
w/occ mtrx sprt, calc cmnt, com slt/cly  
mtrx, frble-mod hrd, est 10% pp por, nr evn  
wk grn pri fl, near even stain, gd bri grn blu  
cut fl, gd mod-bri grn rsd fl, rr SH.

7300






MD 14551 TVD 7248.16  
INC 89.72 AZ 265.13  
VS 7661.63

7200 TVD

MD 14644 TVD 7248.73  
INC 89.57 AZ 264.78  
VS 7754.22

MD  
INC  
VS





SS: (100%) med brngry, occ drk gryblk, v  
fn - fn grnd, mod sphrcy, fr srtg, grn sprt  
w/occ mtrx sprt, calc cmnt, com slt/cly  
mtrx, frble-mod hrd, est 10% pp por, nr  
evn wk grn pri fl, near even stain, fst gd  
bri grn blu cut fl, gd mod-bri grn rsd fl.

SS: (100%) med brngry, occ drk gryblk,  
v fn - fn grnd, mod sphrcy, fr srtg, grn  
sprt w/occ mtrx sprt, calc cmnt, com  
slt/cly mtrx, frble-mod hrd, est 10% pp  
por, nr evn wk grn pri fl, near even  
stain, fst gd bri grn blu cut fl, gd  
mod-bri grn rsd fl.

7300


MW/MWO 10.5 VIS 54






SS: (100%) lt-med brngry, occ drk gryblk, v  
fn - fn grnd, mod sphrcty, fr srtg, grn sprt  
w/occ mtrx sprt, calc cmnt, com slt/cly  
mtrx, frble-mod hrd, est 10% pp por, nr evn  
wk grn pr fl, near even stain, mod fst gd bri  
grn blu cut fl, gd mod-bri grn rsd fl.

SS: (fn grn sprt, frble-grn p, blu c







7200 TVD	MD 15016 TVD 7250.33 INC 89.85 AZ 274.05 VS 8125.44	MD 15084 TVD 7250.52 INC 89.82 AZ 279.51 VS 8192.98	MD 15108 TVD 7250.6 INC 89.82 AZ 279.5 VS 8216.7																																																								
BHA #2, 8 1/2", HCC, ATD505T, #5282750, 5X15, In @ 1836', out @ 15108', drilled 13272' in 38.6 hrs., Rotary Steerable, AutoTrak, MWD, MM, XL45/RS; .27 rpg																																																											
Reached DMTD of 15,108' MD @ 00:05 hrs on 05/14/2018																																																											
Two man wellsite geologist released from location on May 14, 2018 @ 02:30 hrs.																																																											
Formation tops picked by Ryan Scribner and Brian Spitzmiller (GBA).																																																											
<div> <div>Ft. Hays LS</div> <div>Codell SS</div> <div>PTB</div> </div>																																																											
<div> <div>SS: (100%) med brngry, occ drk gryblk, v fn - fn grnd, mod sphrcty, fr srtg, grn sprt w/occ mtrx sprt, calc cmnt, com slt/cly mtrx, frble-mod hrd, est 10% pp por, nr evn wk grn pri fl, near even stain, fst gd bri grn blu cut fl, gd mod-bri grn rsd fl.</div> </div>																																																											
<table border="1"> <thead> <tr> <th></th><th>MD</th><th>TVD</th><th>SSD</th></tr> </thead> <tbody> <tr> <td>Sharon Springs</td><td>6951'</td><td>6930'</td><td>-2108'</td></tr> <tr> <td>"A" Chalk</td><td>6989'</td><td>6964'</td><td>-2142'</td></tr> <tr> <td>"A" Chalk Base</td><td>7014'</td><td>6985'</td><td>-2163'</td></tr> <tr> <td>"B" Upper Marl</td><td>7117'</td><td>7072'</td><td>-2250'</td></tr> <tr> <td>"B" Chalk</td><td>7133'</td><td>7084'</td><td>-2262'</td></tr> <tr> <td>"B" Marl</td><td>7183'</td><td>7119'</td><td>-2297'</td></tr> <tr> <td>"C" Chalk</td><td>7270'</td><td>7154'</td><td>-2332'</td></tr> <tr> <td>"C" Marl</td><td>7299'</td><td>7190'</td><td>-2368'</td></tr> <tr> <td>K Marker</td><td>7343'</td><td>7218'</td><td>-2396'</td></tr> <tr> <td>Ft. Hays</td><td>7427'</td><td>7248'</td><td>-2426'</td></tr> <tr> <td>Codell</td><td>7520'</td><td>7268'</td><td>-2446'</td></tr> <tr> <td>Heel</td><td>7590'</td><td>7270'</td><td>-2448'</td></tr> <tr> <td>DMTD</td><td>15108'</td><td>7250'</td><td>-2428</td></tr> </tbody> </table>					MD	TVD	SSD	Sharon Springs	6951'	6930'	-2108'	"A" Chalk	6989'	6964'	-2142'	"A" Chalk Base	7014'	6985'	-2163'	"B" Upper Marl	7117'	7072'	-2250'	"B" Chalk	7133'	7084'	-2262'	"B" Marl	7183'	7119'	-2297'	"C" Chalk	7270'	7154'	-2332'	"C" Marl	7299'	7190'	-2368'	K Marker	7343'	7218'	-2396'	Ft. Hays	7427'	7248'	-2426'	Codell	7520'	7268'	-2446'	Heel	7590'	7270'	-2448'	DMTD	15108'	7250'	-2428
	MD	TVD	SSD																																																								
Sharon Springs	6951'	6930'	-2108'																																																								
"A" Chalk	6989'	6964'	-2142'																																																								
"A" Chalk Base	7014'	6985'	-2163'																																																								
"B" Upper Marl	7117'	7072'	-2250'																																																								
"B" Chalk	7133'	7084'	-2262'																																																								
"B" Marl	7183'	7119'	-2297'																																																								
"C" Chalk	7270'	7154'	-2332'																																																								
"C" Marl	7299'	7190'	-2368'																																																								
K Marker	7343'	7218'	-2396'																																																								
Ft. Hays	7427'	7248'	-2426'																																																								
Codell	7520'	7268'	-2446'																																																								
Heel	7590'	7270'	-2448'																																																								
DMTD	15108'	7250'	-2428																																																								
Thank you for choosing Goolsby Brothers and Associates, Inc.																																																											

