

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401016298

Date Received:

07/30/2018

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

4. Contact Name: Ally Ota

Phone: (303) 860-5800

Fax: (303) 831-3988

Email: Alexandria.Ota@pdce.com

5. API Number 05-123-40554-00

7. Well Name: Wiedeman

8. Location: QtrQtr: NWNW Section: 28 Township: 4N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 28F-202

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 02/23/2016 End Date: 03/01/2016 Date of First Production this formation: 03/15/2016
Perforations Top: 7612 Bottom: 11429 No. Holes: 936 Hole size: 42/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

20 Stage Plug and Perf, Perf'd from 7,612'-11,297', 3 Toe Sleeves from 11,336'-11,426'

Total Fluid: 73,439 bbls

Gel Fluid: 46,584 bbls

Slickwater Fluid: 26,418 bbls

15% HCl Acid: 437 bbls

Total Proppant: 4,287,903 lbs

Silica Proppant: 4,287,903 lbs

Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 73439

Max pressure during treatment (psi): 5038

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.89

Total acid used in treatment (bbl): 437

Number of staged intervals: 20

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl): 3590

Fresh water used in treatment (bbl): 73002

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 4287903

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 03/22/2016 Hours: 24 Bbl oil: 202 Mcf Gas: 1935 Bbl H2O: 219
Calculated 24 hour rate: Bbl oil: 202 Mcf Gas: 1935 Bbl H2O: 219 GOR: 9579
Test Method: Flowing Casing PSI: 3187 Tubing PSI: 2647 Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1155 API Gravity Oil: 62
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7069 Tbg setting date: 03/13/2016 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth:

** Sacks cement on top:

** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez

Title: Regulatory Technician Date: 7/30/2018 Email: Cassie.Gonzalez@pdce.com

Attachment Check List

Att Doc Num Name

401016298 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Ready to approve.	08/14/2018
Permit	Return to draft for AOC settlement.	09/16/2016

Total: 2 comment(s)