RELIANCE
OILFIELD SERVICES

Radial Cement Bond
Gamma Ray
Casing Collar Log

Company	TEP Rocky Mountain LLC
Well	Federal PA 333-26
Field	Parachute
County	Garfield
State	Colorado

Company TEP Rocky Mountain LLC
Well Federal PA 333-26
Field Parachute
County Garfield State Colorado
Location: API # : 05-045-23709
SEC 26 TWP 6S RGE 95W
Other Services
--

Permanent Datum	Ground Level	Elevation	5636.9'
Log Measured From	Kelly Bushing	24 FT	
Drilling Measured From	Kelly Bushing		

Elevation
K.B. 5660.9'
D.F. 5659.9'
G.L. 5636.9'

Date	22-MAY-2018
Run Number	One
Depth Driller	8488 FT
Depth Logger	8418 FT
Bottom Logged Interval	8404 FT
Top Log Interval	Surface
Open Hole Size	8.750"
Type Fluid	Water
Density / Viscosity	8.34 lb/gal
Max. Recorded Temp.	232°F
Estimated Cement Top	See Log
Time Well Ready	ROA
Time Logger on Bottom	13:30
Equipment Number	HD-0359
Location	Grand Junction, CO
Recorded By	J. Donnelly
Witnessed By	Dustin Welsh

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size (in)	Wgt (lbs/Ft)	Grade	Top	Bottom
Surface Casing	9 5/8	32.3	H-40	Surface	1101 FT
Intermediate #1	4 1/2	11.6	P-110	Surface	8446 FT
Intermediate #2					
Liner					

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Log ran as per customer request
Depth referenced to Kelly Bushing at 24 FT
Marker Joint Logged from 4323 FT to 4344 FT
Log ran from 8418 FT to Surface
Recorded with 0 PSI Surface Induced Pressure

Thank you for choosing Reliance Oilfield Services, LLC!

RELIANCE
OILFIELD SERVICES

Main Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep\federal pa 333-26_tw\rbl_05-22-18\tep_federal pa 333-26_rbl_05-22-18.db
Dataset Pathname	main
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue May 22 14:31:53 2018
Charted by	Depth in Feet scaled 1:240

Gamma Ray	3' Amplitude	5' Variable Density Log	Sector Map	Average Amplitude
0 (GAPI) 200	0 (mV) 100	200 (usec) 1200		0 150
Line Speed	3' Amplitude x 5			Mimimum Amplitude
-150 (ft/min) 150	0 (mV) 20			0 150
Line Tension	3' Travel Time			Maximum Amplitude
0 (lb) 2000	300 (usec) 200			0 150
Differential Temperature				
-2 (degF) 2				
Temperature				
0 (degF) 20				
10 CCL 0				


131.9
3800
133.8
3900


135.6
4000
137.6
4100


139.6
4200
141.4
4300
Marker Joint


143.3
4400
145.4
4500


147.6
4600
149.8
4700


151.9
4800
153.7
4900


155.5
5000
157.1
5100


158.8
5200
160.8
5300


162.6
5400
164.8
5500


167.1
5600
169.1
5700


171.1
5800
172.9
5900


174.7
6000
176.6
6100


178.5
6200
180.2
6300


181.8
6400
183.5
6500


185.2
6600
187.2
6700


189.2
6800
191.4
6900


193.3
7000
195.1
7100


197.0
7200
198.5
7300


201.3
7400
203.7
7500


205.8
7600
208.5
7700

RELIANCE OILFIELD SERVICES

Repeat Pass

Recorded with 0 PSI Surface Induced Pressure

Database File	tep\federal pa 333-26_tw\rbl_05-22-18\tep_federal pa 333-26_rbl_05-22-18.db
Dataset Pathname	repeat1
Presentation Format	ros_rbt004_tep
Dataset Creation	Tue May 22 14:27:17 2018
Charted by	Depth in Feet scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb
			Titan CHD-14375 GO Titan 1-7/16" Assembled Electric Cable Head w/ 1" Fishing Neck	1.03	1.44	3.60
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
TEMP	16.33					
			Probe Radii-2750 RBT (FW1302-001) Probe 2-3/4" Radial Cement Bond Tool with Integral Temperature Sub	9.39	2.75	105.00
WVFS8	14.10					
WVFS7	14.10					
WVFS6	14.10					
WVFS5	14.10					
WVFS4	14.10					
WVFS3	14.10					
WVFS2	14.10					
WVFS1	14.10					
WVFCAL	14.10					
WVF3FT	14.10					
WVF5FT	13.10					
HEADVOLT	9.85					
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
CCL$2	6.42					
CCL$1	6.42					
GR	5.18		Probe GR-CCL-2750 GOB (FW1307-038) Probe 2-3/4" rev.2 Digital Scintillation Gamma Ray/CCL Combined	4.51	2.75	55.00
			DSS RAC-2750 5A GO DSS 2-3/4" Roller 5 Arm Centralizer w/ GO Ends	2.55	2.75	32.00
			GO BN-14375 GO 1 7/16" Bull Nose with Go Box Top	0.25	1.44	1.00

Dataset:	TEP_Federal PA 333-26_RBL_05-22-18.db: field/well/run1/main
Total length:	22.82 ft
Total weight:	260.60 lb
O.D.:	2.75 in

Calibration Report

Database File	C:\ProgramData\Warrior\Data\TEP\Federal PA 333-26_TW\RBL_05-22-18\TEP_Federal PA 333-26_RBL_05
Dataset Pathname	main
Dataset Creation	Tue May 22 14:31:53 2018

Gamma Ray Calibration Report

Serial Number:	FW1307-038	
Tool Model:	2750 GOB	
Performed:	Sun Nov 12 11:44:12 2017	
Calibrator Value:	637.0	GAPI
Background Reading:	113.2	cps
Calibrator Reading:	1022.4	cps
Sensitivity:	0.7007	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	FW1302-001	
Tool Model:	2750 RBT	
Calibration Casing Diameter:	4.500	in
Calibration Depth:	33.469	ft

Master Calibration, performed Tue May 22 12:59:42 2018:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.003	0.730	0.800	81.196	109.742	1.100
CAL	-0.005	0.742				
5'	0.006	0.596	0.800	81.196	136.247	0.043
SUM						
S1	-0.000	0.741	0.000	100.000	134.974	0.016
S2	-0.001	0.751	0.000	100.000	132.948	0.093
S3	-0.002	0.749	0.000	100.000	133.203	0.247
S4	-0.003	0.727	0.000	100.000	137.082	0.368
S5	-0.003	0.688	0.000	100.000	144.574	0.477
S6	-0.002	0.671	0.000	100.000	148.419	0.368
S7	-0.001	0.702	0.000	100.000	142.267	0.191
S8	-0.001	0.732	0.000	100.000	136.408	0.188

Internal Reference Calibration, performed (Not Performed):

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	-0.005	0.742	1.000	0.000

Air Zero Calibration, performed Tue May 22 13:00:06 2018:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	-0.003	0.000	-0.000
5'	0.005	0.000	0.000
SUM			
S1	-0.001	0.000	0.001
S2	-0.001	0.000	0.001
S3	-0.002	0.000	0.001
S4	-0.003	0.000	0.001
S5	-0.003	0.000	0.000
S6	-0.003	0.000	0.000
S7	-0.001	0.000	-0.000
S8	-0.002	0.000	0.000

Temperature Calibration Report

Serial Number:	FW1302-001	
Tool Model:	2750 RBT	
Performed:	Sun Nov 12 12:24:58 2017	
	Reference	Reading
Low Reference:	100.00 degF	107.47 degF
High Reference:	350.00 degF	404.08 degF
Gain:	0.84	
Offset:	9.42	
Delta Spacing:	1	

RELIANCE OILFIELD SERVICES

Company	TEP Rocky Mountain LLC
Well	Federal PA 333-26
Field	Parachute
County	Garfield
State	Colorado