

August 06, 2018

Report to:  
Brandon Lyster  
Lyster Oil Company, Inc.  
4618 Lyster Road  
Craig, CO 81625

Bill to:  
Brandon Lyster  
Lyster Oil Company, Inc.  
4618 Lyster Road  
Craig, CO 81625

Project ID:  
ACZ Project ID: L45755

Brandon Lyster:

Enclosed are the analytical results for sample(s) submitted to ACZ Laboratories, Inc. (ACZ) on July 20, 2018. This project has been assigned to ACZ's project number, L45755. Please reference this number in all future inquiries.

All analyses were performed according to ACZ's Quality Assurance Plan. The enclosed results relate only to the samples received under L45755. Each section of this report has been reviewed and approved by the appropriate Laboratory Supervisor, or a qualified substitute.

Except as noted, the test results for the methods and parameters listed on ACZ's current NELAC certificate letter (#ACZ) meet all requirements of NELAC.

This report shall be used or copied only in its entirety. ACZ is not responsible for the consequences arising from the use of a partial report.

All samples and sub-samples associated with this project will be disposed of after September 05, 2018. If the samples are determined to be hazardous, additional charges apply for disposal (typically \$11/sample). If you would like the samples to be held longer than ACZ's stated policy or to be returned, please contact your Project Manager or Customer Service Representative for further details and associated costs. ACZ retains analytical raw data reports for ten years.

If you have any questions or other needs, please contact your Project Manager.



Sue Webber has reviewed and  
approved this report.



**Lyster Oil Company, Inc.**

Project ID:

Sample ID: ES 14-8 NORTH DRO

ACZ Sample ID: **L45755-01**

Date Sampled: 07/20/18 10:30

Date Received: 07/20/18

Sample Matrix: Soil

**Diesel Range Organics (C10-C28)**

Analysis Method: **M8015D GC/FID**

Extract Method: **M3540**

**Workgroup:** WG453150

Analyst: jmm

Extract Date: 08/01/18 12:15

Analysis Date: 08/03/18 11:38

Compound	CAS	Result	QUAL	Dilution	XQ	Units	MDL	PQL
TPH C10 to C28		220		0.333	*	mg/Kg	33.3	167
Surrogate Recoveries	CAS	% Recovery		Dilution	XQ	Units	LCL	UCL
OTP	84-15-1	23.68		0.333	*	%	60	115

**Lyster Oil Company, Inc.**

Project ID:

Sample ID: ES 14-8 WEST DRO

ACZ Sample ID: **L45755-02**

Date Sampled: 07/20/18 10:30

Date Received: 07/20/18

Sample Matrix: Soil

### Diesel Range Organics (C10-C28)

Analysis Method: **M8015D GC/FID**

Extract Method: **M3540**

**Workgroup:** WG453150

Analyst: jmm

Extract Date: 08/01/18 13:15

Analysis Date: 08/03/18 12:48

Compound	CAS	Result	QUAL	Dilution	XQ	Units	MDL	PQL
TPH C10 to C28		450		0.333	*	mg/Kg	33.3	167
Surrogate Recoveries	CAS	% Recovery		Dilution	XQ	Units	LCL	UCL
OTP	84-15-1	36.81		0.333	*	%	60	115


**Report Header Explanations**

<i>Batch</i>	A distinct set of samples analyzed at a specific time
<i>Found</i>	Value of the QC Type of interest
<i>Limit</i>	Upper limit for RPD, in %.
<i>Lower</i>	Lower Recovery Limit, in % (except for LCSS, mg/Kg)
<i>LCL</i>	Lower Control Limit
<i>MDL</i>	Method Detection Limit. Same as Minimum Reporting Limit unless omitted or equal to the PQL (see comment #4) Allows for instrument and annual fluctuations.
<i>PCN/SCN</i>	A number assigned to reagents/standards to trace to the manufacturer's certificate of analysis
<i>PQL</i>	Practical Quantitation Limit. Synonymous with the EPA term "minimum level".
<i>QC</i>	True Value of the Control Sample or the amount added to the Spike
<i>Rec</i>	Amount of the true value or spike added recovered, in % (except for LCSS, mg/Kg)
<i>RPD</i>	Relative Percent Difference, calculation used for Duplicate QC Types
<i>Upper</i>	Upper Recovery Limit, in % (except for LCSS, mg/Kg)
<i>UCL</i>	Upper Control Limit
<i>Sample</i>	Value of the Sample of interest

**QC Sample Types**

<i>SURR</i>	Surrogate	<i>LFM</i>	Laboratory Fortified Matrix
<i>INTS</i>	Internal Standard	<i>LFMD</i>	Laboratory Fortified Matrix Duplicate
<i>DUP</i>	Sample Duplicate	<i>LRB</i>	Laboratory Reagent Blank
<i>LCSS</i>	Laboratory Control Sample - Soil	<i>MS/MSD</i>	Matrix Spike/Matrix Spike Duplicate
<i>LCSW</i>	Laboratory Control Sample - Water	<i>PBS</i>	Prep Blank - Soil
<i>LFB</i>	Laboratory Fortified Blank	<i>PBW</i>	Prep Blank - Water

**QC Sample Type Explanations**

Blanks	Verifies that there is no or minimal contamination in the prep method or calibration procedure.
Control Samples	Verifies the accuracy of the method, including the prep procedure.
Duplicates	Verifies the precision of the instrument and/or method.
Spikes/Fortified Matrix	Determines sample matrix interferences, if any.

**ACZ Qualifiers (Qual)**

B	Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity.
O	Analyte concentration is estimated due to result exceeding calibration range.
H	Analysis exceeded method hold time. pH is a field test with an immediate hold time.
J	Analyte concentration detected at a value between MDL and PQL. The associated value is an estimated quantity.
L	Target analyte response was below the laboratory defined negative threshold.
U	The material was analyzed for, but was not detected above the level of the associated value. The associated value is either the sample quantitation limit or the sample detection limit.

**Method References**

- (1) EPA 600/4-83-020. Methods for Chemical Analysis of Water and Wastes, March 1983.
- (2) EPA 600/4-90/020. Methods for the Determination of Organic Compounds in Drinking Water (I), July 1990.
- (3) EPA 600/R-92/129. Methods for the Determination of Organic Compounds in Drinking Water (II), July 1990.
- (4) EPA SW-846. Test Methods for Evaluating Solid Waste.
- (5) Standard Methods for the Examination of Water and Wastewater.

**Comments**

- (1) QC results calculated from raw data. Results may vary slightly if the rounded values are used in the calculations.
- (2) Excluding Oil & Grease, solid & biological matrices for organic analyses are reported on a wet weight basis.
- (3) An asterisk in the "XQ" column indicates there is an extended qualifier and/or certification qualifier associated with the result.
- (4) If the MDL equals the PQL or the MDL column is omitted, the PQL is the reporting limit.

For a complete list of ACZ's Extended Qualifiers, please click:

<http://www.acz.com/public/extquallist.pdf>

Lyster Oil Company, Inc.

ACZ Project ID: **L45755**

NOTE: If the Rec% column is null, the high/low limits are in the same units as the result. If the Rec% column is not null, then the high/low limits are in % Rec.

**Diesel Range Organics (C10-C28)**

M8015D GC/FID

**WG453150**

MS	Sample ID: L45755-01MS		PCN/SCN: OPTPH180713-1				Analyzed: 08/03/18 12:01			
Compound	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
TPH C10 TO C28	2511.1	220	361.87	mg/Kg	85.0					
OTP (surr)				%	35.8	60	115			S8

MSD	Sample ID: L45755-01MSD			PCN/SCN: OPTPH180713-1				Analyzed: 08/03/18 12:25		
Compound	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
TPH C10 TO C28	2511.1	220	315.09	mg/Kg	57.0	70	130	14	20	MA
OTP (surr)				%	28.2	60	115			S8

LCSS		Sample ID: WG452947LCSS		PCN/SCN: OPTPH180713-1				Analyzed: 08/03/18 10:51		
Compound	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
TPH C10 TO C28	2511.1		81.786	mg/Kg	98.0	70	130			
OTP (surr)				%	102.4	60	115			

LCSSD		Sample ID: WG452947LCSSD		PCN/SCN: OPTPH180713-1			Analyzed: 08/03/18 11:15			
Compound	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual
TPH C10 TO C28	2511.1		80.883	mg/Kg	97.0	70	130	1	20	
OTP (surr)				%	100.7	60	115			

PBS		Sample ID: WG452947PBS						Analyzed: 08/03/18 10:28			
Compound	QC	Sample	Found	Units	Rec%	Lower	Upper	RPD	Limit	Qual	
TPH C10 TO C28			U	mg/Kg		-16.7	16.7				
OTP (surr)				%	108.1	60	115				

ACZ Project ID: **L45755**

ACZ ID	WORKNUM	PARAMETER	METHOD	QUAL	DESCRIPTION
<b>L45755-01</b>	WG453150	*All Compounds*	M8015D GC/FID	Q6	Sample was received above recommended temperature.
		OTP	M8015D GC/FID	S8	The sample required a dilution such that the surrogate recovery calculation does not provide useful information. The recovery for the associated control sample was acceptable.
		TPH C10 to C28	M8015D GC/FID	MA	Recovery for either the spike or spike duplicate was outside of the acceptance limits; the RPD was within the acceptance limits.
<b>L45755-02</b>	WG453150	*All Compounds*	M8015D GC/FID	Q6	Sample was received above recommended temperature.
		OTP	M8015D GC/FID	S8	The sample required a dilution such that the surrogate recovery calculation does not provide useful information. The recovery for the associated control sample was acceptable.
		TPH C10 to C28	M8015D GC/FID	MA	Recovery for either the spike or spike duplicate was outside of the acceptance limits; the RPD was within the acceptance limits.

Lyster Oil Company, Inc.

ACZ Project ID: **L45755**

No certification qualifiers associated with this analysis

Lyster Oil Company, Inc.

ACZ Project ID: L45755

Date Received: 07/20/2018 15:17

Received By:

Date Printed: 7/23/2018

### Receipt Verification

	YES	NO	NA
1) Is a foreign soil permit included for applicable samples?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2) Is the Chain of Custody form or other directive shipping papers present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
3) Does this project require special handling procedures such as CLP protocol?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4) Are any samples NRC licensable material?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5) If samples are received past hold time, proceed with requested short hold time analyses?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6) Is the Chain of Custody form complete and accurate?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7) Were any changes made to the Chain of Custody form prior to ACZ receiving the samples?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

### Samples/Containers

	YES	NO	NA
8) Are all containers intact and with no leaks?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
9) Are all labels on containers and are they intact and legible?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10) Do the sample labels and Chain of Custody form match for Sample ID, Date, and Time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11) For preserved bottle types, was the pH checked and within limits? <sup>1</sup>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12) Is there sufficient sample volume to perform all requested work?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
13) Is the custody seal intact on all containers?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14) Are samples that require zero headspace acceptable?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
15) Are all sample containers appropriate for analytical requirements?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16) Is there an Hg-1631 trip blank present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17) Is there a VOA trip blank present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18) Were all samples received within hold time?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

NA indicates Not Applicable

### Chain of Custody Related Remarks

### Client Contact Remarks

### Shipping Containers

Cooler Id	Temp (°C)	Temp Criteria (°C)	Rad (µR/Hr)	Custody Seal Intact?
NA28768	21.2	NA	12	N/A

Was ice present in the shipment container(s)?

Yes - Wet ice was present in the shipment container(s).

Client must contact an ACZ Project Manager if analysis should not proceed for samples received outside of their thermal preservation acceptance criteria.



Lyster Oil Company, Inc.

ACZ Project ID: L45755

Date Received: 07/20/2018 15:17

Received By:

Date Printed: 7/23/2018

<sup>1</sup> The preservation of the following bottle types is not checked at sample receipt: Orange (oil and grease), Purple (total cyanide), Pink (dissolved cyanide), Brown (arsenic speciation), Sterile (fecal coliform), EDTA (sulfite), HCl preserved vial (organics), Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> preserved vial (organics), and HG-1631 (total/dissolved mercury by method 1631).

2773 Downhill Drive Steamboat Springs, CO 80487 (800) 334-5493

## Report to:

Name: Brandon Lyster	Address: 701 CR 109
Company: Lyster Oil Company	Craig CO 81625
E-mail: blyster.oil@aol.com	Telephone: 970-326-7533

**Copy of Report to:**

Name:		E-mail:
Company:		Telephone:

**Invoice to:**

Name: Brandon Lyster		Address:
Company: Lyster Oil Company		
E-mail: Blysteroil@aol.com		Telephone:

**If sample(s) received past holding time (HT), or if insufficient HT remains to complete analysis before expiration, shall ACZ proceed with requested short HT analyses?**

YES	<input checked="" type="checkbox"/>
NO	<input type="checkbox"/>

If "NO" then ACZ will contact client for further instruction. If neither "YES" nor "NO" is indicated, ACZ will proceed with the requested analyses, even if HT is expired, and data will be qualified.

### Are samples for SDWA Compliance Monitoring?

Yes		No	
-----	--	----	---

**If yes, please include state forms. Results will be reported to PQL for Colorado.**

Sampler's Name: Brandon L. S. Sampler's Site Information State CO Zip code 81625 Time Zone Mtn

\*Sampler's Signature: 

**"I attest to the authenticity and validity of this sample. I understand that intentionally mislabeling the time/date/location or tampering with the sample in anyway, is considered fraud and punishable by State Law."**

## PROJECT INFORMATION

ANALYSES REQUESTED (attach list or use quote number)


[illegible]

Matrix SW (Surface Water) · GW (Ground Water) · WW (Waste Water) · DW (Drinking Water) · SL (Sludge) · SO (Soil) · OL (Oil) · Other (Specify)

## REMARKS

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

Please refer to ACZ's terms & conditions located on the reverse side of this COC.

RELINQUISHED BY:	DATE:TIME	RECEIVED BY:	DATE:TIME
Brandon Lyster	7-20-18 13:20		7/20/18 13:20

45755 Chain of Custody