

**FORM
INSP**Rev
X/15**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

08/30/2018

Submitted Date:

08/30/2018

Document Number:

680403696**FIELD INSPECTION FORM**
 Loc ID 316875 Inspector Name: BROWNING, CHUCK On-Site Inspection ☐ 2A Doc Num:
Operator Information:OGCC Operator Number: 10453Name of Operator: PARADOX UPSTREAM LLCAddress: 600 TRAVIS STREET SUITE 300City: HOUSTON State: TX Zip: 77002**Status Summary:**

- ☒ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED

Findings:2 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
Hankins, Neil	970-428-2742	davidh@paradoxresources.com	
Browning, Chuck	970-433-4139	chuck.browning@state.co.us	Field Inspector
Labowskie, Steve		steve.labowskie@state.co.us	
Miller, Mandy	970-739-3786	mandym@paradoxresources.com	

General Comment:

Location**Lease Road:**

Type	Access		
comment:			
Corrective ActionL		Date:	
Type	Main		
comment:			
Corrective ActionL		Date:	

Overall Good: ☒**Signs/Marker:**

Type	WELLHEAD		
Comment:	Sign on wellhead. CA on inspection doc#680402304 completed via FIRR doc#401749210.		
Corrective Action:		Date:	

Emergency Contact Number:

Comment:			
Corrective Action:			Date: _____

Overall Good: ☐**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: ☐ Multiple Spills and Releases?**Equipment:**

			corrective date
Type: Deadman # & Marked	# 4		
Comment:			
Corrective Action:		Date:	

Venting:

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
680403697	FIRR photo 8/27/2018	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4566995