

Operator:	SRC Energy		
Well Name:	CHRISTIANSEN #35-13		
Legal:	SWNE 35 6N67W 6 PM		
Location:	Weld County, CO		
API:	05-123-24036		
Surface:	8.625" 24# @ 415'	Hole Size: 12.25"	TOC: Surface
Production:	4.5" 11.6# @ 7212'	Hole Size: 7.875"	TOC: 2463' (CBL)
Perforations:	7047-7064 CODELL		
TD:	7225		

P&A Procedure

1. Conduct pre-job safety meeting and complete daily JSA
2. Blow down well if necessary, circulate hole with treated water
3. Dig out around wellhead and perform bradenhead test
4. MIRU WO unit, ND wellhead, NU BOP, tally all pipe
5. TIH w/ 4-1/2" 11.6# CIBP on tubing, set at 6972'
6. Pressure test casing to 500 psi for 15 minutes
7. Set 35 sx on top of existing CIBP
8. RU Electric Line. TIH w/ 4-1/2" 11.6# CIBP, set at 2400'
 - a. Dump bail 2 sx of cement on top of CIBP
9. Cut 4.5" casing @ 940'
10. TIH with tubing to 990' and pump stub plug from 0 - 990'
 - a. pump 292 sks of 15.8# class G neat 1.15 cu./ft. yield cement
 - b. trip out of surface casing
 - c. Wait 4 hours and tag plug
11. RDMO WO unit
12. Dig up wellhead and cut off 10' below restored ground level, top off if necessary
13. Weld on cap with ID plate, inscribed with well location, and identity
14. Backfill, clean location