

**FORM  
INSP**

Rev  
X/15

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

09/07/2018

Submitted Date:

09/11/2018

Document Number:

692200003

**FIELD INSPECTION FORM**

Loc ID 419140 Inspector Name: Chollett, Shannon On-Site Inspection  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

OGCC Operator Number: 10447  
Name of Operator: URSA OPERATING COMPANY LLC  
Address: 1600 BROADWAY ST STE 2600  
City: DENVER State: CO Zip: 80202

**Findings:**

- 4 Number of Comments
- 0 Number of Corrective Actions
- Corrective Action Response Requested

**Contact Information:**

Contact Name	Phone	Email	Comment
Holtz, Darin		darin.holtz@state.co.us	
Kellerby, Shaun		shaun.kellerby@state.co.us	
Knudson, Dwayne	970-456-3335	dknudson@ursaresources.com	All Inspections

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
419232	WELL	TA	07/20/2017	GW	045-19905	Three Siblings A1	TA

**General Comment:**

Engineering Unit Inspection. Any corrective actions not addressed from previous inspections are still applicable.

**Location**

Overall Good:

Emergency Contact Number:

Comment:

Corrective Action:

Date: \_\_\_\_\_

Overall Good:

**Spills:**

Type	Area	Volume		

In Containment: No

Comment:

Multiple Spills and Releases?

**Venting:**

Yes/No	YES		
Comment:	Braden head valve venting to atmosphere at 3 cubic feet per 25 minutes. Measurement acquired with specialized antistatic bag provided by Heath Consultants Incorporated and stop watch. Sundry to vent is contained in well file.		
Corrective Action:		Date:	

**Flaring:**

Type		
Comment:		
Corrective Action:		Date:

**Inspected Facilities**

Facility ID: 419232 Type: WELL API Number: 045-19905 Status: TA Insp. Status: TA

**BradenHead**

Comment: Braden head valve venting to atmosphere at 3 cubic feet per 25 minutes. Measurement acquired with specialized antistatic bag provided by Heath Consultants Incorporated and stop watch. Sundry to vent is contained in well file.

Corrective Action:

Date: