

BISON OIL & GAS II, LLC

WELD COUNTY, COLORADO (NAD 83)

NW NE SEC. 13 T8N R62W 6th P.M.

FREEMAN 8-62 13-24-11

ORIGINAL WELLBORE

29 August, 2018

Plan: PROPOSAL #1





Project: WELD COUNTY, COLORADO (NAD 83)
 Site: NW NE SEC. 13 T8N R62W 6th P.M.
 Well: FREEMAN 8-62 13-24-11
 Wellbore: ORIGINAL WELLBORE
 Design: PROPOSAL #1

ANNOTATIONS






TVD	MD	Inc	Azi	+N/-S	+E/-W	Vsect	Dep	Annotation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL: 710ft FNL & 2406ft FEL of Sec 13
1600.00	1600.00	0.00	0.00	0.00	0.00	0.00	0.00	START NUUDGE (2°/100ft BUR)
2397.14	2407.80	16.16	44.28	81.00	78.99	-75.24	113.14	EOB TO 16.16° INC
4902.40	5016.07	16.16	44.28	600.56	585.73	-557.87	838.90	END OF TANGENT
5699.54	5823.87	0.00	0.00	681.56	664.72	-633.11	952.04	EOD TO VERTICAL
6215.54	6339.87	0.00	0.00	681.56	664.72	-633.11	952.04	KOP (10°/100ft BUR)
6788.50	7239.88	90.00	179.92	108.60	665.52	-61.51	1525.00	BPI: 600ft FNL & 1741ft FEL of Sec 13
6788.50	16674.13	90.00	179.93	-9325.65	678.27	9350.26	10959.25	EPI: 600ft FSL & 1697ft FEL of Sec 24
6788.50	16974.33	90.00	179.86	-9625.85	678.83	9649.76	11259.46	BHL: 300ft FSL & 1696ft FEL of Sec 24

PROPOSED LOCAL COORDINATES:

SHL: 710ft FNL & 2406ft FEL Sec 13
 BPI: 600ft FNL & 1741ft FEL Sec 13
 EPI: 600ft FSL & 1697ft FEL Sec 24
 BHL: 300ft FSL & 1696ft FEL of Sec 24

WELLBORE TARGET DETAILS (LAT/LONG)

Name	TVD	+N/-S	+E/-W	Latitude	Longitude
KOP - FREEMAN 8-62 13-24-11	6215.54	681.56	664.72	40.668751	-104.264590
BPI - FREEMAN 8-62 13-24-11	6788.50	108.60	665.52	40.667178	-104.264587
EPI - FREEMAN 8-62 13-24-11	6788.50	-9325.65	678.27	40.641283	-104.264542
BHL - FREEMAN 8-62 13-24-11	6788.50	-9625.85	678.83	40.640459	-104.264540



Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Project	WELD COUNTY, COLORADO (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		Using geodetic scale factor

Site	NW NE SEC. 13 T8N R62W 6th P.M.				
Site Position:		Northing:	1,488,314.17 usft	Latitude:	40.667291
From:	Lat/Long	Easting:	3,341,986.38 usft	Longitude:	-104.267187
Position Uncertainty:	0.00 usft	Slot Radius:	1.10000ft	Grid Convergence:	0.80 °

Well	FREEMAN 8-62 13-24-11					
Well Position	+N-S	-149.76 usft	Northing:	1,488,165.20 usfi	Latitude:	40.666880
	+E-W	55.76 usft	Easting:	3,342,044.22 usfi	Longitude:	-104.266986
Position Uncertainty		0.00 usft	Wellhead Elevation:	usfi	Ground Level:	4,998.50 usft

Wellbore	ORIGINAL WELLBORE				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	29/08/2018	7.84	67.11	52,442

Design	PROPOSAL #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N-S (usft)	+E-W (usft)	Direction (°)
	0.00	0.00	0.00	175.97

Plan Sections											
MD (usft)	Inc (°)	Azi (°)	Vertical Depth	SS (usft)	+N-S (usft)	+E-W (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100usf)	Turn Rate (°/100usf)	TFO (°)	Target
0.00	0.00	0.00	0.00	-5,023.50	0.00	0.00	0.00	0.00	0.00	0.00	
1,600.00	0.00	0.00	1,600.00	-3,423.50	0.00	0.00	0.00	0.00	0.00	0.00	
2,407.80	16.16	44.28	2,397.14	-2,626.36	81.00	78.99	2.00	2.00	0.00	44.28	
5,016.07	16.16	44.28	4,902.40	-121.10	600.56	585.73	0.00	0.00	0.00	0.00	
5,823.87	0.00	0.00	5,699.54	676.04	681.56	664.72	2.00	-2.00	0.00	180.00	
6,339.87	0.00	0.00	6,215.54	1,192.04	681.56	664.72	0.00	0.00	0.00	0.00	KOP - FREEMAN 8
7,239.88	90.00	179.92	6,788.50	1,765.00	108.60	665.52	10.00	10.00	19.99	179.92	BPI - FREEMAN 8-
16,674.13	90.00	179.93	6,788.50	1,765.00	-9,325.65	678.27	0.00	0.00	0.00	93.33	EPI - FREEMAN 8-
16,974.33	90.00	179.86	6,788.50	1,765.00	-9,625.85	678.83	0.02	0.00	-0.02	-89.70	BHL - FREEMAN 8

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
SHL: 710ft FNL & 2406ft FEL of Sec 13										
0.00	0.00	0.00	0.00	5,023.50	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	4,923.50	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	4,823.50	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	4,723.50	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	4,623.50	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	4,523.50	0.00	0.00	0.00	0.00	0.00	0.00
PIERRE SHALE (BASE OF FOX HILLS)										
591.50	0.00	0.00	591.50	4,432.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	4,423.50	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	4,323.50	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	4,223.50	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	4,123.50	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	4,023.50	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	3,923.50	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	3,823.50	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	3,723.50	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	3,623.50	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	3,523.50	0.00	0.00	0.00	0.00	0.00	0.00
START NUDGE (2°/100ft BUR)										
1,600.00	0.00	0.00	1,600.00	3,423.50	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	2.00	44.28	1,699.98	3,323.52	1.25	1.22	-1.16	2.00	2.00	0.00
1,800.00	4.00	44.28	1,799.84	3,223.66	5.00	4.87	-4.64	2.00	2.00	0.00
1,900.00	6.00	44.28	1,899.45	3,124.05	11.23	10.96	-10.44	2.00	2.00	0.00
2,000.00	8.00	44.28	1,998.70	3,024.80	19.96	19.47	-18.54	2.00	2.00	0.00
2,100.00	10.00	44.28	2,097.47	2,926.03	31.16	30.39	-28.94	2.00	2.00	0.00
2,200.00	12.00	44.28	2,195.62	2,827.88	44.82	43.71	-41.63	2.00	2.00	0.00
2,300.00	14.00	44.28	2,293.06	2,730.44	60.92	59.41	-56.59	2.00	2.00	0.00
2,400.00	16.00	44.28	2,389.64	2,633.86	79.45	77.48	-73.80	2.00	2.00	0.00
EOB TO 16.16° INC										
2,407.80	16.16	44.28	2,397.14	2,626.36	81.00	78.99	-75.24	2.00	2.00	0.00
2,500.00	16.16	44.28	2,485.70	2,537.80	99.36	96.91	-92.30	0.00	0.00	0.00
2,600.00	16.16	44.28	2,581.75	2,441.75	119.28	116.33	-110.80	0.00	0.00	0.00
2,700.00	16.16	44.28	2,677.80	2,345.70	139.20	135.76	-129.31	0.00	0.00	0.00
2,800.00	16.16	44.28	2,773.85	2,249.65	159.12	155.19	-147.81	0.00	0.00	0.00
2,900.00	16.16	44.28	2,869.90	2,153.60	179.04	174.62	-166.31	0.00	0.00	0.00
3,000.00	16.16	44.28	2,965.95	2,057.55	198.96	194.05	-184.82	0.00	0.00	0.00
3,100.00	16.16	44.28	3,062.00	1,961.50	218.88	213.47	-203.32	0.00	0.00	0.00
3,200.00	16.16	44.28	3,158.05	1,865.45	238.80	232.90	-221.83	0.00	0.00	0.00
3,300.00	16.16	44.28	3,254.10	1,769.40	258.72	252.33	-240.33	0.00	0.00	0.00
3,400.00	16.16	44.28	3,350.15	1,673.35	278.64	271.76	-258.83	0.00	0.00	0.00
3,500.00	16.16	44.28	3,446.20	1,577.30	298.56	291.19	-277.34	0.00	0.00	0.00
3,600.00	16.16	44.28	3,542.25	1,481.25	318.48	310.61	-295.84	0.00	0.00	0.00
3,700.00	16.16	44.28	3,638.31	1,385.19	338.40	330.04	-314.35	0.00	0.00	0.00
3,800.00	16.16	44.28	3,734.36	1,289.14	358.32	349.47	-332.85	0.00	0.00	0.00
PARKMAN										
3,809.52	16.16	44.28	3,743.50	1,280.00	360.22	351.32	-334.61	0.00	0.00	0.00
3,900.00	16.16	44.28	3,830.41	1,193.09	378.24	368.90	-351.35	0.00	0.00	0.00
4,000.00	16.16	44.28	3,926.46	1,097.04	398.16	388.32	-369.86	0.00	0.00	0.00
4,100.00	16.16	44.28	4,022.51	1,000.99	418.08	407.75	-388.36	0.00	0.00	0.00
4,200.00	16.16	44.28	4,118.56	904.94	438.00	427.18	-406.87	0.00	0.00	0.00
4,300.00	16.16	44.28	4,214.61	808.89	457.92	446.61	-425.37	0.00	0.00	0.00
4,400.00	16.16	44.28	4,310.66	712.84	477.84	466.04	-443.88	0.00	0.00	0.00
4,500.00	16.16	44.28	4,406.71	616.79	497.76	485.46	-462.38	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey

MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,600.00	16.16	44.28	4,502.76	520.74	517.68	504.89	-480.88	0.00	0.00	0.00
4,700.00	16.16	44.28	4,598.81	424.69	537.60	524.32	-499.39	0.00	0.00	0.00
SUSSEX										
4,702.80	16.16	44.28	4,601.50	422.00	538.16	524.86	-499.91	0.00	0.00	0.00
4,800.00	16.16	44.28	4,694.86	328.64	557.52	543.75	-517.89	0.00	0.00	0.00
4,900.00	16.16	44.28	4,790.91	232.59	577.44	563.18	-536.40	0.00	0.00	0.00
5,000.00	16.16	44.28	4,886.96	136.54	597.36	582.60	-554.90	0.00	0.00	0.00
END OF TANGENT										
5,016.07	16.16	44.28	4,902.40	121.10	600.56	585.73	-557.87	0.00	0.00	0.00
5,100.00	14.48	44.28	4,983.35	40.15	616.44	601.21	-572.62	2.00	-2.00	0.00
SHANNON										
5,110.48	14.27	44.28	4,993.50	30.00	618.30	603.02	-574.35	2.00	-2.00	0.00
5,200.00	12.48	44.28	5,080.59	-57.09	633.12	617.48	-588.11	2.00	-2.00	0.00
5,300.00	10.48	44.28	5,178.58	-155.08	647.36	631.37	-601.35	2.00	-2.00	0.00
5,400.00	8.48	44.28	5,277.21	-253.71	659.15	642.87	-612.30	2.00	-2.00	0.00
5,500.00	6.48	44.28	5,376.36	-352.86	668.47	651.95	-620.95	2.00	-2.00	0.00
5,600.00	4.48	44.28	5,475.90	-452.40	675.30	658.62	-627.30	2.00	-2.00	0.00
5,700.00	2.48	44.28	5,575.71	-552.21	679.64	662.85	-631.33	2.00	-2.00	0.00
5,800.00	0.48	44.28	5,675.67	-652.17	681.49	664.65	-633.04	2.00	-2.00	0.00
EOD TO VERTICAL										
5,823.87	0.00	0.00	5,699.54	-676.04	681.56	664.72	-633.11	2.00	-2.00	0.00
5,900.00	0.00	0.00	5,775.67	-752.17	681.56	664.72	-633.11	0.00	0.00	0.00
6,000.00	0.00	0.00	5,875.67	-852.17	681.56	664.72	-633.11	0.00	0.00	0.00
6,100.00	0.00	0.00	5,975.67	-952.17	681.56	664.72	-633.11	0.00	0.00	0.00
6,200.00	0.00	0.00	6,075.67	-1,052.17	681.56	664.72	-633.11	0.00	0.00	0.00
6,300.00	0.00	0.00	6,175.67	-1,152.17	681.56	664.72	-633.11	0.00	0.00	0.00
KOP (10°/100ft BUR)										
6,339.87	0.00	0.00	6,215.54	-1,192.04	681.56	664.72	-633.11	0.00	0.00	0.00
6,400.00	6.01	179.92	6,275.56	-1,252.06	678.41	664.72	-629.97	10.00	10.00	0.00
6,500.00	16.01	179.92	6,373.59	-1,350.09	659.33	664.75	-610.93	10.00	10.00	0.00
6,600.00	26.01	179.92	6,466.82	-1,443.32	623.52	664.80	-575.21	10.00	10.00	0.00
SHARON SPRINGS SHALE										
6,630.08	29.02	179.92	6,493.50	-1,470.00	609.62	664.82	-561.34	10.00	10.00	0.00
6,700.00	36.01	179.92	6,552.42	-1,528.92	572.06	664.87	-523.87	10.00	10.00	0.00
NIOBRARA FORMATION										
6,713.82	37.39	179.92	6,563.50	-1,540.00	563.80	664.89	-515.63	10.00	10.00	0.00
NIOBRARA A CHALK										
6,726.52	38.66	179.92	6,573.50	-1,550.00	555.98	664.90	-507.83	10.00	10.00	0.00
6,800.00	46.01	179.92	6,627.78	-1,604.28	506.52	664.97	-458.49	10.00	10.00	0.00
NIOBRARA B CHALK										
6,887.47	54.76	179.92	6,683.50	-1,660.00	439.20	665.06	-391.33	10.00	10.00	0.00
6,900.00	56.01	179.92	6,690.62	-1,667.12	428.89	665.07	-381.04	10.00	10.00	0.00
7,000.00	66.01	179.92	6,739.02	-1,715.52	341.53	665.20	-293.89	10.00	10.00	0.00
NIOBRARA C CHALK										
7,038.57	69.87	179.92	6,753.50	-1,730.00	305.79	665.25	-258.23	10.00	10.00	0.00
7,100.00	76.01	179.92	6,771.51	-1,748.01	247.09	665.33	-199.67	10.00	10.00	0.00
7,200.00	86.01	179.92	6,787.11	-1,763.61	148.44	665.47	-101.26	10.00	10.00	0.00
BPI: 600ft FNL & 1741ft FEL of Sec 13 - NIOBRARA C LP										
7,239.88	90.00	179.92	6,788.50	-1,765.00	108.60	665.52	-61.51	10.00	10.00	0.00
7,300.00	90.00	179.92	6,788.50	-1,765.00	48.48	665.61	-1.53	0.00	0.00	0.00
7,400.00	90.00	179.92	6,788.50	-1,765.00	-51.52	665.75	98.23	0.00	0.00	0.00
7,500.00	90.00	179.92	6,788.50	-1,765.00	-151.52	665.89	197.99	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,600.00	90.00	179.92	6,788.50	-1,765.00	-251.52	666.03	297.75	0.00	0.00	0.00
7,700.00	90.00	179.92	6,788.50	-1,765.00	-351.52	666.17	397.52	0.00	0.00	0.00
7,800.00	90.00	179.92	6,788.50	-1,765.00	-451.52	666.31	497.28	0.00	0.00	0.00
7,900.00	90.00	179.92	6,788.50	-1,765.00	-551.52	666.45	597.04	0.00	0.00	0.00
8,000.00	90.00	179.92	6,788.50	-1,765.00	-651.52	666.59	696.80	0.00	0.00	0.00
8,100.00	90.00	179.92	6,788.50	-1,765.00	-751.52	666.73	796.56	0.00	0.00	0.00
8,200.00	90.00	179.92	6,788.50	-1,765.00	-851.52	666.87	896.33	0.00	0.00	0.00
8,300.00	90.00	179.92	6,788.50	-1,765.00	-951.52	667.01	996.09	0.00	0.00	0.00
8,400.00	90.00	179.92	6,788.50	-1,765.00	-1,051.52	667.15	1,095.85	0.00	0.00	0.00
8,500.00	90.00	179.92	6,788.50	-1,765.00	-1,151.52	667.28	1,195.61	0.00	0.00	0.00
8,600.00	90.00	179.92	6,788.50	-1,765.00	-1,251.52	667.42	1,295.37	0.00	0.00	0.00
8,700.00	90.00	179.92	6,788.50	-1,765.00	-1,351.52	667.56	1,395.14	0.00	0.00	0.00
8,800.00	90.00	179.92	6,788.50	-1,765.00	-1,451.52	667.70	1,494.90	0.00	0.00	0.00
8,900.00	90.00	179.92	6,788.50	-1,765.00	-1,551.52	667.84	1,594.66	0.00	0.00	0.00
9,000.00	90.00	179.92	6,788.50	-1,765.00	-1,651.52	667.98	1,694.42	0.00	0.00	0.00
9,100.00	90.00	179.92	6,788.50	-1,765.00	-1,751.52	668.12	1,794.18	0.00	0.00	0.00
9,200.00	90.00	179.92	6,788.50	-1,765.00	-1,851.52	668.25	1,893.94	0.00	0.00	0.00
9,300.00	90.00	179.92	6,788.50	-1,765.00	-1,951.52	668.39	1,993.71	0.00	0.00	0.00
9,400.00	90.00	179.92	6,788.49	-1,764.99	-2,051.52	668.53	2,093.47	0.00	0.00	0.00
9,500.00	90.00	179.92	6,788.49	-1,764.99	-2,151.52	668.67	2,193.23	0.00	0.00	0.00
9,600.00	90.00	179.92	6,788.49	-1,764.99	-2,251.52	668.81	2,292.99	0.00	0.00	0.00
9,700.00	90.00	179.92	6,788.49	-1,764.99	-2,351.52	668.94	2,392.75	0.00	0.00	0.00
9,800.00	90.00	179.92	6,788.49	-1,764.99	-2,451.52	669.08	2,492.52	0.00	0.00	0.00
9,900.00	90.00	179.92	6,788.49	-1,764.99	-2,551.52	669.22	2,592.28	0.00	0.00	0.00
10,000.00	90.00	179.92	6,788.49	-1,764.99	-2,651.52	669.36	2,692.04	0.00	0.00	0.00
10,100.00	90.00	179.92	6,788.49	-1,764.99	-2,751.52	669.49	2,791.80	0.00	0.00	0.00
10,200.00	90.00	179.92	6,788.49	-1,764.99	-2,851.52	669.63	2,891.56	0.00	0.00	0.00
10,300.00	90.00	179.92	6,788.49	-1,764.99	-2,951.52	669.77	2,991.32	0.00	0.00	0.00
10,400.00	90.00	179.92	6,788.49	-1,764.99	-3,051.52	669.90	3,091.09	0.00	0.00	0.00
10,500.00	90.00	179.92	6,788.49	-1,764.99	-3,151.52	670.04	3,190.85	0.00	0.00	0.00
10,600.00	90.00	179.92	6,788.49	-1,764.99	-3,251.52	670.18	3,290.61	0.00	0.00	0.00
10,700.00	90.00	179.92	6,788.49	-1,764.99	-3,351.52	670.31	3,390.37	0.00	0.00	0.00
10,800.00	90.00	179.92	6,788.49	-1,764.99	-3,451.52	670.45	3,490.13	0.00	0.00	0.00
10,900.00	90.00	179.92	6,788.49	-1,764.99	-3,551.52	670.59	3,589.90	0.00	0.00	0.00
11,000.00	90.00	179.92	6,788.49	-1,764.99	-3,651.52	670.72	3,689.66	0.00	0.00	0.00
11,100.00	90.00	179.92	6,788.49	-1,764.99	-3,751.52	670.86	3,789.42	0.00	0.00	0.00
11,200.00	90.00	179.92	6,788.49	-1,764.99	-3,851.52	671.00	3,889.18	0.00	0.00	0.00
11,300.00	90.00	179.92	6,788.49	-1,764.99	-3,951.52	671.13	3,988.94	0.00	0.00	0.00
11,400.00	90.00	179.92	6,788.49	-1,764.99	-4,051.52	671.27	4,088.70	0.00	0.00	0.00
11,500.00	90.00	179.92	6,788.49	-1,764.99	-4,151.52	671.40	4,188.47	0.00	0.00	0.00
11,600.00	90.00	179.92	6,788.49	-1,764.99	-4,251.52	671.54	4,288.23	0.00	0.00	0.00
11,700.00	90.00	179.92	6,788.49	-1,764.99	-4,351.52	671.67	4,387.99	0.00	0.00	0.00
11,800.00	90.00	179.92	6,788.49	-1,764.99	-4,451.52	671.81	4,487.75	0.00	0.00	0.00
11,900.00	90.00	179.92	6,788.49	-1,764.99	-4,551.52	671.94	4,587.51	0.00	0.00	0.00
12,000.00	90.00	179.92	6,788.49	-1,764.99	-4,651.52	672.08	4,687.27	0.00	0.00	0.00
12,100.00	90.00	179.92	6,788.49	-1,764.99	-4,751.52	672.21	4,787.04	0.00	0.00	0.00
12,200.00	90.00	179.92	6,788.49	-1,764.99	-4,851.52	672.35	4,886.80	0.00	0.00	0.00
12,300.00	90.00	179.92	6,788.49	-1,764.99	-4,951.52	672.48	4,986.56	0.00	0.00	0.00
12,400.00	90.00	179.92	6,788.49	-1,764.99	-5,051.52	672.62	5,086.32	0.00	0.00	0.00
12,500.00	90.00	179.92	6,788.49	-1,764.99	-5,151.52	672.75	5,186.08	0.00	0.00	0.00
12,600.00	90.00	179.92	6,788.49	-1,764.99	-5,251.52	672.89	5,285.84	0.00	0.00	0.00
12,700.00	90.00	179.92	6,788.49	-1,764.99	-5,351.52	673.02	5,385.61	0.00	0.00	0.00
12,800.00	90.00	179.92	6,788.49	-1,764.99	-5,451.52	673.16	5,485.37	0.00	0.00	0.00
12,900.00	90.00	179.92	6,788.49	-1,764.99	-5,551.52	673.29	5,585.13	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
13,000.00	90.00	179.92	6,788.49	-1,764.99	-5,651.52	673.42	5,684.89	0.00	0.00	0.00
13,100.00	90.00	179.92	6,788.49	-1,764.99	-5,751.52	673.56	5,784.65	0.00	0.00	0.00
13,200.00	90.00	179.92	6,788.49	-1,764.99	-5,851.52	673.69	5,884.41	0.00	0.00	0.00
13,300.00	90.00	179.92	6,788.49	-1,764.99	-5,951.52	673.82	5,984.18	0.00	0.00	0.00
13,400.00	90.00	179.92	6,788.49	-1,764.99	-6,051.52	673.96	6,083.94	0.00	0.00	0.00
13,500.00	90.00	179.92	6,788.49	-1,764.99	-6,151.52	674.09	6,183.70	0.00	0.00	0.00
13,600.00	90.00	179.92	6,788.49	-1,764.99	-6,251.52	674.23	6,283.46	0.00	0.00	0.00
13,700.00	90.00	179.92	6,788.49	-1,764.99	-6,351.52	674.36	6,383.22	0.00	0.00	0.00
13,800.00	90.00	179.92	6,788.49	-1,764.99	-6,451.52	674.49	6,482.98	0.00	0.00	0.00
13,900.00	90.00	179.92	6,788.49	-1,764.99	-6,551.52	674.62	6,582.74	0.00	0.00	0.00
14,000.00	90.00	179.92	6,788.49	-1,764.99	-6,651.52	674.76	6,682.51	0.00	0.00	0.00
14,100.00	90.00	179.92	6,788.49	-1,764.99	-6,751.52	674.89	6,782.27	0.00	0.00	0.00
14,200.00	90.00	179.92	6,788.49	-1,764.99	-6,851.52	675.02	6,882.03	0.00	0.00	0.00
14,300.00	90.00	179.92	6,788.49	-1,764.99	-6,951.52	675.15	6,981.79	0.00	0.00	0.00
14,400.00	90.00	179.92	6,788.49	-1,764.99	-7,051.52	675.29	7,081.55	0.00	0.00	0.00
14,500.00	90.00	179.92	6,788.49	-1,764.99	-7,151.52	675.42	7,181.31	0.00	0.00	0.00
14,600.00	90.00	179.92	6,788.50	-1,765.00	-7,251.52	675.55	7,281.08	0.00	0.00	0.00
14,700.00	90.00	179.92	6,788.50	-1,765.00	-7,351.52	675.68	7,380.84	0.00	0.00	0.00
14,800.00	90.00	179.92	6,788.50	-1,765.00	-7,451.52	675.82	7,480.60	0.00	0.00	0.00
14,900.00	90.00	179.92	6,788.50	-1,765.00	-7,551.52	675.95	7,580.36	0.00	0.00	0.00
15,000.00	90.00	179.92	6,788.50	-1,765.00	-7,651.52	676.08	7,680.12	0.00	0.00	0.00
15,100.00	90.00	179.92	6,788.50	-1,765.00	-7,751.52	676.21	7,779.88	0.00	0.00	0.00
15,200.00	90.00	179.92	6,788.50	-1,765.00	-7,851.52	676.34	7,879.64	0.00	0.00	0.00
15,300.00	90.00	179.92	6,788.50	-1,765.00	-7,951.52	676.47	7,979.41	0.00	0.00	0.00
15,400.00	90.00	179.92	6,788.50	-1,765.00	-8,051.52	676.61	8,079.17	0.00	0.00	0.00
15,500.00	90.00	179.92	6,788.50	-1,765.00	-8,151.52	676.74	8,178.93	0.00	0.00	0.00
15,600.00	90.00	179.92	6,788.50	-1,765.00	-8,251.52	676.87	8,278.69	0.00	0.00	0.00
15,700.00	90.00	179.93	6,788.50	-1,765.00	-8,351.52	677.00	8,378.45	0.00	0.00	0.00
15,800.00	90.00	179.93	6,788.50	-1,765.00	-8,451.52	677.13	8,478.21	0.00	0.00	0.00
15,900.00	90.00	179.93	6,788.50	-1,765.00	-8,551.52	677.26	8,577.97	0.00	0.00	0.00
16,000.00	90.00	179.93	6,788.50	-1,765.00	-8,651.52	677.39	8,677.73	0.00	0.00	0.00
16,100.00	90.00	179.93	6,788.50	-1,765.00	-8,751.52	677.52	8,777.50	0.00	0.00	0.00
16,200.00	90.00	179.93	6,788.50	-1,765.00	-8,851.52	677.65	8,877.26	0.00	0.00	0.00
16,300.00	90.00	179.93	6,788.50	-1,765.00	-8,951.52	677.78	8,977.02	0.00	0.00	0.00
16,400.00	90.00	179.93	6,788.50	-1,765.00	-9,051.52	677.91	9,076.78	0.00	0.00	0.00
16,500.00	90.00	179.93	6,788.50	-1,765.00	-9,151.52	678.04	9,176.54	0.00	0.00	0.00
16,600.00	90.00	179.93	6,788.50	-1,765.00	-9,251.52	678.17	9,276.30	0.00	0.00	0.00
EPI: 600ft FSL & 1697ft FEL of Sec 24										
16,674.13	90.00	179.93	6,788.50	-1,765.00	-9,325.65	678.27	9,350.26	0.00	0.00	0.00
16,700.00	90.00	179.92	6,788.50	-1,765.00	-9,351.52	678.30	9,376.06	0.02	0.00	-0.02
16,800.00	90.00	179.90	6,788.50	-1,765.00	-9,451.52	678.46	9,475.83	0.02	0.00	-0.02
16,900.00	90.00	179.88	6,788.50	-1,765.00	-9,551.51	678.66	9,575.59	0.02	0.00	-0.02
BHL: 300ft FSL & 1696ft FEL of Sec 24										
16,974.33	90.00	179.86	6,788.50	-1,765.00	-9,625.85	678.83	9,649.76	0.02	0.00	-0.02

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well FREEMAN 8-62 13-24-11
Company:	BISON OIL & GAS II, LLC	TVD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5023.50usft (Original Well Elev)
Site:	NW NE SEC. 13 T8N R62W 6th P.M.	North Reference:	True
Well:	FREEMAN 8-62 13-24-11	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Formations						
MD (usft)	TVD (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
591.50	591.50	PIERRE SHALE (BASE OF FOX HI				
3,809.52	3,743.50	PARKMAN				
4,702.80	4,601.50	SUSSEX				
5,110.48	4,993.50	SHANNON				
6,630.08	6,493.50	SHARON SPRINGS SHALE				
6,713.82	6,563.50	NIOBRARA FORMATION				
6,726.52	6,573.50	NIOBRARA A CHALK				
6,887.47	6,683.50	NIOBRARA B CHALK				
7,038.57	6,753.50	NIOBRARA C CHALK				
7,239.88	6,788.50	NIOBRARA C LP				

Plan Annotations					
MD (usft)	TVD (usft)	Local Coordinates		Comment	
		+N/-S (usft)	+E/-W (usft)		
0.00	0.00	0.00	0.00	SHL: 710ft FNL & 2406ft FEL of Sec 13	
1,600.00	1,600.00	0.00	0.00	START NUDGE (2°/100ft BUR)	
2,407.80	2,397.14	81.00	78.99	EOB TO 16.16° INC	
5,016.07	4,902.40	600.56	585.73	END OF TANGENT	
5,823.87	5,699.54	681.56	664.72	EOD TO VERTICAL	
6,339.87	6,215.54	681.56	664.72	KOP (10°/100ft BUR)	
7,239.88	6,788.50	108.60	665.52	BPI: 600ft FNL & 1741ft FEL of Sec 13	
16,674.13	6,788.50	-9,325.65	678.27	EPI: 600ft FSL & 1697ft FEL of Sec 24	
16,974.33	6,788.50	-9,625.85	678.83	BHL: 300ft FSL & 1696ft FEL of Sec 24	