This survey is correct to the best of my knowledge and is supported by data recorded during the survey. This survey is calculated and presented with reference to the minimum curvature method. Gyrodata's services are performed according to the procedures described in the attached Gyrodata proposal. Gyrodata's liability and exclusive remedy in any cause of action arising out of the performance of services shall be limited to the lesser of the cost of the services or the amount of actual damages sustained by client. Gyrodata shall not be liable for consequential, incidental, punitive or exemplary damages.

Survey Supervisor: Jeremy Hall

Survey Date: 10 Jan 2020 to 11 Jan 2020

Survey Type: Gyrodata Gyro While Drilling

Survey Service Type: Gyro While Drilling

Survey Depth Type: Measured Depth

Survey Direction: Azimuth

Gyro Depth: 0 ft

Gyro Offset: 0 ft

Gyro Type: Gyrodata Gyro While Drilling

Survey Depth: 0 ft to 10,000 ft

Survey Direction: Azimuth

Survey Type: Gyrodata Gyro While Drilling

Survey Service Type: Gyro While Drilling

Survey Depth Type: Measured Depth

Survey Depth: 10,000




CCL - Analog
Gamma
Amplitude
Acoustic Waveform
SECTORS
Tadpole TT
Tadpole TT
Tadpole TT