
Main Pass
Recorded Mode 2 Hi Res Induction Resistivity Processed
Interval 1 in = 100 ft
Interval 1 in = 5 in
Gamma Ray
Resistivity
Depth
Density
Neutron
Caliper
Bit Size
Delta Rho
PE
Correction
Porosity
Lithology
Mud Type
Mud Density
Viscosity
Fluid Loss
Resistivity
Temperature
Source
Rmf
Rm
Rmc
Max Recorded Temperature
Circulation Stopped
Logger on Bottom
Time Since Circulation
Equipment Number
Location
Recorded By
Witnessed By
Run Number
Service Order
Permanent Datum
Elevation
Log Measured From
Drilling Measured From
Casing Driller
Casing Logger
Bit Size
Type Fluid in Hole
Density
Viscosity
Fluid Loss
Source of Sample
Rm @ Measured Temp
Rmf @ Measured Temp
Rmc @ Measured Temp
Source of Rmf and Rmc
Rm @ BHT
Time Since Circulation
Max Recorded Temperature





Company: RIP Rocky Mountain LLC
Well: Federal Ute 24-12
Field: Parachute
County: Garfield
State: Colorado

RELIANCE
WIRELINE SERVICES

Repeat Pass

Recorded With 0.75" Dyna-X Armored Pressure

Wireline Unit No.	Vehicle_Admin.Unit.01_OL_RCO1.1500ps_Admin.Unit.01.01_OL_RCO1.1500
Perforation Company	Vail_WSTA_Gen
Perforation Depth Control	Depth Control 1.2.65
Depth Correlation Log	Depth Control 1.2.65

Gamma Ray	0 Gr/api/Gr	Gamma Correlation Curve	Bubble Rate	Average Amplitude
Gr/api/Gr	0			Average Amplitude
CCL Amplitude	0 Ccl Amplitude			Bubble Rate
CCL (Micro Seconds)	0 (mic)			Bubble Rate/Amplitude
Bubble Rate/Amplitude	0			
Tool Tension	0 Tool Tension			
Line Speed	0 Line Speed			