

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>401747785</b>			
Date Received: <b>09/04/2018</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10110</u>	Contact Name <u>Geoff Lee</u>
Name of Operator: <u>GREAT WESTERN OPERATING COMPANY LLC</u>	Phone: <u>(720) 5952155</u>
Address: <u>1001 17TH STREET #2000</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>glee@gwogco.com</u>

  

API Number : <u>05-123-44363-00</u>	OGCC Facility ID Number: <u>449545</u>
Well/Facility Name: <u>Ottesen LE</u>	Well/Facility Number: <u>06-290HC</u>
Location QtrQtr: <u>NWSE</u> Section: <u>33</u> Township: <u>1N</u> Range: <u>66W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WATTENBERG</u>	
Federal, Indian or State Lease Number: <u></u>	

Complete the Attachment  
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

☒ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 40.004325 PDOP Reading 1.5 Date of Measurement 06/30/2016  
Longitude -104.778322 GPS Instrument Operator's Name DALLAS NIELSEN

**LOCATION CHANGE (all measurements in Feet)**

Well will be: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr NWSE Sec 33

New **Surface** Location **To** QtrQtr NWSE Sec 33

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 5

New **Top of Productive Zone** Location **To** Sec 5

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 6 Twp 1S

New **Bottomhole** Location Sec 6 Twp 1S

Is location in High Density Area? No

Distance, in feet, to nearest building 1191, public road: 1401, above ground utility: 1269, railroad: 5280,

property line: 1059, lease line: 0, well in same formation: 261

Ground Elevation 5080 feet Surface owner consultation date 11/25/2016

FNL/FSL		FEL/FWL	
<u>1410</u>	<u>FSL</u>	<u>1548</u>	<u>FEL</u>
<u>1410</u>	<u>FSL</u>	<u>1578</u>	<u>FEL</u>
Twp <u>1N</u>	Range <u>66W</u>	Meridian <u>6</u>	
Twp <u>1N</u>	Range <u>66W</u>	Meridian <u>6</u>	
<u>1591</u>	<u>FSL</u>	<u>460</u>	<u>FEL</u>
<u>1862</u>	<u>FSL</u>	<u>460</u>	<u>FEL</u> **
Twp <u>1S</u>	Range <u>66W</u>		
Twp <u>1S</u>	Range <u>66W</u>		
<u>1601</u>	<u>FSL</u>	<u>2183</u>	<u>FEL</u>
<u>1875</u>	<u>FSL</u>	<u>2603</u>	<u>FEL</u> **

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>
NIOBRARA	NBRR	407-1844	906	S5: All, S6: E2

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☒ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name OTTESEN LE Number 06-290HC Effective Date: 09/07/2018

To: Name Ottesen LE Number 06-250HN

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 10/01/2018

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

COMMENTS:

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Surface String	13	1		2	9	5		8	36	0	1737	723	1737	0
First String	8	1		2	5	1		2	17	0	17329	1224	17329	

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

### **Best Management Practices**

**No BMP/COA Type**

**Description**

#### **Operator Comments:**

This well has a bottom hole location beyond the unit boundary setback. The bottom of the completed interval will be within the unit boundary setback at 1875' FSL and 2503' FEL of Section 6. The wellbore beyond the unit boundary setback will be physically isolated and will not be completed.

Distance from completed portion of the wellbore to nearest wellbore permitted or completed in the same formation was measured to the proposed Ottesen LE 06-250HC. This distance is measured in 3D.

UnitDocket # 180900690: is on the September Docket for increased well density and reduced setbacks.

No point of the wellbore is changing more than a QTR/QTR.

Changing well name, objective formation, SHL, entry point and BHL.

SHL Change: 30'

EP Change: 271'

BHL Change: 500'

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_

Print Name: Geoff Lee

Title: Regulatory Analyst

Email: Regulatorypermitting@gwogco.com

Date: 9/4/2018

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Trask, Sabrina

Date: 10/5/2018

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

	Operator will ensure the wellbore beyond the unit boundary setback is physically isolated and is not completed. In the Operator Comments on the Form 5A the operator will (1) report the footages from the section lines of the bottom of the completed interval, (2) describe how the wellbore beyond the unit boundary setback is physically isolated, and (3) certify that none of the wellbore beyond the setback was completed.
	<p>This Form 4 makes changes to the approved Form 2 and must be displayed with the Form 2 while drilling.</p> <p>Oil-based drilling fluid is to be used only after all fresh water aquifers are covered.</p> <p>Bradenhead tests shall be performed according to the following schedule and the Form 17 submitted within 10 days of each test:</p> <ol style="list-style-type: none"> <li>1) Within 60 days of rig release and prior to stimulation and</li> <li>2) If a delayed completion, 6 months after rig release and prior to stimulation.</li> <li>3) Within 30 days after first production, as reported on Form 5A.</li> </ol> <p>If a bradenhead test reports a surface casing pressure greater than 200 psig stimulation is not allowed until the Engineering Supervisor has been consulted.</p>

**General Comments****User Group****Comment****Comment Date**

Permit	<p>Changed spacing order from 407-1845 to 407-1844, as 407-1845 is for pooling, not spacing.</p> <p>Changed unit config to include "E2" of sec 6.</p> <p>Amended comment on Submit tab to include the changing of the objective formation from CODL to NBRR.</p>	10/05/2018
Engineer	Cement coverage required (from TD to at minimum 200' above Niobrara) is a COA on the Form 2. Offset mitigation COA on the Form 2.	09/18/2018

Total: 2 comment(s)

**Attachment Check List****Att Doc Num****Name**

401747785	SUNDRY NOTICE APPROVED-LOC-OBJ-NAME-DRLG-CSG
401749718	DIRECTIONAL DATA
401749727	DEVIATED DRILLING PLAN
401749729	WELL LOCATION PLAT
401786016	FORM 4 SUBMITTED

Total Attach: 5 Files