

WELL LOCATION PLAT INTERCHANGE B N35-20-3N

NE 1/4 SW 1/4 SEC. 10, T1S, R 68 W, 6TH P.M.

WELL BORE
CONTINUES INTO
SECTION 3
(SHEET 2)

NW COR. SEC. 10
FOUND 2" PIPE
W/ 3.25" A.C.
PLS 24960

N 89°53'00" W 2645.55'

N 89°53'12" W 2645.56'

NE COR. SEC. 10
FOUND 2.375" PIPE
W/ 3.25" A.C.
PLS 34977

N 1/4 COR. SEC. 10
FOUND 3.25" B.C.
IN BRIDGE DECK
PLS 17508

N 00°33'16" W 2643.55'

N 21°31'39" E 3172.85'

N 00°27'47" W 2644.97'

S 00°22'17" E 2646.28'

W 1/4 COR. SEC. 10
FOUND #6 REBAR
W/ 3.25" A.C.
PLS 7276

S 89°51'06" E 2641.35'

S 89°51'27" E 2641.34'

E 1/4 COR. SEC. 10
FOUND #6 REBAR
W/ 2.5" A.C.
PLS 23524

C 1/4 COR. SEC. 10
FOUND #6 REBAR
W/ 3.25" A.C.
PLS 34176

N 00°33'04" W 2643.10'

INTERCHANGE
B N35-20-3N

N 00°27'50" W 2642.56'

S 00°22'36" E 2642.94'

SW COR. SEC. 10
FOUND #6 REBAR
W/ 3.25" A.C.
ILLEGIBLE

S 89°51'45" E 2637.33'

S 89°50'54" E 2637.32'

SE COR. SEC. 10
FOUND 1" AXLE
W/ 3.25" A.C.
PLS 24960

S 1/4 COR. SEC. 10
FOUND 2.375" PIPE
W/ 3.25" A.C.
PLS 23904

I HEREBY CERTIFY THAT THIS WELL LOCATION CERTIFICATE WAS PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT THE FIELD WORK WAS COMPLETED ON 9/28/2017, THAT IT IS NOT A LAND SURVEY PLAT OR AN IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELIED UPON FOR ESTABLISHMENT OF FENCE, BUILDING OR OTHER FUTURE IMPROVEMENT LINES.



AARON A. DEMO
Professional Land Surveyor Registration No. 38285
State of Colorado
FOR AND ON BEHALF OF BASELINE ENGINEERING CORP.

N

0 1000'
Scale 1" = 1000' ft

SURFACE LOCATION
SEC. 10, T1S, R68W
GROUND ELEVATION = 5213.4'
PDOP = 1.4
LATITUDE = 39.978941°
LONGITUDE = -104.991531°
2483' FSL, 1585' FWL
ENTRY POINT LOCATION
SEC. 3, T1S, R68W
LATITUDE = 39.987023°
LONGITUDE = -104.987318°
150' FSL, 2516' FEL
BOTTOM HOLE LOCATION
SEC. 34, T1N, R68W
LATITUDE = 40.013628°
LONGITUDE = -104.987817°
460' FNL, 2140' FEL

NOTES:

1.  INDICATES SECTION CORNER
2.  INDICATES CALCULATED CORNER
3. (C) INDICATES CALCULATED DIMENSION
4. ELEVATION BASED ON NAVD88 (GEOID12B)
5. BEARINGS DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NAD83 ZONE.
6. OPERATOR: TRAVIS WINNICKI
7. IMPROVEMENTS: SEE LOCATION DRAWING FOR ALL VISIBLE IMPROVEMENTS WITHIN 500' OF DISTURBED AREA.
8. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.

NEAREST CULTURAL ITEMS:

BUILDING: 838' SW
BUILDING UNIT: 1500' W
HIGH OCCUPANCY BUILDING UNIT: 4736' S
DESIGNATED OUTSIDE ACTIVITY AREA: 5280'+
PUBLIC ROAD: 1-25 ON RAMP 623' E
ABOVE GROUND UTILITY: 1569' W
RAILROAD: 5280'+
PROPERTY LINE: 449' E
SURFACE USE: FARMLAND.
NEAREST EXISTING WELL: 599' S



DRAWN BY	RPM	CHECKED BY	AAD
INITIAL SUBMITTAL	1/19/2018	REVISED	N/A
DRAWING SIZE	8.5" X 11"	JOB NO.	EXT01S8BW10-03
SHEET	1 OF 3		



4007 S. LINCOLN AVENUE, SUITE 405 - LOVELAND, COLORADO 80537
P: 970.353.7800 - F: 970.353.7801 - www.baselinecorp.com

WELL LOCATION PLAT INTERCHANGE B N35-20-3N

NE 1/4 SW 1/4 SEC. 10, T1S, R 68 W, 6TH P.M.

SW COR. SEC. 34
FOUND #6 REBAR
UPGRADED
W/ 3.25" A.C.
PLS 38285

NW COR. SEC. 3
FOUND #6 REBAR
W/ 2" A.C.
PLS 23500

S 1/4 COR. SEC. 34
FOUND #6 REBAR
W/ 2.5" A.C.
PLS 14823

WELL BORE
CONTINUES INTO
SECTION 34
(SHEET 3)

SE COR. SEC. 34
FOUND 2" PIPE

NE COR. SEC. 3
FOUND ALUMINUM
POST W/
3.25" A.C.
PLS 34977

N 1/4 COR. SEC. 3
FOUND #6 REBAR
W/ 3.25" A.C.
PLS 24942

3

C 1/4 COR. SEC. 3
FOUND #6 REBAR
W/ 3.25" A.C.
PLS 24960

E 1/4 COR.
SEC. 3
FOUND ALUMINUM
POST
W/ 3.25" A.C.
PLS 34977

S 1/4 COR. SEC. 3
FOUND 3.25" B.C.
IN BRIDGE DECK
PLS 17508

ENTRY POINT

WELL BORE
CONTINUES INTO
SECTION 10
(SHEET 1)


SURFACE LOCATION
SEC. 10, T1S, R68W
GROUND ELEVATION = 5213.4'
PDOP = 1.4
LATITUDE = 39.978941°
LONGITUDE = -104.991531°
2483' FNL, 1585' FWL
ENTRY POINT LOCATION
SEC. 3, T1S, R68W
LATITUDE = 39.987023°
LONGITUDE = -104.987318°
150' FSL, 2516' FEL
BOTTOM HOLE LOCATION
SEC. 34, T1N, R68W
LATITUDE = 40.013628°
LONGITUDE = -104.987817°
460' FNL, 2140' FEL

NOTES:

1. INDICATES SECTION CORNER
2. INDICATES CALCULATED CORNER
3. (C) INDICATES CALCULATED DIMENSION
4. ELEVATION BASED ON NAVD88 (GEOID12B)
5. BEARINGS DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NAD83 ZONE.
6. OPERATOR: TRAVIS WINNICKI
7. IMPROVEMENTS: SEE LOCATION DRAWING FOR ALL VISIBLE IMPROVEMENTS WITHIN 500' OF DISTURBED AREA.
8. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.

I HEREBY CERTIFY THAT THIS WELL LOCATION CERTIFICATE WAS PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT THE FIELD WORK WAS COMPLETED ON 9/28/2017, THAT IT IS NOT A LAND SURVEY PLAT OR AN IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELED UPON FOR ESTABLISHMENT OF FENCE, BUILDING OR OTHER FUTURE IMPROVEMENT LINES.

AARON A. DEMO
Professional Land Surveyor Registration No. 38285
State of Colorado
FOR AND ON BEHALF OF BASELINE ENGINEERING CORP.



NEAREST CULTURAL ITEMS:

BUILDING: 838' SW
BUILDING UNIT: 1500' W
HIGH OCCUPANCY BUILDING UNIT: 4736' S
DESIGNATED OUTSIDE ACTIVITY AREA: 5280' +
PUBLIC ROAD: 1-25 ON RAMP 623' E
ABOVE GROUND UTILITY: 1569' W
RAILROAD: 5280' +
PROPERTY LINE: 449' E
SURFACE USE: FARMLAND.
NEAREST EXISTING WELL: 599' S



DRAWN BY	RPM	CHECKED BY	AAD
INITIAL SUBMITTAL	1/19/2018	REVISED	N/A
DRAWING SIZE	8.5" X 11"	JOB NO.	EXT01S8BW10-03
SHEET	2 OF 3		



4007 S. LINCOLN AVENUE, SUITE 405 - LOVELAND, COLORADO 80537
P: 970.353.7800 - F: 970.353.7801 - www.baselinecorp.com

WELL LOCATION PLAT INTERCHANGE B N35-20-3N

NE1/4 SW1/4 SEC. 10, T1S, R 68 W, 6TH P.M.

N 1/4 COR. SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.

NW COR. SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.
PLS 13258

W 1/4 COR.
SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.
PLS 18482

SW COR. SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.
PLS 38285

NW COR. SEC. 3
FOUND #6 REB.
W/ 2" A.C.
PLS 23500

C 1/4 COR. SEC. 34
FOUND #6 REB.
W/ 2-1/2" A.C.

S 1/4 COR. SEC. 34
FOUND #6 REB.
W/ 2-1/2" A.C.
PLS 14823

N 1/4 COR. SEC. 3
FOUND #6 REB.
W/ 3-1/4" A.C.
PLS 24942

SURFACE LOCATION
SEC. 10, T1S, R68W
GROUND ELEVATION = 5213.4'
PDOP = 1.4
LATITUDE = 39.978941°
LONGITUDE = -104.991531°
2483' FNL, 1585' FWL
ENTRY POINT LOCATION
SEC. 3, T1S, R68W
LATITUDE = 39.987023°
LONGITUDE = -104.987318°
150' FSL, 2516' FEL
BOTTOM HOLE LOCATION
SEC. 34, T1N, R68W
LATITUDE = 40.013628°
LONGITUDE = -104.987817°
460' FNL, 2140' FEL

NE COR. SEC. 34
FOUND #6 REB.
W/ 2" A.C.

E 1/4 COR.
SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.

WELL BORE
CONTINUES INTO
SECTION 3
(SHEET 2)

SE COR. SEC. 34
FOUND #6 REB.
W/ 3-1/4" A.C.
PLS 23027


NE COR. SEC. 3
FOUND AL. POST
W/ 3-1/4" A.C.
PLS 34977

NOTES:

1. INDICATES SECTION CORNER
2. INDICATES CALCULATED CORNER
3. (C) INDICATES CALCULATED DIMENSION
4. ELEVATION BASED ON NAVD88 (GEOID12B)
5. BEARINGS DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NAD83 ZONE.
6. OPERATOR: TRAVIS WINNICKI
7. IMPROVEMENTS: SEE LOCATION DRAWING FOR ALL VISIBLE IMPROVEMENTS WITHIN 500' OF DISTURBED AREA.
8. WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.

I HEREBY CERTIFY THAT THIS WELL LOCATION CERTIFICATE WAS PREPARED BY ME, OR UNDER MY DIRECT SUPERVISION, THAT THE FIELD WORK WAS COMPLETED ON 9/28/2017, THAT IT IS NOT A LAND SURVEY PLAT OR AN IMPROVEMENT SURVEY PLAT, AND THAT IT IS NOT TO BE RELED UPON FOR ESTABLISHMENT OF FENCE, BUILDING OR OTHER FUTURE IMPROVEMENT LINES.

AARON A. DEMO
Professional Land Surveyor Registration No. 38285
State of Colorado
FOR AND ON BEHALF OF BASELINE ENGINEERING CORP.



NEAREST CULTURAL ITEMS:

BUILDING: 838' SW
BUILDING UNIT: 1500' W
HIGH OCCUPANCY BUILDING UNIT: 4736' S
DESIGNATED OUTSIDE ACTIVITY AREA: 5280' +
PUBLIC ROAD: 1-25 ON RAMP 623' E
ABOVE GROUND UTILITY: 1569' W
RAILROAD: 5280' +
PROPERTY LINE: 449' E
SURFACE USE: FARMLAND.
NEAREST EXISTING WELL: 599' S



DRAWN BY	RPM	CHECKED BY	AAD
INITIAL SUBMITTAL	1/19/2018	REVISED	N/A
DRAWING SIZE	8.5" X 11"	JOB NO.	EXT01S8BW10-03
SHEET	3 of 3		

