

T5S, R96W, 6th P.M.

1917 Brass Cap  
2.3' High  
Lat: 39.636808°  
Long: 108.164797°

1917 Brass Cap  
1.3' High  
Lat: 39.636814°  
Long: 108.155431°

1917 Brass Cap  
1.3' High  
Lat: 39.636825°  
Long: 108.146133°

S89°59'42"W - 2638.90' (Meas.)

S89°55'33"W - 2619.23' (Meas.)

S00°02'33"E - 2632.90' (Meas.)

N00°03'53"W - 2642.02' (Meas.)

N00°09'45"W - 2633.18' (Meas.)

N00°08'22"E - 2647.60' (Meas. to True)

1917 Brass Cap  
2.5' High, Mound  
of Stones  
Lat: 39.629583°  
Long: 108.164786°

1917 Brass Cap  
2.0' High  
Lat: 39.629600°  
Long: 108.146103°

Top Of Gas  
Interval  
Wellbore

(AS-DRILLED)  
NPR 13D-10 596  
Elev. Graded Ground = 6709.4'

Bottom  
Hole

1917 Brass Cap  
2.0' High, Pine Post  
Lat: 39.622331°  
Long: 108.164769°

W.C.  
1917 Brass Cap  
Lat: 39.622331°  
Long: 108.157622°

True Position  
Lat: 39.622328°  
Long: 108.155408°

True Position  
Lat: 39.622333°  
Long: 108.146122°

S89°59'59"W - 2616.84' (True to True)

-N89°57'05"W - 2637.38' -  
(Meas. to True)

PDOP = 4.3

Caerus Oil & Gas LLC

(AS-DRILLED) NPR 13D-10 596  
NE 1/4 SW 1/4, SECTION 10, T5S, R96W, 6th P.M.  
GARFIELD COUNTY, COLORADO

BASIS OF BEARINGS

BEARINGS ARE A BASED ASSUMPTION THAT THE EAST LINE OF  
THE NORTHEAST 1/4 OF SECTION 10 BEARS N00°09'45"W.  
MONUMENTS DESCRIBED HERON.

BASIS OF ELEVATION

SPOT ELEVATION AT THE NORTHWEST CORNER OF SECTION 30, T5S, R95W, 6th P.M., TAKEN  
FROM THE FORKED GULCH QUADRANGLE, GARFIELD COUNTY, COLORADO, 7.5 MINUTE  
QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE  
INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5966 FEET.

LEGEND:

- = 90° SYMBOL
- = AS-DRILLED WELLHEAD.
- ◆ = TOP OF GAS INTERVAL
- = BOTTOM HOLE.
- ▲ = SECTION CORNERS LOCATED. (NAD 83)
- △ = SECTION CORNERS RE-ESTABLISHED.  
(Not Set on Ground.) (NAD 83)

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S89°57'05"E	623.70'
L2	S89°54'44"E	1114.74'


NOTE:  
WELLBORE DATA PROVIDED  
BY Caerus Oil & Gas LLC.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED AND  
LOCATION AS SHOWN WAS STAKED ON THE GROUND FROM FIELD NOTES  
OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT  
THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND  
BELIEF.

REGISTERED LAND SURVEYOR  
REGISTRATION # 19180  
STATE OF COLORADO



N89°54'44"W

-2630.73' (Meas. to True)

W.C. SE Cor. Sec. 10  
1917 Brass Cap, 2.0' High  
Lat: 39.622328°  
Long: 108.142167°

S 1/4 Cor. Sec. 11  
1917 Brass Cap,  
2.3' High  
Lat: 39.622325°  
Long: 108.136786°

NAD 83 (AS-DRILLED LOCATION)	NAD 83 (TOP OF GAS INTERVAL)	NAD 83 (BOTTOM HOLE)
LATITUDE = 39°37'39.23" (39.627565)	LATITUDE = 39°37'42.14" (39.628371)	LATITUDE = 39°37'41.07" (39.628075)
LONGITUDE = 108°09'21.77" (108.156046)	LONGITUDE = 108°09'34.12" (108.159477)	LONGITUDE = 108°09'37.07" (108.160298)
NAD 27 (AS-DRILLED LOCATION)	NAD 27 (TOP OF GAS INTERVAL)	NAD 27 (BOTTOM HOLE)
LATITUDE = 39°37'39.32" (39.627589)	LATITUDE = 39°37'42.22" (39.628395)	LATITUDE = 39°37'41.15" (39.628099)
LONGITUDE = 108°09'19.48" (108.155410)	LONGITUDE = 108°09'31.83" (108.158841)	LONGITUDE = 108°09'34.78" (108.159661)
UTM NAD 27 (ZONE 12)	UTM NAD 27 (ZONE 12)	UTM NAD 27 (ZONE 12)
N: 14403129.11 E: 2441440.46	N: 14403392.24 E: 2440464.91	N: 14403276.86 E: 2440237.18



UELS, LLC  
Corporate Office \* 85 South 200 East  
Vernal, UT 84078 \* (435) 789-1017

SURVEYED BY	DAYTON SLAUGH	10-12-18	SCALE
DRAWN BY	M.D.	10-12-18	1" = 1000'
AS-DRILLED WELL LOCATION PLAT			