

FORM
2A

Rev
04/18

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401786185

(SUBMITTED)

Date Received:

Oil and Gas Location Assessment

☐ New Location ☐ Refile ☐ Amend Existing Location Location#: _____

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

Expiration Date:

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10071
Name: HIGHPOINT OPERATING CORPORATION
Address: 1099 18TH ST STE 2300
City: DENVER State: CO Zip: 80202

Contact Information

Name: Matt Barber
Phone: (303) 312-8188
Fax: ()
email: mbarber@hpres.com

FINANCIAL ASSURANCE

- ☒ Plugging and Abandonment Bond Surety ID (Rule 706): 20040060 ☐ Gas Facility Surety ID (Rule 711): _____
- ☐ Waste Management Surety ID (Rule 704): _____

LOCATION IDENTIFICATION

Name: FOX CREEK Number: 34 NW PAD
County: WELD
Quarter: NWNW Section: 34 Township: 12N Range: 63W Meridian: 6 Ground Elevation: 5453
Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.
Footage at surface: 1155 feet FNL from North or South section line
1101 feet FWL from East or West section line
Latitude: 40.970000 Longitude: -104.426031
PDOP Reading: 1.4 Date of Measurement: 08/16/2018
Instrument Operator's Name: MATTHEW MILLER J.B.

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID #

FORM 2A DOC #

Well Site is served by Production Facilities

415857

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

| | | | | | | | | | |
|-----------------------|----|----------------------|----|----------------------|--|------------------|--|-------------------------------|--|
| Wells | 12 | Oil Tanks* | | Condensate Tanks* | | Water Tanks* | | Buried Produced Water Vaults* | |
| Drilling Pits | | Production Pits* | | Special Purpose Pits | | Multi-Well Pits* | | Modular Large Volume Tanks | |
| Pump Jacks | 12 | Separators* | 12 | Injection Pumps* | | Cavity Pumps* | | Gas Compressors* | |
| Gas or Diesel Motors* | | Electric Motors | | Electric Generators* | | Fuel Tanks* | | LACT Unit* | |
| Dehydrator Units* | | Vapor Recovery Unit* | | VOC Combustor* | | Flare* | | Pigging Station* | |

OTHER FACILITIES*

Other Facility Type

Number

AUTOMATION SYSTEM

1

Those facilities indicated by an asterisk () shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

"2 – 4" Gas injection
2 – 4" Water
1 – 4" Oil
1 – 10" gas gathering
12 – 3" Flowlines on Pad

See pipeline and flowline counts above. When possible temporary water pipelines will carry water from storage tanks or water sources to well completion sites. Pipes will be made of flexible and rigid materials (plastic, aluminum and steel) generally 8" to 12" in diameter. The length will be determined by the distance to the well site to be serviced for the fracing operation. This will greatly minimize the number of truck trips required for the well completion. This location will have up to 20-500 bbl frac tanks. Frac tanks located on this pad may service completion operations being conducted on an adjacent pad location. A sundry would be submitted in the event this situation occurs. Surface owner approval would be obtained where necessary. This location will also have up to 15-300 bbl temporary tanks for drilling operations."

CONSTRUCTION

Date planned to commence construction: 01/19/2019 Size of disturbed area during construction in acres: 9.29
Estimated date that interim reclamation will begin: 08/15/2019 Size of location after interim reclamation in acres: 1.80
Estimated post-construction ground elevation: 5450

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Land application

Cutting Disposal: OFFSITE Cuttings Disposal Method: Beneficial reuse

Other Disposal Description:

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: 454282 or Document Number: _____

Centralized E&P Waste Management Facility ID, if applicable: _____

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: PETERS 313 RANCH INC.

Phone: _____

Address: PO BOX M

Fax: _____

Address: _____

Email: _____

City: CARPENTER State: WY Zip: 82054

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☐ is the mineral owner

☐ is committed to an oil and Gas Lease

☐ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____

Date of Rule 306 surface owner consultation _____

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP
Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____
Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

| | From WELL | From PRODUCTION FACILITY |
|-----------------------------------|------------------|---------------------------------|
| Building: | 1719 Feet | 1551 Feet |
| Building Unit: | 1808 Feet | 1553 Feet |
| High Occupancy Building Unit: | 5280 Feet | 5280 Feet |
| Designated Outside Activity Area: | 5280 Feet | 5280 Feet |
| Public Road: | 1967 Feet | 1710 Feet |
| Above Ground Utility: | 1176 Feet | 906 Feet |
| Railroad: | 5280 Feet | 5280 Feet |
| Property Line: | 1011 Feet | 741 Feet |

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- ☐ Buffer Zone
☐ Exception Zone
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- ☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (onl or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- ☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 4 - Ascalon fine sandy loam, 0 - 6 percent slopes

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 08/10/2018

List individual species: _____

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- ☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- ☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- ☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- ☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- ☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- ☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- ☐ Alpine (above timberline)
- ☐ Other (describe): _____

WATER RESOURCES

Is this a sensitive area: ☒ No ☐ Yes

Distance to nearest

downgradient surface water feature: 369 Feet

water well: 1644 Feet

Estimated depth to ground water at Oil and Gas Location 34 Feet

Basis for depth to groundwater and sensitive area determination:

Depth to water based on nearby water well (permit #122358-A)

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: No

Is the Location within a Floodplain? ☒ No ☐ Yes Floodplain Data Sources Reviewed (check all that apply)

☒ Federal (FEMA)

☐ State

☒ County

☐ Local

☐ Other

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

WILDLIFE

☐ This location is included in a Wildlife Mitigation Plan

☐ This location was subject to a pre-consultation meeting with CPW held on

Operator Proposed Wildlife BMPs

No BMP

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments Facilities will be located at new production location - Fox Creek 5-2804H LOC ID #415857

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: _____ Email: starpoint@etv.net

Print Name: Don Hamilton Title: Project Manager

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____ Director of COGCC _____ Date: _____

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type

Description

| | |
|--|--|
| | |
|--|--|

Best Management Practices

No BMP/COA Type

Description

| | | |
|---|----------------------|---|
| 1 | Emissions mitigation | HighPoint will act in accordance with Rule 912 which prohibits unnecessary or excessive flaring from a well, first sign of salable quality gas will be piped to a sales line. |
|---|----------------------|---|

| | | |
|---|--------------------------------|--|
| 2 | Drilling/Completion Operations | <p>MATERIAL HANDLING, STORMWATER MANAGEMENT AND SPILL CONTROL</p> <p>Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters.</p> <p>Proper loading, and transportation procedures to be followed for all materials to and from locations.</p> <p>Use drip pans, sumps, or liners where appropriate</p> <p>Properly dispose of any wastes fluids and other materials at properly authorized offsite disposal or recycling facilities</p> <p>Utilize berms and/or other forms of diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads.</p> <p>Limit the amount of land disturbed during construction of pad, access road, and facilities</p> <p>Pad and access road to be designed to minimize erosion</p> <p>Install appropriate erosion control devices where necessary to minimize and/or control erosion</p> <p>Conduct routine inspections of sites and stormwater controls measures in accordance with the requirements of the CDPHE.</p> <p>Complete repair, maintenance or installation of new stormwater control measures in accordance with the requirements of the CDPHE and as necessary to minimize and/or control erosion and transport of sediment off location.</p> <p>Develop and implement a Spill Response, Control, and Countermeasure (SPCC) Plan in accordance with 40 CFR Part 112</p> <p>Install secondary containment around tanks, drums, and storage areas to prohibit discharges to surface waters in accordance with 40 CFR Part 112. Alternatively general secondary containment may be provided around the entire perimeter of the location when containment structures are not feasible in immediate vicinity of storage vessels.</p> <p>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</p> <p>All HighPoint Operating Corporation employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually</p> <p>Conduct stormwater inspections per applicable stormwater regulations and HighPoint Operating Corporation's Stormwater Management Plan (SWMP)</p> <p>Conduct routine informal inspections of all tanks and storage facilities at least weekly</p> <p>All containment areas are to be inspected weekly or following a heavy rain event.</p> <p>Excessive precipitation accumulation within secondary containment that materially impacts storage capacity containment structure will be removed as appropriate and disposed of properly.</p> <p>All structural berms, dikes, and containment will be inspected periodically to ensure they are functioning as designed.</p> <p>SPILL RESPONSE</p> <p>Spill response procedures as per the applicable SPCC Plan and/or HighPoint Operating Corporation Emergency Response Plan and Incident Reporting Policy.</p> |
|---|--------------------------------|--|

| | | |
|---|--------------------------------|--|
| 3 | Drilling/Completion Operations | <p>HIGHPOINT GENERAL PRACTICES (DRILLING/COMPLETION OPERATIONS) NOTIFICATIONS Proper notifications required by COGCC regulations or policy memos will be adhered to.</p> <p>TRENCHES/PITS/TEMPORARY FRAC TANKS Unlined pits will not be constructed. Drill cuttings will be put to beneficial reuse on location, hauled to an approved spread field for beneficial reuse, or hauled to a properly authorized 3rd party disposal facility. Disposal and beneficial reuse methods will comply with COGCC regulations, policy, and guidance.</p> <p>Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow sand and sediment to settle out before the fluids are hauled to a state-approved disposal facility. Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks.</p> <p>VEHICLE & LOCATION PROCEDURES Vehicles entering location shall be cleaned to the extent necessary to prevent deposit of chemicals, oil, noxious weeds, trash, and debris on location.</p> <p>HIGHPOINT GENERAL PRACTICES (DRILLING/COMPLETION OPERATIONS) NOTIFICATIONS Proper notifications required by COGCC regulations or policy memos will be adhered to.</p> <p>TRENCHES/PITS/TEMPORARY FRAC TANKS Unlined pits will not be constructed. Drill cuttings will be put to beneficial reuse on location, hauled to an approved spread field for beneficial reuse, or hauled to a properly authorized 3rd party disposal facility. Disposal and beneficial reuse methods will comply with COGCC regulations, policy, and guidance.</p> |
|---|--------------------------------|--|

Total: 3 comment(s)

Attachment Check List

| <u>Att Doc Num</u> | <u>Name</u> |
|--------------------|-------------------------|
| 401786198 | ACCESS ROAD MAP |
| 401786199 | LOCATION DRAWING |
| 401786201 | MULTI-WELL PLAN |
| 401786203 | MINERAL LEASE MAP |
| 401786205 | LOCATION PICTURES |
| 401786206 | HYDROLOGY MAP |
| 401786207 | REFERENCE AREA MAP |
| 401786208 | REFERENCE AREA PICTURES |
| 401786209 | WASTE MANAGEMENT PLAN |
| 401786210 | SURFACE AGRMT/SURETY |
| 401792731 | NRCS MAP UNIT DESC |

Total Attach: 11 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)

Public Comments

No public comments were received on this application during the comment period.

