
gyrodata
Log Variables
Log Variables
gyrodata
BORE HOLE
gyrodata
BHA PASS - Run with 1 PS
0 in Hole
Log Variables



REPEAT PASS - Ran with 0 PSI

6 in / 150 ft

Database File	20180922_extraction_cnn valley east mit1 20-10c_cdr20180922_extraction_cnn valley east mit1 20-10c_cdr.db
Dataset Pathname	pass1
Presentation Format	cdr
Dataset Creation	Sep 22 15:32:22 2018
Charted by	Depth in Feet scaled 1:240

Database File	d:\esm\data\20180922_extraction_cnn valley east mit1 20-10c_cdr20180922_extraction_cnn valley east mit1 20-10c_cdr.db
Dataset Pathname	pass1
Dataset Creation	Sat Sep 22 19:46:26 2018

Gamma Ray Calibration Report

Serial Number	8930MLA1
Tool Model	GR-AMS
Performed	Tue Dec 13 00:01:19 2016
Calibrator Value	184.0 GAPI
Background Reading	59.5 cps
Calibrator Reading	300.8 cps
Sensitivity	0.8039 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number	2107
Tool Model	2 3/4" AAA Analog
Calibration Casing Diameter	5.500 in
Calibration Depth	0.000 ft

Calibration Report

Database File d:\esm\data\20180922_extraction_cnn valley east mit1 20-10c_cdr20180922_extraction_cnn valley east mit1 20-10c_cdr.db
Dataset Pathname pass1
Dataset Creation Sat Sep 22 19:46:26 2018

Gamma Ray Calibration Report

Serial Number	8930MLA1
Tool Model	GR-AMS
Performed	Tue Dec 13 00:01:19 2016
Calibrator Value	184.0 GAPI
Background Reading	59.5 cps
Calibrator Reading	300.8 cps
Sensitivity	0.8039 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number	2107
Tool Model	2 3/4" AAA Analog
Calibration Casing Diameter	5.500 in
Calibration Depth	0.000 ft

Master Calibration, performed (Derived)

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
7	-0.009	1.110	0.000	72.000	54.380	0.410
CAL	0.000	0.750				
6	-0.007	1.749	0.000	72.000	40.983	0.299
SUM						
51	0.020	1.206	0.000	72.000	60.711	-1.259
52	0.019	1.206	0.000	72.000	58.185	-1.084
53	0.019	1.205	0.000	72.000	58.185	-1.084
54	0.018	1.625	0.000	72.000	44.761	-0.801
55	0.018	1.614	0.000	72.000	45.116	-0.808
56	0.018	1.625	0.000	72.000	44.761	-0.801
57	0.018	1.625	0.000	72.000	44.761	-0.801
58	0.000	1.666	0.000	72.000	43.201	-1.210

Internal Reference Calibration, performed Fri Aug 25 16:15:12 2017

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.750	0.000	0.750	1.000	0.000

Air Zero Calibration, performed Fri Aug 25 16:15:12 2017.

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
7	0.000	0.000	0.000
SUM	0.000	0.000	0.000
51	0.000	0.000	0.000
52	0.000	0.000	0.000
53	0.000	0.000	0.000
54	0.000	0.000	0.000
55	0.000	0.000	0.000
56	0.000	0.000	0.000
57	0.000	0.000	0.000
58	0.000	0.000	0.000

Temperature Calibration Report

Serial Number	2PPA331
Tool Model	2PPA-AMS
Performed	Fri Aug 25 11:07:12 2018

	Reading		
Reference			
Low Reference	0.00 degF	0.00 usec	
High Reference	1.00 degF	1.00 usec	
Gain	0.33		
Offset	0.00		
Delta Spacing	1		

Company	Extraction Oil and Gas, Inc.
Well	Iron Valley East MIT-20-10C
Field	Wattenberg
County	Weld
State	Colorado Country U.S.A.