
gyrodata
Gyrodata Log of Surveys
Run 1 to Run 1
Gyrodata Log of Surveys
Run 1 to Run 1
Log Variables
WORD HOOD
Log Variables
WORD PLEIS - Run with 0 PS
Log Variables





gyrodata

REPEAT PASS - Ran with 0 PSI

8 in 2 100 ft

Database File d:\logs\20180923_extraction_mm valley east rv17-20-13c_cbl\20180923_extraction_mm valley east rv17-20-13c_c
Dataset Pathname pass2
Dataset Creation Sun Sep 23 15:20:31 2018
Charted by Depth in Feet scaled 1:240

Calibration Report

Database File d:\tavrmn\data\20180923_extraction_mm valley east rv17-20-13c_cbl\20180923_extraction_mm valley east r
Dataset Pathname pass3 T
Dataset Creation Sun Sep 23 15:18:40 2018

Gamma Ray Calibration Report

Serial Number:	08GR-01
Tool Model:	2 3/4" TelCo
Performed:	Mon Dec 12 23:01:19 2016
Calibrator Value:	194.0 GAPI
Background Reading:	59.5 cps
Calibrator Reading:	305.8 cps
Sensitivity:	0.6039 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	0TPCQ-01
Tool Model:	2 3/4" RIB Analog
Calibration Casing Diameter:	5.500 in
Calibration Depth:	0.000 ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	1.375	0.000	72.000	52.026	-0.460
CAL	0.000	0.750				
5'	0.000	1.860	0.000	72.000	38.565	0.248
SUM						
S1	0.016	1.201	0.000	72.000	60.793	-0.990
S2	0.019	1.479	0.000	72.000	49.306	-0.948
S3	0.019	1.479	0.000	72.000	49.306	-0.948
S4	0.020	1.756	0.000	72.000	41.469	-0.848
S5	0.020	1.756	0.000	72.000	41.469	-0.848
S6	0.022	1.532	0.000	72.000	47.662	-1.034
S7	0.021	1.289	0.000	72.000	56.771	-1.196
S8	0.018	1.158	0.000	72.000	63.164	-1.160

Internal Reference Calibration, performed Fri Aug 25 15:15:12 2017:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.750	0.000	0.750	1.500	0.000

Air Zero Calibration, performed Fri Aug 25 15:15:12 2017:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
SUM	0.000	0.000	0.000
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	0PPQ2-01
Tool Model:	2 3/4" RIB Analog
Performed:	Fri Aug 26 10:07:35 2016

Reference		Reading	
Low Reference:	0.00 degF	0.00 usec	
High Reference:	1.00 degF	1.00 usec	
Gain:	0.33		
Offset:	0.00		
Delta Spacing:	1		

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cablehead TitanCoreType2	1.03	1.44	3.60
CCL	13.50		CCL_Log-2 3/4" TelCo (0227-09)	1.83	2.75	33.00
			Antelope Overbody	1.25	2.75	
TEMP	10.05					
WVF5B	8.76					
WVF5T	8.76					
WVF5B	8.76		RBTA-2 3/4" RIB Analog (RPO2-01)	9.13	2.75	102.00
WVF5S	8.76					
WVF5A	8.76					
WVF5M	8.76					
WVF5Z	8.76					
WVF5T	8.76					
WVF5T	8.01					
WVF5T	7.01					
WVF5TNC	3.68					
WVF5TAM	3.68					
WVFCAL	3.68					
			Antelope Overbody	1.25	2.75	
			GR_Log-2 3/4" TelCo (WEMB-01)	3.68	2.75	47.00
GR	1.04					
LOCTM	0.00					
UTCTM	0.00					

Dataset: 20180923_extraction_mm valley east rv17-20-13c_cbl.db: fieldwellrun1pass3.1
Total length: 15.67 ft
Total weight: 185.60 lb
O.D. 2.75 in

gyrodata

Company	Extraction Oil and Gas, Inc.
Well	Rio Valley East 8417-20-13C
Field	Wattenberg
County	Weld
State	Colorado
Country	U.S.A.