



March 24, 2017

Eagle Environmental Consulting, Inc.

Martin C Eckert III

4101 Inca Street

Denver

CO 80211

**Project Name - Synergy - Nelson East Tank
Battery**

Project Number - [none]

Attached are your analytical results for Synergy - Nelson East Tank Battery received by Origins Laboratory, Inc. March 20, 2017. This project is associated with Origins project number Y703284-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Martin C Eckert III
Project Number: [none]
Project: Synergy - Nelson East Tank Battery

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-01	Y703284-01	Water	March 20, 2017 11:05	03/20/2017 18:16
MW-02	Y703284-02	Water	March 20, 2017 10:35	03/20/2017 18:16
MW-03	Y703284-03	Water	March 20, 2017 10:15	03/20/2017 18:16
MW-04	Y703284-04	Water	March 20, 2017 11:15	03/20/2017 18:16
MW-05	Y703284-05	Water	March 20, 2017 11:25	03/20/2017 18:16
MW-06	Y703284-06	Water	March 20, 2017 11:35	03/20/2017 18:16
MW-07	Y703284-07	Water	March 20, 2017 10:45	03/20/2017 18:16
MW-08	Y703284-08	Water	March 20, 2017 10:55	03/20/2017 18:16

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery



7103284

www.originslaboratory.com

page 1 of 1

Client: EAGLE ENV CONSULTING Project Manager: MARTIN ECKERT III
 Address: 4101 INCA ST. Project Name: NELSON EAST TANK BATTERY
DENVER, CO 80211 Project Number: -
 Telephone Number: (303) 433-0479 Samples Collected By: SV
 Email Address: MCE3@EAGLE-ENV.RO.COM

Fax: 303.265.9645 | Phone: 303.433.1322 | Denver, CO 80211

Sample ID Description	Date Sampled	Time Sampled	# of Containers	Preservative				Matrix			Analysis		Sample Instructions				
				Unpreserved	HCl	HNO ₃	Other	Groundwater	Soil	Air Summa #	Other	Date		Time			
MW-01	3/20/17	1105	3	X				X									
MW-02		1035	1														
MW-03		1015	1														
MW-04		1115	1														
MW-05		1125	1														
MW-06		1135	1														
MW-07		1045	1														
MW-08		1055	1														
Relinquished By:		Date:	Time:	Received By:	Date:	Time:	Received By:	Date:	Time:	Turnaround Time:							
		3/20/17	1816	<i>DL</i>	3-20-17	1816				Same Day <input type="checkbox"/>	24 Hr <input type="checkbox"/>						
Relinquished By:		Date:	Time:	Received By:	Date:	Time:	Received By:	Date:	Time:	48 Hr <input type="checkbox"/>	72 Hr <input type="checkbox"/>	Standard <input checked="" type="checkbox"/>					

Temp Received: 5.7°C Date Results Needed

Origins Laboratory, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: V703284

Client: Eagle Env

Client Project ID: Nelson East Tank Battery

Checklist Completed by: DM

Shipped Via: HD
 (UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 3-21-12 1024

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1 / 3.7 °C / _____ °C / _____ °C (Describe) _____ °C

Thermometer ID: TC03

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCL, H ₂ SO ₄) / (pH >10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

Reviewed by: DM (Project Manager)

Date/Time Reviewed: 3-21-12 1024

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Martin C Eckert III
Project Number: [none]
Project: Synergy - Nelson East Tank Battery

MW-01

3/20/2017 11:05:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-01 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	102 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.9 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	93.9 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-02
3/20/2017 10:35:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-02 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	1.83	1.00	"	"	"	"	"	
Xylenes, total	6.04	1.00	"	"	"	"	"	

Surrogate: 1,2-Dichloroethane-d4	99.9 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.9 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	95.8 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-03

3/20/2017 10:15:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-03 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U

Surrogate: 1,2-Dichloroethane-d4	98.7 %	84-121			"	"	"	
Surrogate: Toluene-d8	100 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	94.2 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-04

3/20/2017 11:15:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-04 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	98.1 %	84-121			"	"	"	
Surrogate: Toluene-d8	98.2 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	92.4 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-05
3/20/2017 11:25:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-05 (Water)

BTEX by EPA 8260C

Benzene	70.7	4.00	ug/L	4	B7C2109	03/21/2017	03/23/2017	
Toluene	52.6	4.00	"	"	"	"	"	
Ethylbenzene	37.8	4.00	"	"	"	"	"	
Xylenes, total	1710	4.00	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4	103 %	84-121			"	"	"	
Surrogate: Toluene-d8	101 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	99.6 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-06
3/20/2017 11:35:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-06 (Water)

BTEX by EPA 8260C

Benzene	8.53	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	1.17	1.00	"	"	"	"	"	
Xylenes, total	7.47	1.00	"	"	"	"	"	

Surrogate: 1,2-Dichloroethane-d4	101 %	84-121			"	"	"	
Surrogate: Toluene-d8	101 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	96.3 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-07

3/20/2017 10:45:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-07 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
<i>Surrogate: 1,2-Dichloroethane-d4</i>	103 %	84-121			"	"	"	
<i>Surrogate: Toluene-d8</i>	99.9 %	85-115			"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>	92.7 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

MW-08
3/20/2017 10:55:00AM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y703284-08 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B7C2109	03/21/2017	03/23/2017	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	2.52	1.00	"	"	"	"	"	
Xylenes, total	4.16	1.00	"	"	"	"	"	

Surrogate: 1,2-Dichloroethane-d4	98.2 %	84-121			"	"	"	
Surrogate: Toluene-d8	102 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	96.3 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Blank (B7C2109-BLK1)

Prepared: 03/22/2017 Analyzed: 03/22/2017

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5		103	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	60		"	62.5		95.9	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Blank (B7C2109-BLK2)

Prepared: 03/22/2017 Analyzed: 03/22/2017

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	65		"	62.5	104		84-121			
Surrogate: Toluene-d8	65		"	62.5	103		85-115			
Surrogate: 4-Bromofluorobenzene	59		"	62.5	93.7		84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

LCS (B7C2109-BS1)

Prepared: 03/22/2017 Analyzed: 03/22/2017

Benzene	56.8	1.00	ug/L	50.0		114	73.3-129			
Toluene	55.9	1.00	"	50.0		112	76.2-123			
Ethylbenzene	56.8	1.00	"	50.0		114	73.6-130			
m,p-Xylene	115	2.00	"	100		115	76.1-126			
o-Xylene	56.9	1.00	"	50.0		114	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		97.3	84-121			
Surrogate: Toluene-d8	64		"	62.5		102	85-115			
Surrogate: 4-Bromofluorobenzene	65		"	62.5		103	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

LCS (B7C2109-BS2)

Prepared: 03/22/2017 Analyzed: 03/22/2017

Benzene	58.2	1.00	ug/L	50.0		116	73.3-129			
Toluene	58.5	1.00	"	50.0		117	76.2-123			
Ethylbenzene	58.8	1.00	"	50.0		118	73.6-130			
m,p-Xylene	117	2.00	"	100		117	76.1-126			
o-Xylene	57.4	1.00	"	50.0		115	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		96.8	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		100	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Matrix Spike (B7C2109-MS1)	Source: Y703269-01			Prepared: 03/21/2017 Analyzed: 03/22/2017						
Benzene	64.1	1.00	ug/L	50.0	ND	128	74-130			
Toluene	64.2	1.00	"	50.0	ND	128	73-131			
Ethylbenzene	65.0	1.00	"	50.0	ND	130	76-132			
m,p-Xylene	130	2.00	"	100	ND	130	69-139			
o-Xylene	62.2	1.00	"	50.0	ND	124	74-131			
Surrogate: 1,2-Dichloroethane-d4	63		"	62.5		100	84-121			
Surrogate: Toluene-d8	64		"	62.5		103	85-115			
Surrogate: 4-Bromofluorobenzene	62		"	62.5		99.5	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Matrix Spike (B7C2109-MS2)	Source: Y703269-02			Prepared: 03/21/2017 Analyzed: 03/22/2017						
Benzene	60.1	1.00	ug/L	50.0	ND	120	74-130			
Toluene	57.7	1.00	"	50.0	ND	115	73-131			
Ethylbenzene	60.7	1.00	"	50.0	ND	121	76-132			
m,p-Xylene	120	2.00	"	100	ND	120	69-139			
o-Xylene	58.0	1.00	"	50.0	ND	116	74-131			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	59		"	62.5		93.9	84-121			
<i>Surrogate: Toluene-d8</i>	63		"	62.5		100	85-115			
<i>Surrogate: 4-Bromofluorobenzene</i>	63		"	62.5		101	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Matrix Spike Dup (B7C2109-MSD1)	Source: Y703269-01			Prepared: 03/21/2017 Analyzed: 03/22/2017						
Benzene	63.8	1.00	ug/L	50.0	ND	128	74-130	0.485	20	
Toluene	62.5	1.00	"	50.0	ND	125	73-131	2.62	20	
Ethylbenzene	63.0	1.00	"	50.0	ND	126	76-132	2.98	20	
m,p-Xylene	123	2.00	"	100	ND	123	69-139	5.15	20	
o-Xylene	59.1	1.00	"	50.0	ND	118	74-131	5.11	20	
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		95.1	84-121			
Surrogate: Toluene-d8	63		"	62.5		102	85-115			
Surrogate: 4-Bromofluorobenzene	61		"	62.5		97.2	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Martin C Eckert III
 Project Number: [none]
 Project: Synergy - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B7C2109 - EPA 5030B (Water)

Matrix Spike Dup (B7C2109-MSD2)	Source: Y703269-02			Prepared: 03/21/2017 Analyzed: 03/22/2017						
Benzene	58.1	1.00	ug/L	50.0	ND	116	74-130	3.32	20	
Toluene	57.2	1.00	"	50.0	ND	114	73-131	0.853	20	
Ethylbenzene	57.4	1.00	"	50.0	ND	115	76-132	5.52	20	
m,p-Xylene	116	2.00	"	100	ND	116	69-139	2.93	20	
o-Xylene	55.5	1.00	"	50.0	ND	111	74-131	4.44	20	
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		94.1	84-121			
Surrogate: Toluene-d8	64		"	62.5		102	85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5		100	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Martin C Eckert III
Project Number: [none]
Project: Synergy - Nelson East Tank Battery

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President