



June 18, 2018

Eagle Environmental Consulting, Inc.

Dan Coloccia

4101 Inca Street

Denver

CO 80211

Project Name - SRC - Nelson East Tank Battery

Project Number - [none]

Attached are your analytical results for SRC - Nelson East Tank Battery received by Origins Laboratory, Inc. June 11, 2018. This project is associated with Origins project number Y806131-01.

The analytical results in the following report were analyzed under the guidelines of EPA Methods. These methods are identified as follows; "SW" are defined in SW-846, "EPA" are defined in 40CFR part 136 and "SM" are defined in the most current revision of Standard Methods For the Examination of Water and Wastewater.

The analytical results apply specifically to the samples and analyses specified per the attached Chain of Custody. As such, this report shall not be reproduced except in full, without the written approval of Origin's laboratory.

Unless otherwise noted, the analytical results for all soil samples are reported on a wet weight basis. All analytical analyses were performed under NELAP guidelines unless noted by a data qualifier.

Any holding time exceedances, deviations from the method specifications or deviations from Origins Laboratory's Standard Operating Procedures are outlined in the case narrative.

Thank you for selecting Origins for your analytical needs. Please contact us with any questions concerning this report, or if we can help with anything at all.

Origins Laboratory, Inc.
303.433.1322
o-squad@oelabinc.com



1725 Elk Place, Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Nelson East Tank Battery

CROSS REFERENCE REPORT

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW-01	Y806131-01	Water	June 11, 2018 13:10	06/11/2018 14:45
MW-02	Y806131-02	Water	June 11, 2018 13:40	06/11/2018 14:45
MW-03	Y806131-03	Water	June 11, 2018 12:50	06/11/2018 14:45
MW-04	Y806131-04	Water	June 11, 2018 13:00	06/11/2018 14:45
MW-05	Y806131-05	Water	June 11, 2018 14:00	06/11/2018 14:45
MW-06	Y806131-06	Water	June 11, 2018 13:50	06/11/2018 14:45
MW-07	Y806131-07	Water	June 11, 2018 13:30	06/11/2018 14:45
MW-08	Y806131-08	Water	June 11, 2018 13:20	06/11/2018 14:45

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

www.originslaboratory.com

ORIGINS
 LABORATORY, INC

Y806131 page 1 of 1

Client: Eagle
 Address: 4101 Inca Street
Denver CO, 80211
 Telephone Number: 303 433 0479
 Email Address: dcoloccia@eagleenv.com

Project Manager: Dan Coloccia
 Project Name: SRC - Nelson East Tank Battery
 Project Number: _____
 Samples Collected By: JG

1725 Eik Place | Denver, CO 80211 | Phone: 303.433.1322 | Fax: 303.265.9645

Sample ID Description	Date Sampled	Time Sampled	# of Containers	Preservative				Matrix			Analysis	Sample Instructions	Turnaround Time				
				Unpreserved	HCl	HNO ₃	Other	Groundwater	Soil	Air Summa #			Other	Same Day	48 Hr	72 Hr	
MW-01	6-1-18	13:10	3	X				X									
MW-02		13:40															
MW-03		12:50															
MW-04		13:00															
MW-05		14:00															
MW-06		13:50															
MW-07		13:30															
MW-08		13:20															
Relinquished By: <u>[Signature]</u>	Date: <u>6-1-18</u>	Time: <u>14:45</u>		Received By: <u>[Signature]</u>	Date: <u>6-1-18</u>	Time: <u>14:45</u>		Standard <input checked="" type="checkbox"/>									

Temp Received: 4/5 Date Results Needed

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Origins Laboratory

F-012207-01-R1
 Effective Date: 01/09/12

Sample Receipt Checklist

Origins Work Order: Y806031

Client: Eagle

Client Project ID: SRC - Nelson East Tank Building

Checklist Completed by: JP SE

Shipped Via: HD
(UPS, FedEx, Hand Delivered, Pick-up, etc.)

Date/time completed: 6/11/2018 1400

Airbill #: N/A

Matrix(s) Received: (Check all that apply): Soil/Solid Water Other: _____

Cooler Number/Temperature: 1 / 4.5° c / _____ ° c / _____ ° c / _____ ° c (Describe)

Thermometer ID: T003

Requirement Description	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature between 0°C to ≤ 6°C ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is there ice present (document if blue ice is used)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on cooler? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are custody seals present on each sample container? (if so, document in comments if they are signed and dated, broken or intact)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are short holding time analytes or samples with HTs due within 48 hours present ⁽¹⁾ ?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Is a chain-of-custody (COC) present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client with date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace (> ¼ inch bubble) present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are samples preserved that require preservation and was it checked ⁽¹⁾ ? (note ID of confirmation instrument used in comments) / (preservation is not confirmed for subcontracted analyses in order to insure sample integrity)/(pH <2 for samples preserved with HNO ₃ , HCl, H ₂ SO ₄) / (pH > 10 for samples preserved with NaAsO ₂ +NaOH, ZnAc+NaOH)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾If NO, then contact the client before proceeding with analysis and note date/time and person contacted as well as the corrective action to in the additional comments (above) and the case narrative.

[Signature]
 Reviewed by (Project Manager)

6/12/18
 Date/Time Reviewed

Origins Laboratory, Inc.

Jefe Pellegrini

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Nelson East Tank Battery

MW-01
6/11/2018 1:10:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-01 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/14/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	100 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.5 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

MW-02
6/11/2018 1:40:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-02 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/14/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	99.5 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.5 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

MW-03

6/11/2018 12:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-03 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/14/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U

Surrogate: 1,2-Dichloroethane-d4	99.9 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.3 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Nelson East Tank Battery

MW-04
6/11/2018 1:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-04 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/14/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	99.5 %	84-121			"	"	"	
Surrogate: Toluene-d8	98.6 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

MW-05
6/11/2018 2:00:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-05 (Water)

BTEX by EPA 8260C

Benzene	98.2	4.00	ug/L	4	B8F1303	06/13/2018	06/15/2018	
Toluene	ND	4.00	"	"	"	"	"	U
Ethylbenzene	31.4	4.00	"	"	"	"	"	
Xylenes, total	1110	4.00	"	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4	98.6 %	84-121			"	"	"	
Surrogate: Toluene-d8	100 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	103 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

MW-06
6/11/2018 1:50:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-06 (Water)

BTEX by EPA 8260C

Benzene	4.28	1.00	ug/L	1	B8F1303	06/13/2018	06/14/2018	
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	5.94	1.00	"	"	"	"	"	

Surrogate: 1,2-Dichloroethane-d4	98.7 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.9 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	101 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Nelson East Tank Battery

MW-07
6/11/2018 1:30:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-07 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/15/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	99.4 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.1 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

MW-08
6/11/2018 1:20:00PM

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	-------

Origins Laboratory, Inc.
Y806131-08 (Water)

BTEX by EPA 8260C

Benzene	ND	1.00	ug/L	1	B8F1303	06/13/2018	06/15/2018	U
Toluene	ND	1.00	"	"	"	"	"	U
Ethylbenzene	ND	1.00	"	"	"	"	"	U
Xylenes, total	ND	1.00	"	"	"	"	"	U
Surrogate: 1,2-Dichloroethane-d4	99.1 %	84-121			"	"	"	
Surrogate: Toluene-d8	99.6 %	85-115			"	"	"	
Surrogate: 4-Bromofluorobenzene	102 %	84-114			"	"	"	

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Blank (B8F1303-BLK1)

Prepared: 06/13/2018 Analyzed: 06/14/2018

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5	97.3		84-121			
Surrogate: Toluene-d8	62		"	62.5	98.6		85-115			
Surrogate: 4-Bromofluorobenzene	63		"	62.5	102		84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Blank (B8F1303-BLK2)

Prepared: 06/13/2018 Analyzed: 06/14/2018

Benzene	ND	1.00	ug/L							U
Toluene	ND	1.00	"							U
Ethylbenzene	ND	1.00	"							U
Xylenes, total	ND	1.00	"							U
<i>Surrogate: 1,2-Dichloroethane-d4</i>	60		"	62.5	96.7		84-121			
<i>Surrogate: Toluene-d8</i>	62		"	62.5	99.2		85-115			
<i>Surrogate: 4-Bromofluorobenzene</i>	64		"	62.5	102		84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

LCS (B8F1303-BS1)

Prepared: 06/13/2018 Analyzed: 06/14/2018

Benzene	45.3	1.00	ug/L	50.0		90.5	73.3-129			
Toluene	47.3	1.00	"	50.0		94.7	76.2-123			
Ethylbenzene	43.4	1.00	"	50.0		86.7	73.6-130			
m,p-Xylene	87.8	2.00	"	100		87.8	76.1-126			
o-Xylene	43.5	1.00	"	50.0		87.0	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	59		"	62.5		93.8	84-121			
Surrogate: Toluene-d8	62		"	62.5		99.5	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		103	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

LCS (B8F1303-BS2)

Prepared: 06/13/2018 Analyzed: 06/14/2018

Benzene	45.8	1.00	ug/L	50.0		91.7	73.3-129			
Toluene	48.4	1.00	"	50.0		96.9	76.2-123			
Ethylbenzene	44.8	1.00	"	50.0		89.6	73.6-130			
m,p-Xylene	90.9	2.00	"	100		90.9	76.1-126			
o-Xylene	44.0	1.00	"	50.0		88.0	76.6-124			
Surrogate: 1,2-Dichloroethane-d4	58		"	62.5		93.1	84-121			
Surrogate: Toluene-d8	63		"	62.5		100	85-115			
Surrogate: 4-Bromofluorobenzene	65		"	62.5		103	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Matrix Spike (B8F1303-MS1)	Source: Y806120-10			Prepared: 06/13/2018 Analyzed: 06/14/2018						
Benzene	49.6	1.00	ug/L	50.0	ND	99.1	74-130			
Toluene	51.4	1.00	"	50.0	ND	103	73-131			
Ethylbenzene	47.4	1.00	"	50.0	ND	94.8	76-132			
m,p-Xylene	96.3	2.00	"	100	ND	96.3	69-139			
o-Xylene	47.1	1.00	"	50.0	ND	94.2	74-131			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		96.9	84-121			
Surrogate: Toluene-d8	62		"	62.5		99.2	85-115			
Surrogate: 4-Bromofluorobenzene	65		"	62.5		105	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Matrix Spike (B8F1303-MS2)	Source: Y806120-11			Prepared: 06/13/2018 Analyzed: 06/14/2018						
Benzene	46.8	1.00	ug/L	50.0	ND	93.6	74-130			
Toluene	48.7	1.00	"	50.0	ND	97.4	73-131			
Ethylbenzene	44.7	1.00	"	50.0	ND	89.4	76-132			
m,p-Xylene	91.5	2.00	"	100	ND	91.5	69-139			
o-Xylene	45.0	1.00	"	50.0	ND	89.9	74-131			
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		97.8	84-121			
Surrogate: Toluene-d8	63		"	62.5		100	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		103	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Matrix Spike Dup (B8F1303-MSD1)	Source: Y806120-10			Prepared: 06/13/2018 Analyzed: 06/14/2018						
Benzene	45.2	1.00	ug/L	50.0	ND	90.4	74-130	9.16	20	
Toluene	47.8	1.00	"	50.0	ND	95.6	73-131	7.30	20	
Ethylbenzene	44.0	1.00	"	50.0	ND	88.1	76-132	7.39	20	
m,p-Xylene	88.8	2.00	"	100	ND	88.8	69-139	8.08	20	
o-Xylene	43.7	1.00	"	50.0	ND	87.3	74-131	7.56	20	
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		96.9	84-121			
Surrogate: Toluene-d8	63		"	62.5		101	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
 4101 Inca Street
 Denver CO 80211

Dan Coloccia
 Project Number: [none]
 Project: SRC - Nelson East Tank Battery

Volatile Organic Compounds by GC/MS SW846 8260C - Quality Control
Origins Laboratory, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch B8F1303 - EPA 5030B (Water)

Matrix Spike Dup (B8F1303-MSD2)	Source: Y806120-11			Prepared: 06/13/2018 Analyzed: 06/14/2018						
Benzene	48.4	1.00	ug/L	50.0	ND	96.7	74-130	3.28	20	
Toluene	51.0	1.00	"	50.0	ND	102	73-131	4.65	20	
Ethylbenzene	46.9	1.00	"	50.0	ND	93.7	76-132	4.72	20	
m,p-Xylene	95.6	2.00	"	100	ND	95.6	69-139	4.38	20	
o-Xylene	46.7	1.00	"	50.0	ND	93.5	74-131	3.88	20	
Surrogate: 1,2-Dichloroethane-d4	61		"	62.5		98.1	84-121			
Surrogate: Toluene-d8	63		"	62.5		100	85-115			
Surrogate: 4-Bromofluorobenzene	64		"	62.5		102	84-114			

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Eagle Environmental Consulting, Inc.
4101 Inca Street
Denver CO 80211

Dan Coloccia
Project Number: [none]
Project: SRC - Nelson East Tank Battery

Notes and Definitions

U Sample is Non-Detect.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

All soil results are reported at a wet weight basis.

Origins Laboratory, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jen Pellegrini For Noelle Doyle Mathis, President