

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401809303

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 69175

2. Name of Operator: PDC ENERGY INC

3. Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

4. Contact Name: Ally Ota

Phone: (303) 860-5800

Fax: (303) 831-3988

Email: Alexandria.Ota@pdce.com

5. API Number 05-123-43652-00

7. Well Name: Ward

8. Location: QtrQtr: SESE Section: 20 Township: 6N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: X-20-19HN

## Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 08/03/2018 End Date: 08/27/2018 Date of First Production this formation: 10/04/2018  
Perforations Top: 7538 Bottom: 17634 No. Holes: 2016 Hole size: 42/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

56 Stage Plug and Perf  
Total Fluid: 242,778 bbls  
Gel Fluid: 179,150 bbls  
Slickwater Fluid: 62,101 bbls  
15% HCl Acid: 1,527 bbls  
Total Proppant: 10,237,000 lbs  
Silica Proppant: 10,237,000 lbs  
Method for determining flowback: measuring flowback tank volumes.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 242778

Max pressure during treatment (psi): 5005

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.34

Type of gas used in treatment:

Min frac gradient (psi/ft): 1.04

Total acid used in treatment (bbl): 1527

Number of staged intervals: 56

Recycled water used in treatment (bbl):

Flowback volume recovered (bbl): 13960

Fresh water used in treatment (bbl): 241251

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 10237000

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

### Test Information:

Date: 10/14/2018 Hours: 24 Bbl oil: 239 Mcf Gas: 318 Bbl H2O: 520  
Calculated 24 hour rate: Bbl oil: 239 Mcf Gas: 318 Bbl H2O: 520 GOR: 1331  
Test Method: Flowing Casing PSI: 1969 Tubing PSI: 1422 Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 50 API Gravity Oil: 1240  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 6974 Tbg setting date: 09/27/2018 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

Actual Top of Productive Zone Footage: 147' FSL & 620' FEL Sec: 20 Twp: 6N Rng: 66W

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Cassie Gonzalez

Title: Regulatory Technician Date: Email: Cassie.Gonzalez@pdce.com

## Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)