

FORM  
2A

Rev  
04/18

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401790824

Date Received:

10/31/2018

Oil and Gas Location Assessment

☒ New Location ☐ Refile ☐ Amend Existing Location Location#: \_\_\_\_\_

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

Expiration Date:

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☒ This location is included in a Comprehensive Drilling Plan. CDP # 11984
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 100322

Name: NOBLE ENERGY INC

Address: 1001 NOBLE ENERGY WAY

City: HOUSTON State: TX Zip: 77070

Contact Information

Name: Holly Hill

Phone: (303) 228 4232

Fax: ( )

email: CDPNBLPermitting@nblenergy.com

FINANCIAL ASSURANCE

- ☒ Plugging and Abandonment Bond Surety ID (Rule 706): 20030009 ☐ Gas Facility Surety ID (Rule 711): \_\_\_\_\_
- ☐ Waste Management Surety ID (Rule 704): \_\_\_\_\_

LOCATION IDENTIFICATION

Name: C29-03

Number: Pad

County: WELD

Quarter: NENW Section: 29 Township: 4N Range: 64W Meridian: 6 Ground Elevation: 4775

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 330 feet FNL from North or South section line

2443 feet FWL from East or West section line

Latitude: 40.289770 Longitude: -104.575430

PDOP Reading: 1.8 Date of Measurement: 08/31/2018

Instrument Operator's Name: Alan Hnizdo

## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

**This proposed Oil and Gas Location is:**

**LOCATION ID #**

**FORM 2A DOC #**

Well Site is served by Production Facilities

401790832

## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

|                       |   |                      |  |                      |  |                  |  |                               |  |
|-----------------------|---|----------------------|--|----------------------|--|------------------|--|-------------------------------|--|
| Wells                 | 5 | Oil Tanks*           |  | Condensate Tanks*    |  | Water Tanks*     |  | Buried Produced Water Vaults* |  |
| Drilling Pits         |   | Production Pits*     |  | Special Purpose Pits |  | Multi-Well Pits* |  | Modular Large Volume Tanks    |  |
| Pump Jacks            | 5 | Separators*          |  | Injection Pumps*     |  | Cavity Pumps*    |  | Gas Compressors*              |  |
| Gas or Diesel Motors* |   | Electric Motors      |  | Electric Generators* |  | Fuel Tanks*      |  | LACT Unit*                    |  |
| Dehydrator Units*     |   | Vapor Recovery Unit* |  | VOC Combustor*       |  | Flare*           |  | Pigging Station*              |  |

## OTHER FACILITIES\*

**Other Facility Type**

**Number**

Gas Lift Meter Building

2

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Five (5) 2-4" Steel Three Phase Flowlines, Seven (7) 2-4" Steel Gas Lift Lines, Three (3) 12" Temporary Poly Lines for Fresh Water

## CONSTRUCTION

Date planned to commence construction: 06/01/2021

Size of disturbed area during construction in acres: 9.10

Estimated date that interim reclamation will begin: 12/01/2021

Size of location after interim reclamation in acres: 2.20

Estimated post-construction ground elevation: 4775

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H<sub>2</sub>S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? Yes

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE

Drilling Fluids Disposal Method: Commercial Disposal

Cutting Disposal: OFFSITE

Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

Centralized E&P Waste Management Facility ID, if applicable: \_\_\_\_\_

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Brenda Johnson

Phone: \_\_\_\_\_

Address: 24630 County Road 42

Fax: \_\_\_\_\_

Address: \_\_\_\_\_

Email: \_\_\_\_\_

City: Kersey State: CO Zip: 80644-9134

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☐ is the mineral owner

☐ is committed to an oil and Gas Lease

☐ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation \_\_\_\_\_

## CURRENT AND FUTURE LAND USE

### Current Land Use (Check all that apply):

Crop Land: ☒ Irrigated ☒ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

### Future Land Use (Check all that apply):

Crop Land: ☒ Irrigated ☒ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

|                                   | From WELL | From PRODUCTION FACILITY |
|-----------------------------------|-----------|--------------------------|
| Building:                         | 541 Feet  | 520 Feet                 |
| Building Unit:                    | 541 Feet  | 520 Feet                 |
| High Occupancy Building Unit:     | 5280 Feet | 5280 Feet                |
| Designated Outside Activity Area: | 5280 Feet | 5280 Feet                |
| Public Road:                      | 319 Feet  | 321 Feet                 |
| Above Ground Utility:             | 304 Feet  | 305 Feet                 |
| Railroad:                         | 5280 Feet | 5280 Feet                |
| Property Line:                    | 133 Feet  | 41 Feet                  |

### INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.  
- Enter 5280 for distance greater than 1 mile.  
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.  
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.  
- For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- ☒ Buffer Zone  
☐ Exception Zone  
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.  
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.  
- Urban Mitigation Area - as defined in 100-Series Rules.  
- Large UMA Facility - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: 10/17/2018

## FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- ☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- ☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

## SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 44 - Olney loamy sand, 1 to 3 percent slopes

NRCS Map Unit Name: 72 - Vona loamy sand, 0 to 3 percent slopes

NRCS Map Unit Name: 73 - Vona loamy sand, 3 to 5 percent slopes

## PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 08/26/2018

List individual species:

### Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)  
☐ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)  
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)  
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)  
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)  
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)  
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)  
☐ Alpine (above timberline)  
☐ Other (describe):

## WATER RESOURCES

Is this a sensitive area: ☐ No ☒ Yes

Distance to nearest

downgradient surface water feature: 32 Feet

water well: 138 Feet

Estimated depth to ground water at Oil and Gas Location 72 Feet

Basis for depth to groundwater and sensitive area determination:

Location is sensitive due to proximity to surface water (Ditch).  
Depth to groundwater taken from permit # 64665

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer  No

zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:

Is the Location within a Floodplain? ☒ No ☐ Yes Floodplain Data Sources Reviewed (check all that apply)

☒ Federal (FEMA)

☒ State

☐ County

☐ Local

☐ Other

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

## WILDLIFE

- ☐ This location is included in a Wildlife Mitigation Plan

☐ This location was subject to a pre-consultation meeting with CPW held on \_\_\_\_\_

## Operator Proposed Wildlife BMPs

No BMP

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## RULE 502.b VARIANCE REQUEST

- ☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

|          |   |
|----------|---|
| Comments | <p>Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil &amp; Gas operations throughout the state of Colorado.</p> <p>Stormwater management plans (SWMP) are in place to address construction, drilling, and operations associated with Oil &amp; Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) and General Permit No.'s: COR03N578; COR03N579; COR03N580; and COR03O059.</p> <p>The attached Waste Management Plan contains information regarding the management and disposal of water-based fluids and cuttings.</p> <p>Building Unit owner signed waiver of 30-day pre-app notice period.</p> |
|----------|---|

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 10/31/2018 Email: CDPNBLPermitting@nblenergy.com

Print Name: Ann Feldman Title: Regulatory Manager

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

## Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

### COA Type

### Description

|  |  |
|--|--|
|  |  |
|--|--|

## Best Management Practices

| No | BMP/COA Type    | Description  |
|----|-----------------|--|
| 1  | Planning        | Lighting on well pad locations is considered temporary and will be used during drilling, completion and construction activities. Temporary lighting will be directed downward, inward, and shielded towards location to avoid glare on public roads and building units within 1,000 feet. Lighting will be turned off when practical, i.e., no operations being conducted.   |
| 2  | Planning        | <p>Where technologically feasible and economically practicable, Noble shall consolidate wells to create multi-well pads, including shared locations with other operators. Multi-well production facilities shall be located as far as possible from Building Units.</p> <ul style="list-style-type: none"> <li>• The pad shall be constructed in such a manner that noise mitigation may be installed and removed without disturbing the site or landscaping.</li> <li>• Pads shall have all weather access roads to allow for operator and emergency response.</li> </ul>   |
| 3  | Planning        | Upon initial rig-up and at least once every thirty (30) days during drilling operations thereafter, pressure testing of the casing string and each component of the blowout prevention equipment including flange connections shall be performed to seventy percent (70%) of working pressure or seventy percent (70%) of the internal yield of casing, whichever is less. Pressure testing shall be conducted and the documented results shall be retained by the operator for inspection by the Director for a period of one (1) year. Activation of the pipe rams for function testing shall be conducted on a daily basis when practicable.  |
| 4  | Planning        | <p>Adequate blowout prevention equipment shall be used on all well servicing operations.</p> <ul style="list-style-type: none"> <li>• Backup stabbing valves shall be required on well servicing operations during reverse circulation. Valves shall be pressure tested before each well servicing operation using both low-pressure air and high-pressure fluid.</li> </ul>   |
| 5  | Planning        | Closed chamber drill stem tests shall be allowed. All other drill stem tests shall require approval by the Director.   |
| 6  | Planning        | The operator shall identify the location of the wellbore with a permanent monument as specified in Rule 319.a.(5). The operator shall also inscribe or imbed the well number and date of plugging upon the permanent monument.   |
| 7  | Planning        | Where possible, operators shall provide for the development of multiple reservoirs by drilling on existing pads or by multiple completions or commingling in existing wellbores (see Rule 322). If any operator asserts it is not possible to comply with, or requests relief from, this requirement, the matter shall be set for hearing by the Commission and relief granted as appropriate.   |
| 8  | Planning        | <p>Baseline Sampling and Monitoring :</p> <p>Initial baseline samples and a subsequent monitoring sample shall be collected pursuant with the Rules unless excepted typically from one (1) Available Water Source in the governmental quarter section in which a new Oil and Gas Well, the first well on a Multi-Well Site, or a Dedicated Injection Well is located. If a sampling location has previously been established within the governmental quarter section, and sampled within the prior sixty (60) months before spudding, no initial baseline sample is required.</p> <ul style="list-style-type: none"> <li>• Except as provided in subpart (4)B.i, of the Rules, initial sampling shall be conducted within 12 months prior to setting conductor pipe in an Oil and Gas Well or the first well on a Multi-Well Site, or commencement of drilling a Dedicated Injection Well.</li> <li>• One subsequent sampling event shall be conducted at the initial (or previously established) sample location between six (6) and twelve (12) months following completion of the Well or Dedicated Injection Well, or the last Well on a Multi-Well Site. Wells that are drilled and abandoned without ever producing hydrocarbons are exempt from subsequent monitoring sampling under this subpart (4)D.ii.</li> </ul> |
| 9  | Traffic control | Speed limits will be enforced. The traffic plan and route will include mitigation of impacts from temporary operations by applying water or magnesium chloride as dust suppression within 1000' of occupied residences on Weld County Road 42, and on lease roads as necessary in cooperation with the county.   |

|    |  |   |
|----|--|---|
| 10 | General Housekeeping                   | Housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur prompt cleanup is required to minimize any commingling of waste materials with storm water runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly. |
| 11 | General Housekeeping                   | Within ninety (90) days after a well is plugged and abandoned, the well site shall be cleared of all non-essential equipment, trash, and debris. For good cause shown, an extension of time may be granted by the Director.   |
| 12 | Storm Water/Erosion Control            | Stormwater BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. Specific BMP's used may include stockpile stabilization, grading, sediment traps, and perimeter barriers based on final construction design and will remain in place until the pad reaches final reclamation.  |
| 13 | Material Handling and Spill Prevention | Due to using a closed loop system, pits will not be used.   |
| 14 | Material Handling and Spill Prevention | Any material not in use that might constitute a fire hazard shall be removed a minimum of twenty-five (25) feet from the wellhead, tanks and separator. Any electrical equipment installations inside the bermed area shall comply with API RP 500 classifications and comply with the current national electrical code as adopted by the State of Colorado.<br><ul style="list-style-type: none"> <li>• Flammable liquids shall not be stored within fifty (50) feet of the wellbore, except for the fuel in the tanks of operating equipment or supply for injection pumps. Where terrain and location configuration do not permit maintaining this distance, additional equivalent safety measures will be taken.</li> </ul>   |
| 15 | Dust control                           | Noble shall employ practices for control of fugitive dust caused by their operations. Such practices shall include but are not limited to the use of speed restrictions, regular road maintenance, restriction of construction activity during high- wind days, and silica dust controls when handling sand used in hydraulic fracturing operations. Additional management practices such as road surfacing, wind breaks and barriers, or automation of wells to reduce truck traffic may also be used if technologically feasible and economically reasonable to minimize fugitive dust emissions.   |
| 16 | Construction                           | Unless otherwise requested by the Surface Owner, well sites constructed within the Designated Setback location will be fenced to restrict access by unauthorized persons.   |
| 17 | Construction                           | At the time of construction, all leasehold roads shall be constructed to accommodate local emergency vehicle access requirements, and shall be maintained in a reasonable condition. Noble Energy plans on building the access road off of WCR 42 for Drilling and Completion activities.   |
| 18 | Noise mitigation                       | Temporary operations – Baseline surveys will be completed at the residences to the northeast. Engineered sound walls no less than 16' tall will be used along the appropriate sides for well pad to mitigate noise impacts to these residences. The use of equipment specific sound walls will be used as necessary around rig generators in the event of sound impacts during operations.  |



|    |                                |   |
|----|--------------------------------|---|
| 19 | Emissions mitigation           | <p>The operator shall employ sand traps, surge vessels, separators, and tanks during flowback and cleanout operations to safely maximize resource recovery and minimize releases to accommodate green completions techniques.</p> <p>Operator will use an enclosed combustion device with a 98% design destruction efficiency for hydrocarbons.</p> <p>When commercial quantities of salable quality gas are achieved at each well, the gas shall be immediately directed to the sales line or wells will be shut in and gas conserved. If a sales line is unavailable or other conditions prevent placing the gas into a sales line, the operator shall not produce the wells without an approved variance per Rule 805.b.(3)C. The Rule 912 notice and approval requirements apply regardless of a variance from Rule 805.b.(3)C.</p>   |
| 20 | Drilling/Completion Operations | <p>Closed loop drilling systems are required within the Buffer Zone Setback.</p> <ul style="list-style-type: none"> <li>• Pits are not allowed on Oil and Gas Locations within the Buffer Zone Setback, except fresh water storage pits, reserve pits to drill surface casing, and emergency pits as defined in the 100-Series Rules.</li> <li>• Fresh water pits within the Exception Zone shall require prior approval of a Form 15 pit permit. In the Buffer Zone, fresh water pits shall be reported within 30-days of pit construction.</li> <li>• Fresh water storage pits within the Buffer Zone Setback shall be conspicuously posted with signage identifying the pit name, the operator's name and contact information, and stating that no fluids other than fresh water are permitted in the pit. Produced water, recycled E&amp;P waste, or flowback fluids are not allowed in fresh water storage pits.</li> <li>• Fresh water storage pits within the Buffer Zone Setback shall include emergency escape provisions for inadvertent human access.</li> </ul> |
| 21 | Drilling/Completion Operations | All loadlines will be bullplugged or capped.  |
| 22 | Drilling/Completion Operations | All guy line anchors left buried for future use shall be identified by a marker of bright color not less than four (4) feet in height and not greater than one (1) foot east of the guy line anchor.  |
| 23 | Interim Reclamation            | All interim and final reclamation activities will comply with Noble's Topsoil Management Plan.  |

Total: 23 comment(s)

### **Attachment Check List**

| <b><u>Att Doc Num</u></b> | <b><u>Name</u></b>                         |
|---------------------------|--|
| 401792493                 | LOCATION PICTURES                          |
| 401792517                 | MULTI-WELL PLAN                            |
| 401792518                 | WASTE MANAGEMENT PLAN                      |
| 401794349                 | SURFACE AGRMT/SURETY                       |
| 401815283                 | LOCATION DRAWING                           |
| 401818081                 | PRE-APPLICATION NOTIFICATION CERTIFICATION |
| 401821863                 | RULE 306.E. WAIVER                         |
| 401822527                 | FACILITY LAYOUT DRAWING                    |

Total Attach: 8 Files

### **General Comments**

| <b><u>User Group</u></b> | <b><u>Comment</u></b> | <b><u>Comment Date</u></b> |
|--------------------------|-----------------------|----------------------------|
|                          |                       | Stamp Upon Approval        |

Total: 0 comment(s)

### **Public Comments**

No public comments were received on this application during the comment period.